

Supplemental Label

Pylon[®] miticide-insecticide

For the control of thrips on ornamentals grown in commercial greenhouses

Active Ingredient:
 Chlorfenapyr: 4-bromo-2-(4-chlorophenyl)-1-(ethoxymethyl)- 5-(trifluoromethyl)-1*H*-pyrrole-3-carbonitrile..... 21.4%

Other Ingredients:..... 78.6%

Total: 100.0%

(8 fluid ounces contains 0.125 pounds of active ingredient.)

EPA Reg. No. 241-374

Directions For Use

Refer to the Pylon[®] miticide-insecticide main label, EPA Reg. No. 241-374, for complete Directions For Use and all applicable restrictions and precautions. When following the instructions on this supplemental label, the user must have this label and the entire Pylon container label in possession at the time of pesticide application.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Application Instructions

To limit the potential for resistance development, follow the Pylon container label directions for maximum number of consecutive applications before rotating to other effective miticides/insecticides with a different mode of action and for maximum number of applications per season.

Apply Pylon according to the rates, timing and resistance management instructions in the **Application Rates and Instruction Remarks, Greenhouse Ornamentals (non-food plants)** table in this label.

Use Restrictions

Refer to the Pylon container label for specific use directions, recommendations and restrictions.

Application Rates ¹ and Instruction Remarks Greenhouse Ornamentals (non-food plants)			
Target Pests	Rate (fl ozs of Pylon [®] miticide- insecticide/100 gals)	Rate (lbs ai/100 gals)	Remarks
Thrips, including: Chilli Thrips (<i>Scirtothrips dorsalis</i> Hood) Western flower thrips ² (<i>Frankliniella occidentalis</i>)	5.2 to 10	0.08 to 0.16	<p>Treat when pests are immature and when populations are building, before crop damage occurs.</p> <p>Western Flower thrips may be concealed in blooms and will be difficult to control.</p> <p>Chilli thrips are foliar feeders and sufficient spray volume, to ensure thorough coverage, must be used for optimum control.</p> <p>Alternation with other MOA (Mode-of-Action) products such as Overture[®] 35 WP insecticide or Mesuroi[®] can help prevent resistance development. Incorporate an IGR such as Pedestal[™] in your spray program.</p>
<p>¹No more than three (3) applications (not more than 41 fl ozs of product/100 gals/crop/season or 0.64 lb of active ingredient/100 gals/crop/season) should be applied during a crop growing cycle (start to finish for one ornamental crop). Refer to the section on Resistance Management on the main container label for specific application strategies.</p> <p>²Combinations with other effective insecticides will enhance overall control.</p>			

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PC309

Pylon is a registered trademark of BASF

Mesuro is a registered trademark of Bayer AG,
Germany

Overture is a registered trademark of Valent U.S.A.
Corporation

Pedestal is a trademark of Makhteshim Agan

©2011 BASF Corporation
All rights reserved.

000241-00374.20110203.NVA 2011-04-132-0020

Based on: NVA 2009-04-132-0171

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709



The Chemical Company