PYRETHRIN GARDEN INSECT SPRAY CONCENTRATE

- CONTAINS PYRETHRINS, A BOTANICAL INSECTICIDE
- USE UP TO DAY OF HARVEST
- FOR USE ON VEGETABLES, FRUITS, ROSES, FLOWERS AND ORNAMENTALS
- CAN BE USED ON DELICATE ORNAMENTALS.
- PROTECTS YOUR WHOLE GARDEN FROM DAMAGING INSECTS!

Store and transport in an upright position. EPA Est. No. 4-NY-1 EPA Reg. No. 4-371 Buyers Guarantee Limited to Label Claims. ©Bonide Products, Inc. All Rights Reserved Bonide Products, Inc. 6301 Sutfiff Road Oriskany, NY 13424

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in interior plantscapes, ornamental pardens or parks, lawns and grounds.

This insecticide may be used outdoors or in greenhouses throughout the entire growing season or as a preharvest treatment when other insecticides are prohibited due to residue restrictions and use limitations, to control insects named on the plants listed below, use 7.5 to 15 fluid ounces of concentrate in 5 gallons of water or 3 to 5 tablespoons per 1 gallon. (1 tablespoon per quart of water.) Apply to insure thorough coverage of upper and lower leaf surfaces, use caution on new growth and tender foliace.

Prepare only the amount of spray required. Holding dilute spray more than 24 hours is not recommended.

| CROP | TO CONTROL |
|---|--|
| Asparagus | Asparagus Beetle |
| Beans | Aphids, Leafhoppers, 12-Spotted Cucumber Beetle, Whitefly, Mexican Bean Beetle |
| Broccoli, Cabbage, Brussels Sprouts, Cauliflower | Aphids, Cabbage Looper, Cross-Striped Cabbageworm, Diamondback Moth Larvae, Flea Beetle, Harlequin Bug, Imported Cabbageworm, Stink Bug |
| Celery | Green Peach Aphid, Leaftier, Cabbage Looper |
| Cranberries | Fireworms, Leafhopper |
| Eggplants | Blister Beetle, Colorado Potato Beetle, Flea Beetle, Grean Peach Aphid |
| Lettuce | Cabbage Looper, Green Peach Aphid, Diamond- back Moth Larvae, Imported Cabbageworm |
| Mustard Greens, Kale, Collards, Turnips | |
| Peppers | Green Peach Aphid |
| Potatoes | Aphids, Colorado Potato Beetle, Flea Beetle, Leafhoppers |

| Radisti | Aprilos, Flea Beetle |
|---|--|
| Spinich | Aphids, Cabbage Looper, Webworm |
| Tomatoes | Green Peach Aphid, Stink Bug, Colorado Potato Beetle, Flea Beetle |
| Omamentals (African Violets, Asters, Azaleas, Begonias, Camellias, Carnations, Chrysanthemums, Dahlias, Dogwoods, Geraniums, Gladioli, Marigolds, Roses, Rubber Plants, Wandering Jew, etc. | Aphids, Flea Beetle, Leafhopper |

TO CONTROL

CROP

Pesticide Disposal: If partly filled - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. Container Disposal: If empty - Nonrefillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available.

STORAGE AND DISPOSAL Pesticide Storage: Store and transport in an upright position Store in a cool dry area inaccessible to children or pets.

| FIRST AID Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information. | | |
|---|--|--|
| lf on Skin | Take off contaminated clothing. | |
| or Clothing: | Rinse skin immediately with plenty of | |
| | water for 15-20 minutes. | |
| | Call a poison control center or doctor for | |
| | treatment advice. | |
| If Inhaled: | Move person to fresh air. | |
| | •If person is not breathing, call 911 or an | |
| | ambulance, then give artificial respiration, | |
| | preferably by mouth-to-mouth, if possible. | |
| | Call a poison control center or doctor for | |
| | further treatment advice. | |

FIRST AID Cont

| If in Eyes: | Hold eye open and rinse slowly and |
|-------------|--|
| | gently with water for 15-20 minutes. |
| | Remove contact lenses, if present, after the |
| | first 5 minutes, then continue rinsing eve. |
| | Call a poison control center or doctor for |
| | treatment advice |

If Swallowed: • Call a poison control center or doctor immediately for treatment advice.

 Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an

unconscious person. NOTE TO PHYSICIAN: Contains petroleum distillate vomiting may cause aspiration pneumonia.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin or inhaled. Causes moderate eve injury. Avoid contact with skin, eves. or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, autters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

To the extent consistent with applicable law, buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.