

Over the Top II Grass Killer

- Systematic Selective Herbicide Kills Weedy Grasses Without
- Injuring Desirable Plants.
 Controls: Bermudagrass, Crabgrass, Foxtails, Quackgrass & Many Other Weedy Grasses.
- Concentrate Makes 8 Gallons of Spray Solution.

KEEP OUT OF REACH OF CHILDREN

See The Attached Booklet For Complete Precautionary Statements, Directions For Use, First Aid, Conditions Of Sale And Warranty, and state-specific crop and/or use site restrictions. **ACTIVE INGREDIENT:**

NET CONTENTS 8 FL. OZS.

	FIRST AID		
If in Eyes:	• Hold eye open and rinse slowly and gently with water for		
	15 to 20 minutes.		
	 Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. 		
	Call a Poison Control Center or doctor for treatment advice.		
lf on	Take off contaminated clothing.		
Skin or	 Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or doctor for treatment advice. 		
Clothing:			
lf Swallowed:	 Call a Poison Control Center or doctor immediately for treat- ment advice. 		
owanowcu.	• DO NOT give any liquid to the person.		
	• DO NOT induce vomiting unless told to do so by a Poison Control		
	Center or doctor.		
	• DO NOT give anything by mouth to an unconscious person.		
	uct container or label with you when calling a Poison Control Center		
or doctor or g	oing for treatment. of a medical or chemical emergency, contact <u>ChemTel</u>		
North Americ	a 1-800-255-3924 or Worldwide Intl. + 01- 813-248-0585		
	ian: Probable mucosal damage may contraindicate the use of gastric		
	ns petroleum distillate. Vomiting may cause aspiration pneumonia.		
Manufactured For:			
	Voluntary Purchasing		
	Groups, Inc.		
	230 FM 87 • BONHAM, TEXAS 75418		
NVA: 2009-04-025-127			
EPA Reg. No. 7969-58-7401 EPA Est. No. 7401-Tx-001			
	7 3222111043411 1		

20M-7-411

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. Causes substantial but temporary eye injury. Causes skin irritation. Harmful if absorbed through skin or swallowed. **D0** NDT get in eyes, on skin, or on clothing. Wear long-sleeved shirt, long pants, chemical-resistant gloves made of any water proof material, protective eyewear, shoes, and socks. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

RE-ENTRY STATEMENT

DO NOT allow people or pets to come into contact with treated areas until spray has dried.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms. To protect the environment, **D0 NOT** allow pesticide to enter or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

ENDANGERED SPECIES CONCERNS

The use of any pesticide in a manner that may kill or otherwise harm an endangered or threatened species or adversely modify their habitat is a violation of federal law.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE. DO NOT use or store near heat or open flame.

Intended for residential/homeowner use on and around:

Flowers	Trees	Ornamental-
Evergreens	Fruits*	Groundcovers
Shrubs	Vegetables*	Bedding Plants
*See Table 2.	Fruits and Vegeta	les for specific crops.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

DO NOT apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

STORAGE AND DISPOSAL

PESTICIDE STORAGE

Store unused product in original container only, out of the reach of children and animals. NEVER TRANSFER THIS PRODUCT TO ANOTHER CON-TAINER FOR STORAGE.

CONTAINER DISPOSAL

Nonrefillable container. DO NOT reuse or refill this container. If empty: offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with directions given herewith. Voluntary Purchasing Groups, Inc. warrants this product to conform to the chemical description on the label and for the purposes stated on the label. The limit of any liability incurred shall be the purchase price paid by the User or Buyer.

READ ENTIRE LABEL FOR DIRECTIONS FOR USE AND PRECAUTIONARY STATEMENTS.

This product is a selective systemic grass killer to eliminate existing weedy grasses growing in and around plant beds, landscapes, and individual shrubs and trees. (See **Tolerant Plants**.) This product can be used through a hose-end sprayer according to the directions of the sprayer used or through a tank-type sprayer.

This product can also be used around listed fruit and vegetable areas, (see **Table 2**), wherever listed weedy grasses occur. Use only tank-type sprayers.

WEEDY GRASSES CONTROLLED

This product kills most annual and hard-to-kill perennial grasses up to 1 foot high, including the examples listed below in one or two applications. Younger, actively growing seedling weeds are more easily killed than older, mature, well-established grassy weeds which may require a repeat application for control. Adding oil concentrate may help control of grassy weeds.

Barnyardgrass Bermudagrass Broadleat Signalgrass Crabgrass -Large, Smooth Fall Panicum Foxtails - Giant, Green, Yellow Goosegrass Johnsongrass -Seedling, Rhizome Junglerice Lovegrass Orchardgrass -Seedling Quackgrass Tall Fescue -Seedling Texas Panicum Shattercane/Wildcane Wild Proso Millet Wirestem Muhly Witchgrass Wooly Cuugrass

Note: This product does not control sedge (including Nutsedge or Nutgrass), annual bluegrass, or broadleaf weeds. Red Fescue, Chewings Fescue, Hard Fescue, and Dichondra Turfs are also tolerant to this product.

APPLICATION TIMING

Apply when grassy weeds are actively growing, not exceeding the minimum of days from application to harvest when used on vegetables and fruits. Warm sunny weather will accelerate systemic movement from leaves and stems down to the roots to give complete kill. **D0 NOT** moy or cut off tops of weeds before spraying. **D0 NOT** apply if rainfall is expected within one hour following application. Gravst urns yellow and dies within one to three weeks depending on the grass species, stage of growth and weather conditions. Cool weather, drought and heat stress slow activity. **TABLE 1. ferti-lome® Over-The-Top II** (concentrate) and **Oil Concentrate Dilution**

Water (gals)	fertilome® Over-The-Top II		Oi Concen		Coverage
	Fluid Ounces	Tbsp.	Fluid Ounces	Tbsp.	(sq ft)
1	1	2	1	2	1,800
3	3	6	3	6	5,400
5	5	10	5	10	9,000
8	8	16	8	16	14,400

One gallon of spray will treat 1,800 square feet.

*To prevent leaf burn of desirable plants, **DO NOT** use oil concentrate when comfort index (temperature °F + humidity) exceeds 150.

HOSE-END SPRAYER APPLICATION

Water Dilution/Premixing Not Needed. Determine the area to treat in square feet. Pour 1 fluid ounce of this product and 1 fluid ounce of oil concentrate in the hose-end sprayer bottle for each 1,800 square feet to be treated. Apply 1 fluid ounce per gallon. After application, wash the sprayer with a dilute soap solution and rinse according to the sprayer instructions.

Water Dilution/Premixing Needed. Some hose-end applicators recommend premixing liquid products with water before pouring into the sprayer bottle. Read the hose-end sprayer instructions for making treatments at 1 fluid ounce per 1,800 square feet. Clean the sprayer after use according to the sprayer instructions.

TANK SPRAYER APPLICATION

Mix 1 fluid ounce of this product plus 1 fluid ounce oil concentrate per 1 gallon water, spray to just wet the unwanted weedy grasses. One gallon of spray will treat 1,800 square feet. Wash sprayer by flushing soapy water through the sprayer, then flushing clean water through the sprayer.

Important:

For spot treating grassy weeds near lawns and around sensitive plants, a tank-type sprayer is recommended. Spray carefully to avoid spray or drift contact with desirable plants. If drift occurs, wash off foliage immediately with water.

FLOWERS, BEDDING PLANTS, EVERGREENS, SHRUBS, TREES AND ORNAMENTAL GROUNDCOVERS

This product may be applied over the top of desirable plants infested by weedy grasses, or as a directed spray to weedy grasses at the labeled rate. **DO NOT** exceed dosage rate per gallon of spray. Most ornamental species tested have been found tolerant to this product (see **Tolerant Plants** list). However, use with caution around the following plants as they may be damaged if spray contacts foliage: Azaleas (var. Snow), Japanese Privet, Potentilla, Snow in Summer, Red Oak and White Oak and ornamental grass.

This product may also be used on the following nonbearing food plants. **D0 NOT** apply within 1 year of harvest.

Avocados Dates Figs Olives Plums Pomegranates Prunes

FRUITS AND VEGETABLES (use only with tank-type sprayers)

Use this product on the fruits and vegetables listed in Table 2. Fruits and Vegetables. DO NOT apply on or around any fruits and vegetables not listed on this label, especially Sweet Corn. Apply on and around tolerant fruits and vegetables with a tank-type sprayer only. A second application may be made to all listed fruits and vegetables except Peanut and Strawberry.

The quantities presented in Table 1. ferti-lome® Over-The-Top II (concentrate) and Oil Concentrate Dilution do not exceed the registered rates for the fruits and vegetables listed. DO NOT exceed the quantities presented.

TABLE 2. FRUITS AND VEGETABLES		
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)	
Apple	14	
Apricot	25	
Artichoke (California only)	7	
Asparagus	1	
Beans, Green	15	
Beans, Dry	30	
Beet (garden)	60	
Blackberry	45	
Blueberry ¹	30	
Broccoli	30	
Cabbage	30	
Cantaloupe	14	
Carrots	30	
Cauliflower	30	
Celery	30	

FRUITS AND VEGETABLES (continued)		
CROP	MINIMUM TIME FROM LAST APPLICATION TO HARVEST (days)	
Cherries (Sweet and Sour)	25	
Citrus	15	
Crabapple	14	
Cranberries ¹	60	
Cucumber	14	
Eggplant	20	
Endive(Florida only)	15	
Grape	50	
Horseradish	60	
Lentils ¹	50	
Lettuce, head	30	
Lettuce, leaf	15	
Loganberry	45	
Mint	20	
Muskmelon	14	
Nectarine	25	
Onion, Garlic	30	
Peach	25	

10

59992 OverTheTop Back BK.indd 10

FRUITS AND VEGETABLES (continued)		
CROP	MINIMUM TIME FROM LAST Application To harvest (days)	
Peanut ²	40	
Pear	14	
Peas, green	15	
Peas, dry	30	
Pepper	20	
Potato	30	
Pumpkin	14	
Quince	14	
Raspberry	45	
Spinach	15	
Squash (all)	14	
Strawberry ²	7	
Tomato	20	
Tree Nuts	15	
Watermelon	14	

¹Not for use in California

²Use no more than one application per season. Up to two applications per season may be made on all other plants.

TOLERANT PLANTS			
Trees - Common Name			
Acacia, Knife Leaf Arborvitae, Eastern Ash, Green Basswood, American Berkman's, Oriental Birch Black Locust Bottle Tree Brisbane Box Tree Carpot Tree Carpot Tree Carpot Tree Caroto Tree Caroto Tree Caroto Tree Caroto Tree Caroto Wood Catalpa, Southern Cherry, Black Crabapole, Flowering Cypress, False Dogwood, Flowering Elm, Chinese Evergreen Eucalyptus Fir Goldenrain Tree Guava Gum, Blue Hackberry, Common Hemlock, Canadian Holly, Chinese Ironbark, Red Jacaranda	Kentucky Coffee Tree Larch, European Laurel, Indian Linden, Littleleaf Locust, Honey Loquat Magnolia, Southern Maple, Red Mimosa Tree Myoporum New Zealand Christmas Tree Oak Olive Tree Olive, Russian Orchid Tree, Purple Osage Orange Palm, Mediterranean Fan Palo Verde, Green Paulownia Royal Pear, Common Pepper, Brazilean Pine, Aleppo Plum, Wild Poplar, Hybrid Poplar, Hybrid Poplae, Bailey Acacia		
12			

Trees - Common Name (continued)

Redwood, Coast	Sycamore
Sandcherry, Western	Tea Tree, Australian
Sensitive Plant	Tipu Tree
Silk Tree	Walnut, Black
Spruce, Black Hills	Weeping Fig, Exoctica
Strawberry Tree	Willow
Sumac, Standard,	Yate, Bushy
African	Yew, English
Sweet Gum	

TOLERANT PLANTS

Shrubs - Common Name

Abelia, Glossy	Copper Plant, Caribbean
Acacia, Bailey	Cotoneaster, Bearberry
Andromeda	Coyote Bush
Arborvitae, Oriental	Cranberry Bush,
Arrowwood, Southern	American
Azalea, Mollis hybrid	Crape Myrtle
Bamboo, Heavenly	Currant, Alpine
Barberry, Japanese	Dogwood, Red Osier
Bird Of Paradise Bush	Elaeagnus
Bluebeard	Escallonia
Boxwood, Common	Euonymus, Evergreen
Buckthorn, Glossy, Alder	Fig, Creeping
Camellia	Firethorn
Cedar, Eastern Red	Forsythia, Greenstem
Cherry, Brush	Flax, New Zealand
Chokecherry sp.	Fuchsia, Australian

Shrubs - Common Name (continued)

Gardenia Gold Vine, Guinea Hakea Hawthorn, Indian Hibiscus, Blue Hibiscus, Chinese Holly, Dwarf Burford Honeysuckle, Bush Hydrangea Jasmine Asiatic Jessamine, Carolina Jojoba Juniper, Chinese Lantana, Purple Trailing Laurustinus Lemonade Sumac Lilac, Common Purple Liriope, Green Microv Plant, Creeping	Orchid, rockrose Oregon Grape Osmanthus, Holly-leaf Palm, Natal Pampas Grass Photinia Photinia Photinia, Fraser Pink Lady Pink Powder Puff Pittosporum, Variegated Japanese Plumbago, Cape Podocarpus, Yew Privet Purple Hop Bush Pyracantha Rhododendron – Azalea Sandcherry, Purpleleaf Servicebery, Allegheny Silver King
	Pittosporum, Variegated
Jessamine, Carolina	Japanese
Mock Orange	Sky Flower, Brazilian
Mountain Lilac, Carmel	Snowball Bush
Creeper	Spindle Tee
Myrtle, Dwarf	Spirea
Nandina, Heavenly	Star Plant, Lavender
Bamboo	Tea Tree, Australian
Nannyberry	Texas Ranger
Ninebark	Toyon, California Holly
Oleander	Trumpet Vine, Pink

Shrubs - Common Name (continued)

Wayfaring Tree Weeping Fig, Exotica	Yellow Bells Yesterday-Today-and- Tomorrow Yew
Wheelers Dwarf,	
Variegated	

TOLERANT PLANTS (continued)			
Ornamentals & Bedding	Plants - Common Name		
Alyssum Asparagus, Myers Aster, New York Baby's Breath Begonia Bellflower, Tussock Bittersweet, American Bitack-Eyed Susan Bleeding Heart Butterfty Weed	Coneflower, Purple Coralbells Coreopsis Cup of Gold Vine Daffodil Dahlia Daisy Bush Daisy Bush Daisy Bush, Blue Dayiliy Dainthus		
Bower Vine Cactus, Barrel Candytuft Canna Cassia, Feathery Chrysanthemum, Marguerite Cockscomb Coleus	Dragonhead, False Dusty Miller Fern, Sprenger's Asparagus Fescue, Blue Flowering Tobacco Fountain Grass, Red Gazania Geranium		

15

59992 OverTheTop Back BK.indd 15

Ornamentals & Bedding Plants - Common Name (continued)	
Gerbera Daisy Geum Gladiolus Heather, False Honeysuckle, Amar Honeysuckle, Fly Hopseed Bush, Purple Impatiens Iris Ivy, Grape Jack-in-the-Pulpit Jade Plant Jasmine, Madagascar Lawender, English Lilac, Chinese Lily-of-the-Nile, Peter Pan Lily-of-the-Nile, Peter Pan Marigold Mirror Plant Moneywort, Creeping Jenny Moss, Rose Pansy, Johnny-Jump-Up Pepper, Ornamental Periwinkle,	Petunia Phlox, Perennial Phlox, Perennial Plantain Lily Purple Loosestrife Raspberry Ice Sage Sea Pinks, Thrift Sedum, Stonecrop Shrimpplant Sky Flower, Brazilian Snail Vine Snail Vine Snaid Vine Snaid Vine Snaid Vine Statice, Perennial Stock Sweet Willam Transvaal Daisy Trumpet Vine, Blood Red Tulip Verbena Wandering Jew Wisteria Yarrow Yarlow Trumpet Zinnia

Ground Covers -	Common Name
Aaron's Beard	Lily-turf, Big Blue
Aptenia	Lippla
Bergenia, Winter-blooming	Mondo Grass
Bugleweed	Myoporum
Carpathian, Harebell	Pachysandra
Cinquefoil, Spring	Periwinkle
Coyote Brush	Plumbago, Dwarf
Crownvetch	Pork and Beans
Cushion Bush	Rosea Ice Plant
Daisy, Trailing African,	Rosemary, Dwarf
Freeway	Rupture Wort
Gazania, Trailing	St. Johnswort,
Green Carpet	Creeping
Ivy, Algerian	Stonecrop, Sedum
Lantana, Lavender	Verbena
1	7


CONDITIONS OF SALE AND WARRANTY

The Directions For Use of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result, because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of Voluntary Purchasing Groups, Inc. ("VPG") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

VPG warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, VPG MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND VPG'S EXCLU-SIVE LIABILTY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE SHALL BE LIMITED TO REPAYMENT OF THE PUR-CHASE PRICE OF THE PRODUCT.

18

59992 OverTheTop Back BK.indd 18



19

59992 OverTheTop Back BK.indd 19

3/16/12 1:35 PM

