container in a cool, dry place inaccessible to children and pets. Keep containers

STORAGE AND DISPOSA

Place in trash or offer for Never place unused product

- THIS BAIT STATION IS RESISTANT TO TAMPERING BY CHILDREN
- USE INDOORS ONLY
- EFFECTIVE INDOOR HOUSE MOUSE CONTROL
- KILLS HOUSE MICE
- MOISTURE RESISTANT BAIT

KEEP OUT OF REACH OF CHILDREN UTIO SEE BACK PANEL FOR


PRECAUTIONARY STATEMENTS MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

EPA REG. NO. EPA EST. NO. 67517-92-56 56-OH-1

ACTIVE INGREDIENT:

Bromethalin ICAS# 43333-35-71 OTHER INGREDIENTS: TOTAL

0.01% 100 00%





IF IN EYES

OR CLOTHING



NET CONTENTS Two (2) Disposable Ready-to-Use Bait Stations 1 x 0.5 oz. Block per Bait Station ITEM#

IT EATON

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. Any person who retrieves carcasses or unused bait following application of this product must wear waterproof gloves. Wash hands immediately after such activities.

FIRST AID

 $Have \ product\ container\ or\ label\ with\ you\ when\ calling\ a\ poison\ control\ center\ or\ doctor\ for\ treatment.\ You\ may\ also\ contact\ the\ Hotline\ Number\ at\ 1-800-345-4735\ for\ health\ concerns,\ emergency\ medical\ treatment\ information\ or\ pesticide\ incidents.$

- IF SWALLOWED Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately. for treatment advice.
 - Have person sip a glass of water if able to swallow.
 - Do not induce vomiting unless told to do so by a poison control center or doctor
 - Do not give anything by mouth to an unconscious person.
 - Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then con inue rinsing eye.
 - Call a poison control center or doctor for treatment advice.
- IF ON SKIN
 - Take off contaminated clothing.
 Rinse skin immediately with plenty of water for 15-20 minutes.
 Call a poison control center, doctor, or HOT LINE NUMBER 1-800-345-4735 immediately for treatment advice.

TREATMENT FOR PET POISONING If an animal eats this bait, call a veterinarian at once

NOTE TO PHYSICIAN OR VETERINARIAN

Contains the nerve poison bromethalin. This product is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals), limit absorption by either emesis or qustric layage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to mammals and birds. Dogs and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use this product only for sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to rodenticides. To help prevent accidents:

1. Store product not in use in a location out of reach of children and pets.

2. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label. **USE RESTRICTIONS**: This product may only be used to control House Mice inside of homes and residential buildings. This bait station may be used in indoor areas accessible to children, consistent with all use restrictions and other requirements indicated in this label. **DO NOT USE THIS PRODUCT OUTDOORS OR IN AREAS ACCESSIBLE TO PETS.** Do not place this ready-to-use bait station in any area where there is a possibility of contaminating food or surfaces that come into contact with food. Do not place near or inside ventilation duct openings. Do not break station and/or deliberately remove hait from it

SELECTION OF TREATMENT AREAS: Determine areas where house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in corners and concealed places, between floors and walls, or in locations where house mice or their signs have been seen. Remove as much alternative food as possible.

DIRECTIONS FOR USE CONTINUED ON SIDE PANELS

more days for them: Due to Stop Feed Action, house mice cease feeding after consuming a toxic dose. This product is effective night's feeding, but it may take two or consume a lethal dose in a single against anti-coagulant-resistant house mice mice die.

PESTICIDE STORAGE. Store only in original container in a cool, dry place inaccessible to children and pets. Keep contair closed and away from other chemicals. PESTICIDE 115F054L: Wastes resulting from the use of this product may be disposed of on site or at an approved waste container. Do not reuse or refill this container. If empty: I your local solid waste agency for disposal instructions. ofsposal facility.
CONTAINER HANDLING. Non-refillable contain recycling if available. If partly filled: Call your down any indoor our outdoor drain.

NOTICE OF WARPANTY BUYER assumes all responsibility for safety and use not in strict accordance with directions for use

Replace units if contents are

. Space placements at 8 to 12 foot intervals. Replace units if cont d. If units are untouched after three days, move to new locations

•oLLOW UP: Replace contaminated or spoiled bait immediately. Using waterproof gloves, collect and dispose of all dead, exposed animals and leftover bait properly. To prevent reinfestation, limit sources of food, water, and harborage for house mice as much as

ossible. If reinfestation does occur, repeat treatment.

consistent with FOLLOW UP: Rep

Sol text. Continue baiting until all signs of house mouse activity have ceased.

Place a single unit at each placement location.

APPLICATION DIRECTIONS: The active ingredient in this product is different from anticoagulant rodenticides. Individual house mice cease feeding arter consuming a toxic dose. **House Mice**: Place a single unit at each plac consumed or contaminated, or if units are s DIRECTIONS FOR USE CONTINUED

Manufactured by: J.T. EATON & CO., INC., 1393 East Highland Road Twinsburg, OH 44087 U.S.A. ©2014

EPA05212012/INV09032014

JT EATONTM is a trademark and Bait Block \circledast is a registered trademark of the J.T. EATON & CO., INC., Bitrex® is a registered trademark of

