DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ THIS LABEL: Read this entire label and follow all use directions and use precautions. Use only for the sites, pests, and application methods described on this label.

IMPORTANT: Do not expose children, pets or other nontarget animals to APPLICATION DIRECTIONS: The active ingredient in this product is different from rodenticides

To help prevent accidents:

- 1. Store product not in use in a location out of reach of children and pets.
- nontarget wildlife, or in tamper-resistant bait stations. These stations must be they are lifted, units must be secured or otherwise immobilized. Even stronger bait stations are needed in areas open to hoofed livestock, raccoons, bears, or other potentially destructive animals, or in areas prone to vandalism.
- 3. Dispose of product container and unused, spoiled and unconsumed bait as specified on this label.

Note: Bait stations are mandatory for outdoor, above-ground use. Tamper-resistant bait stations must be used if children, pets, non-target mammals, or birds may access the bait.

USE SITES: This product may only be used to control Norway Rats. Roof Rats. and House Mice inside and outside within 50 feet of industrial and agricultural buildings, related port or terminal buildings, and similar man-made structures. This product may also be used in sewers and within 50 feet of surrounding buildings in allevs and inside transport vehicles (ships, trains, or aircraft). For use in non-food/ non-feed areas.

USE RESTRICTIONS: Do not place near or inside ventilation duct openings. Do not contaminate water, food, feedstuffs, food or feed handling equipment, or milk or meat handling equipment or surfaces that come into direct contact with food. Do

not broadcast bait. Do not apply further than 50 feet from buildings. Do not sell this product in individual containers holding less than 4 pounds of bait.

SELECTION OF TREATMENT AREAS: Determine areas where rats and house mice will most likely find and consume the bait. Generally, these are along walls, by gnawed openings, in or beside burrows, in corners and concealed places, between floors and walls, or in locations where rats and house mice or their signs have been seen. Remove as much alternative food accessible to rodents as possible.

anticoagulant rodenticides. Individual rats and mice cease feeding after consuming a toxic dose. For use in sewers, thread wire through block and securely attach to a stationary structure such as the bottom step of a manhole ladder or a sewer grate. 2. Apply bait in locations out of the reach of children, pets, domestic animals and Allow just enough wire for the block to rest on manhole benching. If benching is not present, suspend block a few inches above the high water mark or secure block on resistant to destruction by dogs and by children under six years of age, and a board supported by opposing steps of the ladder. Securing block in this manner will must be used in a manner that prevents such children from reaching into bait help reduce removal by rats or water. Use one block per manhole. Maintain an unincompartments and obtaining bait. If bait can be shaken from stations when terrupted supply of fresh bait for at least 10 days or until signs of rat activity cease. **Rats:** Wearing gloves, apply 2 to 12 baits per placement in infested areas. Space placements at intervals of 20 to 30 feet.

> House Mice: Wearing gloves, apply 1 or 2 baits per placement in infested areas. Space placements at intervals of 8 to 12 feet.

Follow-Up: Adjust the amount of bait applied to the level of rat and mouse feeding expected at each bait placement location. Highest bait consumption is expected to occur on the first day or two after treatment. After several days, inspect bait placements and replenish bait at sites where there is heavy feeding or where there is continued evidence of rat and mouse activity. Maintain bait for at least one week and continue baiting until all signs of rat and mouse activity have ceased or it becomes clear that the remaining rats and mice are not attracted to the bait.

Wearing gloves, collect and properly dispose of all dead rats and mice and leftover bait. To discourage reinfestation, limit sources of rat and mouse food, water, and harborage as much as possible. If reinfestation does occur, repeat treatment, Where a continuous source of infestation is present, establish permanent bait stations and replenish as needed.

AGRISEL USA, IN<u>CORPORATE</u>D **GLADIATOR**

ALL WEATHER BAIT

Contains Bitrex

This Product May Only be Used Inside and Within 50 Feet of Buildings or Inside of Transport Vehicles (Ships, Trains, or Aircraft)

> Effective Indoor and Outdoor Rodent Control Kills Norway Rats, Roof Rats, and House Mice Moisture Resistant Weather Resistant

Norway Rats, Roof Rats and House Mice usually consume a toxic dose in a single night's feeding but it may take two or more days from time of bait consumption for them to die. Due to Stop Feed Action, rodents cease feeding after consuming a toxic dose. This product is effective against anticoagulant-resistant house mice and rats.

ACTIVE INGREDIENT:

Bromethalin (CAS No. 63333-35-7)	0.01%
OTHER INGREDIENTS	99.99%
TOTAL	100.00%

NET CONTENTS (128 x 0.5 oz. Blocks)

KEEP OUT OF THE REACH OF CHILDREN CAUTION SEE SIDE/BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

MAY BE HARMFUL IF EATEN BY CHILDREN OR PETS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eve irritation. Keep away from children, domestic animals, and pets. Do not get in eyes, on skin, or on clothing. All handlers (including applicators) must wear long-sleeved shirt and gloves. Any person who retrieves carcasses or unused bait following application of this product must wear gloves.

User Safety Requirements

Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash hands thoroughly after applying bait and before eating, drinking, chewing gum, using tobacco, or using the toilet and change into clean clothing.

FIRST AID HAVE LABEL WHEN OBTAINING TREATMENT ADVICE

If Swallowed: Call a poison control center, doctor, or 1-800-345-4735 immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eve. Call a poison control center or doctor for treatment advice.

TREATMENT FOR PET POISONING

If animal eats bait, call veterinarian or 1-800-345-4735 at once.

NOTE TO PHYSICIAN OR VETERINARIAN: Contains the nerve poison Bromethalin. This is not an anticoagulant type rodenticide. For humans or animals ingesting bait and/or showing poisoning signs (such as muscle tremors, loss of hind limb use, or seizures for animals). limit absorption by either emesis or gastric lavage. Sublethal symptoms, if present, would be the result of cerebral edema and should be treated accordingly through administration of an osmotic diuretic and corticosteroid.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to mammals and birds. Doos and scavenging mammals and birds might be poisoned if they feed upon animals that have eaten this bait. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Runoff may also be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash water or rinsate.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place inaccessible to children and pets. Keep containers closed and away from other chemicals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill: or incineration. In most states, burning is not allowed.

NOTICE OF WARRANTY

Buver assumes all responsibility for safety and use not in accordance with directions.

EPA Reg. No. 67517-66-72159 EPĂ Est. 67517-M0-1

302073-01 86504

Manufactured For AGRISEL USA INC. PO Box 3528, Suwanee, GA 30024