

Adigor® Adjuvant

Surfactant

Principal Functioning Agent:
Methyl Esters (C14-18) and (C16-18) of
Fatty Acids 48.8%
Constituents Ineffective as a
Spray Adjuvant 51.2%

Total: 100.0%

WA Reg. No. 100-18001
CA Reg. No. 100-50005-AA

0.67 gallons

 Net Contents

**READ THIS LABEL AND THE BOOKLET ATTACHED TO
MANUSCRIPT® CONTAINERS BEFORE USING.**

KEEP OUT OF REACH OF CHILDREN.



DANGER

May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause respiratory irritation. May cause drowsiness or dizziness. May cause damage to organs.

PRECAUTIONARY STATEMENTS

Do not breathe mist, vapors, spray.
Wash hands and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Use only outdoors or in a well-ventilated area.
Contaminated work clothing must not be allowed out of the workplace.
Wear protective gloves, protective clothing, eye protection.
If swallowed: Immediately call a poison center, doctor or Syngenta.

If on skin: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice.
If inhaled: Remove person to fresh air and keep comfortable for breathing.
If exposed or concerned: Call a poison center, doctor or Syngenta.
Call a poison center, doctor or Syngenta if you feel unwell.
Do NOT induce vomiting.
Wash contaminated clothing before reuse.
Store locked up.
Dispose of contents and container in accordance with local regulation

FIRST AID

If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

HOT LINE NUMBER: For 24-Hour Medical Emergency Assistance (Human or Animal) or Chemical Emergency Assistance (Spill, Leak, Fire, or Accident) Call **1-800-888-8372**.

continued on back label...

**SCP A11B-L1A 0618
4100746**

Adigor® Adjuvant

continued from front label...

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

The Conditions of Sale and Limitation of Warranty and Liability statement appearing in the Manuscript label apply to the companion product, Adigor Adjuvant.

DIRECTIONS FOR USE

Adigor Adjuvant is to be used only in those states where Manuscript is registered. Adigor Adjuvant is to be used only in conjunction with Manuscript. Not for aquatic use.

Recommended Use Rates: Use Adigor Adjuvant at 0.5 to 1.0% of the spray volume. An Adigor rate of 0.5% volume/volume is recommended for a spray volume of 40 gallons per acre. An Adigor rate of 1.0% volume to volume is recommended for lower application volumes particularly 20 gallons per acre. Refer to the Manuscript label for use directions on mixing Adigor with Manuscript.

STORAGE AND DISPOSAL

Storage: Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling. Conditions for safe storage: Store locked up.

Disposal: Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Container Handling: Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures approved by state and local authorities.

Adigor® and Manuscript® are trademarks of a Syngenta Group Company

©2018 Syngenta

Manufactured for:
Syngenta Crop Protection, LLC
P.O. Box 18300
Greensboro, North Carolina 27419-8300

**SCP A11B-L2A 0618
4100747**