

◆ READ ENTIRE LABEL BEFORE EACH USE ◆ FOR PET USE—USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Store in cool, dry area away from children and domestic animals.

Container Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

Control Solutions, Inc.

5903 Genoa-Red Bluff • Pasadena, TX 77507-1041 (281) 892-2500



Rev 0311

Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING.

ON LIVESTOCK

TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES, GNATS: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not spray into eyes.

TO CONTROL STABLE FLIES, HORSE FLIES, AND DEER FLIES: Apply at a rate of 2 ounces per adult animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give continued protection.

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roosts poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

ON DOGS

TO CONTROL FLEAS, TICKS, AND LICE: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat every two weeks as necessary.

NOTE: Do not use on puppies less than twelve weeks old. DO NOT USE ON CATS OR KITTENS. Do not use on old, sick or debilitated animals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals.

Buyer assumes all responsibilities for safety and use not in strict accordance with directions.

EPA Reg. No. 53883-26

EPA Est. No. 53883-TX-002



• For use on Horses, Cattle, Dogs, Poultry, Swine, Goats & Sheep

ACTIVE INGREDIENT:

Permethrin* 0.50% INERT INGREDIENTS:.....99.50% TOTAL:....100.00%

*(3-phenoxphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenvl)

2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. KEEP OUT OF REACH OF CHILDREN

CAUTION

A CONTROL SOLUTIONS INC. PRODUCT

65% (+/-) trans

NET CONTENTS: 1 GAL. (3.79 L)

◆ READ ENTIRE LABEL BEFORE EACH USE ◆ FOR PET USE—USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Wash thoroughly after handling and before smoking or eating. Avoid contamination of feed and foodstuffs. Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the high water mark. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage**: Store in cool, dry area away from children and domestic animals

Container Disposal: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available. Do not rinse unless required for recycling. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

Control Solutions, Inc.

5903 Genoa-Red Bluff • Pasadena, TX 77507-1041 (281) 892-2500



Affix trigger, pump or other type sprayer to container for application. Do not transfer to another container.

SHAKE WELL BEFORE USING.

ON LIVESTOCK

TO PROTECT CATTLE (BEEF AND DAIRY), GOATS, SHEEP, HOGS AND HORSES FROM HORN FLIES, FACE FLIES, HOUSE FLIES, MOSQUITOES, GNATS: Apply a light mist sufficient to wet the surface of the hair. For face flies, spray face and head, but do not soray into eyes.

TO CONTROL STABLE FLIES, HORSE FLIES, AND DEER FLIES:
Apply at a rate of 2 ounces per adult animal, sufficient to wet the
hair thoroughly. Repeat treatment daily or at intervals necessary
to give continued protection.

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

TO CONTROL BEDBUGS AND MITES IN POULTRY HOUSES:

Spray crevices of roosts poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

ON DOGS

TO CONTROL FLEAS, TICKS, AND LICE: Start spraying at the tail, moving the dispenser rapidly and making sure that the animal's entire body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly, but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat every two weeks as necessary.

NOTE: Do not use on puppies less than twelve weeks old. DO NOT USE ON CATS OR KITTENS. Do not use on old, sick or debilitated animals. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals.

Buyer assumes all responsibilities for safety and use not in strict accordance with directions

EPA Reg. No. 53883-26

EPA Est. No. 53883-TX-002