FRONT PANEL

DOG SQUEEZE ON FIPRONIL



PREFURRED[®] ONE For Dogs

[For Dogs & Puppies 8 weeks or older and up to 22 lbs.] [For Dogs 23- 44 lbs.] [For Dogs 45-88 lbs.] [For Dogs 89-132 lbs.]



Kills Fleas & Ticks for up to 4 weeks! Convenient spot treatment Controls mites that may cause sarcoptic mange Waterproof Contains Fipronil, the same active ingredient used in Frontline[®] Top Spot[®]* for dogs *PREFURRED ONE is not manufactured by or distributed by Merial. Frontline Top Spot[®] is a registered trademark of Merial.

Kills: [Pictures of] Fleas, Ticks, Chewing Lice

ACTIVE INGREDIENT:	
Fipronil	9.70%
OTHER INGREDIENT:	<u>90.30%</u>
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements

Net Contents:	Three 0.023 fl oz (0.67 mL) applicators
	Three 0.045 fl oz (1.34 mL) applicators
	Three 0.091 fl oz (2.68 mL) applicators
	Three 0.136 fl oz (4.02 mL) applicators

{END - FRONT PANEL}

DOG SQUEEZE ON FIPRONIL

READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS AND PUPPIES OVER 8 WEEKS OF AGE.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS. CAUTION. Harmful if swallowed. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

HAZARDS TO DOMESTIC ANIMALS. For external use only. Do not use on puppies under 8 weeks of age. Individual sensitivities, while rare, may occur after using any pesticide product. Some dogs may experience temporary startle effects when any product is applied. Dogs may experience some temporary irritation at the site of product application. If signs persist, or become more severe within a few days of application, consult a veterinarian immediately. If your dog has an unusual reaction to the initial application, consult a veterinarian before repeating treatment. Certain medications can interact with pesticides. Consult a veterinarian before using on medicated, debilitated or aged dogs. Call SafetyCall[®] International 1-866-897-8050 for 24-hour assistance.

FIRST AID		
If swallowed:	Call a poison control center or a doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.	
If in eyes:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
If on skin:	Wash with plenty of soap and water. Get medical attention if irritation persists.	
HOTLINE NUMBER		
going for treatm	et container or label with you when calling a poison control center or doctor, or ent. You may also contact SafetyCall® International 1-866-897-8050 for cal treatment information.	

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. **DO NOT ALLOW CHILDREN TO APPLY PRODUCT.** TO PREVENT HARM TO YOU AND YOUR DOG, READ ENTIRE LABEL BEFORE EACH USE. FOLLOW ALL DIRECTIONS AND PRECAUTIONARY STATEMENTS CAREFULLY. FOR EXTERNAL USE ON DOGS ONLY. DO NOT USE ON RABBITS. DO NOT USE ON OTHER ANIMALS. Do not use on puppies under 8 weeks of age. Do not split one tube between dogs. Do not use multiple tubes on one dog. Weigh your dog to be sure you are applying the right dose formulated for the weight of your dog. Consult a veterinarian before using this product on debilitated, aged, or medicated dogs. Can be used on breeding, pregnant, or lactating dogs. Consult a veterinarian before using on dogs with known organ dysfunction. Dogs may experience some temporary irritation at the site of product application. Certain medications can interact with pesticides. Sensitivities may occur after using ANY pesticide product on dogs. If signs of sensitivity occur bathe your dog with a mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

How to open: Remove product tubes from the package. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply: Invert tube over dog and use open end to part dog's hair. Squeeze tube firmly to apply all of the solution to the dog's skin, as directed below. Do not apply more often than once every 4 weeks.

For Dogs Weighing up to 22 lbs. including small dogs and puppies, 8 weeks or older: {For cartons containing 0.67 mL (0.023 fl oz) applicator tubes}

Apply one tube (0.67 mL)(0.023 fl oz) as a spot on to the dog's back between the shoulder blades.

For Dogs Weighing 23 - 44 lbs.

{For cartons containing 1.34 mL (0.045 fl oz) applicator tube}

Apply one tube (1.34 mL)(0.045 fl. oz.) as a spot on to the dog's back between the shoulder blades.

For Dogs Weighing 45 - 88 lbs.

{For cartons containing 2.68 mL (0.091 fl oz) applicator tube}

Apply one tube (2.68 mL)(0.091 fl. oz.) as a spot on to the dog's back between the shoulder blades.

For Dogs Weighing 89-132 lbs

{For cartons containing 4.02 mL (0.136 fl oz) applicator tube}

Apply one tube (4.02 mL)(0.136 fl. oz.) as a spot on to the dog's back between the shoulder blades.

FREQUENCY OF APPLICATION

Use **PREFURRED ONE** monthly for complete control of flea, tick and chewing lice infestations. **PREFURRED ONE** kills adult fleas for up to three months. Apply monthly if your dog is at high risk for flea reinfestation, or in a highly infested environment. Apply monthly to control ticks and chewing lice. **PREFURRED ONE** remains effective, even after bathing, water immersion, or exposure to sunlight. Allow treated area to dry thoroughly. Do not reapply for 4 weeks.

STORAGE AND DISPOSAL

PESTICIDE STORAGE: Do not remove tube from the pack until ready to use. Store in a cool (below 77°F) dry place inaccessible to children and pets. Do not refrigerate. Protect from direct sunlight.

CONTAINER DISPOSAL: If empty: Non-refillable container. Do not reuse or refill this container. Offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

In Case of Emergency, call: 1-866-897-8050 Made in USA

Distributed by: Control Solutions, Inc. 5903 Genoa-Red Bluff Pasadena, TX 77507 [BAR CODE AREA][Lot code] EPA Reg. No. 53883-2517-136 EPA Est. No. 2517-TN-1 EPA Est. No. 2517-NE-02 {END - BACK / SIDE PANEL}

OUTER PACKAGING OR FOLDED PANEL/FLAP OF FRONT OF PACKAGE

DOG SQUEEZE ON FIPRONIL

PREFURRED ONE for dogs provides three way protection that kills fleas, ticks and chewing lice. Controls mites that may cause sarcoptic mange. Kills deer ticks that transmit Lyme disease. Kills brown dog ticks, American dog ticks, and lone star ticks. Prevents flea reinfestation for 4 weeks.

Directions for Use

How to open

- 1. Remove product tubes from the package.
- 2. Separate one tube from the others. Holding the tube with notched end pointing up and away from the face and body, cut off the narrow end at the notches with scissors.

How to apply

- 1. Invert tube over dog and use open end to part dog's hair.
- 2. Squeeze tube firmly to apply all of the solution to the dog's skin as a spot on to the dog's back between the shoulder blades.



6 Step Topical Checklist

- Read the label completely and follow directions
- Weigh your pet
- Do NOT use dog products on cats
- Do NOT treat with more than one pesticide product at a time
- Separate animals after treatment to avoid chance of ingestion
- Do NOT split tubes between pets

PREFURREDTM

3 Month Application Tracker Pet's Name (Empty blank for owner to fill in name) [First] [Second] [Third] Application (Empty blank for owner to fill in date)(Date: MM/DD/YY)

{END - OPTIONAL INSERT OR PACKAGE COPY}

TUBE/VIAL LABEL

DOG SQUEEZE ON FIPRONIL

Front Label	Back Label
PREFURRED [®] ONE [cat graphic with line through]	KEEP OUT OF REACH OF CHILDREN
For dogs [up to X][X-Y] lbs	CAUTION: Read directions and precautions before
Fipronil 9.7% w/w	using. Use scissors to open.
0.023 fl oz (or) 0.045 fl oz (or) 0.091 fl oz (or)	EPA REG. No. 2517-136-53883
0.136 fl oz {label code}	

{END – TUBE/VIAL COPY}