

- **DO NOT** apply if rainfall is expected within 24 hours and delay irrigation cycle for 24 hours.
- **DO NOT** overspray weeds because damage to turf may occur.
- **DO NOT** apply when temperature exceeds 90°F.
- **DO NOT** apply this product in a way that will contact any person or pet, either directly or through drift. Only protected handlers may be in the area during application.
- **DO NOT** allow people and pets to enter the treated area during application.
- **DO NOT** allow people or pets to enter the treated area until sprays have dried.
- **DO NOT** make more than 2 applications per year per area.

Avoid overspray to minimize potential injury to desirable turfgrass. Apply only to dormant St. Augustine (common, Raleigh, and Seville varieties grown in TX, LA, MS only) and dormant centipedegrasses (TX, LA, MS only). Avoid applying during excessively dry or hot periods unless irrigation is used. For optimum results, turf should not be mowed for 1 to 2 days before and after application. Failure to observe all precautions may result in injury to turf and/or susceptible plants.

**WEEDS CONTROLLED:** Bedstraw, Black Medic, Buckhorn, Burdock, Chicory, Chickweed, Clover, Dandelion, Dock, Ground Ivy, Heal-All, Henbit, Knotweed, Lambsquarters, Lespedeza, Mallow, Morningglory, Peppergrass, Pigweed, Plantain, Poison Ivy, Poison Oak, Purslane, Ragweed, Sheep Sorrel, Shepherds-purse, Speedwell, Spurge, Wild Carrot, Wild Garlic, Wild Lettuce, Wild Onion, Yarrow and other broadleaf weeds.

After applying this product, many broadleaf weeds will begin to show visible signs of leaf curl within a few days. Some hard-to-control broadleaf weeds may require a second treatment in 30 days.

#### STORAGE AND DISPOSAL

**DO NOT** contaminate water, food or feed by storage or disposal.

**PESTICIDE STORAGE:** Keep from freezing. To be stored in original container and placed in an area inaccessible to children. DO NOT store near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

**CONTAINER HANDLING: DO NOT** Puncture or Incinerate! If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

**NOTICE:** Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

#### WARRANTY STATEMENT

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT IN NO event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE ENTIRE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Manufactured for:  
**Control Solutions Inc.**  
5903 Genoa-Red Bluff Rd  
Pasadena, Texas 77507  
A Member of the ADAMA Group



**QUAL-PRO**

2,4-D, DIMETHYLAMINE SALT	GROUP 4	HERBICIDE
MCPP-P, DIMETHYLAMINE SALT	GROUP 4	HERBICIDE
DICAMBA, DIMETHYLAMINE SALT	GROUP 4	HERBICIDE



**3-D FOAM**  
READY-TO-USE HERBICIDE

• **Kills major broadleaf weeds\*\* including Dandelions, Clover, Chickweed, and Dollarweed.**

• **Kills the Weeds, Not the Lawn\***

• **Rainproof in 30 minutes**

\* when used as directed  
\*\* see list in Directions for use of label

#### ACTIVE INGREDIENTS:

*2,4-D, dimethylamine salt	<b>0.18%</b>
**MCP-P, dimethylamine salt	<b>0.05%</b>
***Dicamba, dimethylamine salt	<b>0.02%</b>
<b>OTHER INGREDIENTS</b>	<b>99.75%</b>
<b>TOTAL:</b>	<b>100.00%</b>

\*0.014 lbs of 2,4-D acid per gallon or 0.15%  
\*\*0.004 lbs MCP-P acid per gallon or 0.04%  
\*\*\*0.002 lbs Dicamba acid per gallon or 0.02%

#### SHAKE WELL BEFORE USING.

EPA REG. NO.: 53883-503

EPA EST. NO.: 53883-TX-002

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand the label, find someone to explain it to you in detail.)

#### FIRST AID

<b>IF IN EYES:</b>	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
--------------------	--

#### HOT LINE NUMBER

Have the product container or label with you when calling a poison control center at 1-800-222-1222 or doctor or going for treatment. You may also contact SafetyCall® (866) 897-8050 for emergency medical treatment information.

#### PRECAUTIONARY STATEMENTS

##### CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, socks, and chemical resistant gloves made of any waterproof material. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

#### ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

2,4-D and MCP-P have properties and characteristics associated with chemicals detected in groundwater. The use of these chemicals in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

**NON-TARGET ORGANISM ADVISORY:** This product is toxic to plants and may adversely impact the forage and habitat of non-target organisms, including pollinators, in areas adjacent to the treated site. Protect the forage and habitat of non-target organisms by following label directions intended to minimize spray drift.

#### PHYSICAL AND CHEMICAL HAZARDS

**Contents under pressure. DO NOT** use or store near heat or open flame. **DO NOT** puncture or incerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.  
READ ALL DIRECTIONS COMPLETELY BEFORE USE.

**PRODUCT INFORMATION:** This product is for selective broadleaf weed control. For use as a spot treatment in Turf sites including, but not limited to, ornamental turf, golf courses, cemeteries, parks, sports fields, turfgrasses, lawns, and other grassy areas. Other use sites include (but not limited to) fence rows, hedge rows, roadsides (aprons & guardrails), ditches, right-of-ways, utility, power lines, railroads, airports, industrial sites, around buildings, driveways, sidewalks, carports, pavers, patios, retaining walls, and other similar areas where broadleaf weeds may grow.

This product foams on contact, to indicate what plants and plant parts have been sprayed.

1. Shake can just before using and occasionally between sprays.
2. Stand close to weed (1 to 2 feet) with top of can pointed away from face.
3. Invert can, hold at arm's length, aim at targeted weed and press the applicator button. Product will emerge as a narrow stream and foam upon contact with plant surfaces.
4. Spray briefly to cover center of weed and avoid over-spray. The foaming activity will spread outward onto weed leaves. Heavy application or overspray may cause temporary discoloration of surrounding desired turf.
5. One application will kill most weeds listed. Reapply in 30 days if weed shows signs of recovery.

#### Resistance-Management Recommendations

For resistance management, this product is a Group 4 herbicide. Any weed population may contain or develop plants naturally resistant to this product and other Group 4 herbicides. The resistant biotypes may dominate the weed population if these herbicides are used repeatedly in the same field. Appropriate resistance management strategies should be followed.

To delay herbicide resistance take one or more of the following steps:

- Rotate the use of this product or other Group 4 herbicides within a growing season sequence or among growing seasons with different herbicide groups that control the same weeds in a field.
- Adopt an integrated weed-management program for herbicide use that includes scouting and uses historical information related to herbicide use and crop rotation, and that considers tillage (or other mechanical control methods), cultural (e.g., higher crop seeding rates; precision fertilizer application method and timing to favor the crop and not the weeds), biological (weed-competitive crops or varieties) and other management practices.
- Scout after herbicide application to monitor weed populations for early signs of resistance development. Indicators of possible herbicide resistance include: (1) failure to control a weed species normally controlled by the herbicide at the dose applied, especially if control is achieved on adjacent weeds; (2) a spreading patch of non-controlled plants of a particular weed species; (3) surviving plants mixed with controlled individuals of the same species. If resistance is suspected, prevent weed seed production in the affected area by an alternative herbicide from a different group or by a mechanical method such as hoeing or tillage. Prevent movement of resistant weed seeds to other fields by cleaning harvesting and tillage equipment when moving between fields, and planting clean seed.
- If a weed pest population continues to progress after treatment with this product, discontinue use of this product, and switch to another management strategy or herbicide with a different mode of action, if available.
- Contact your local extension specialist or certified crop advisors for additional pesticide resistance-management and/or integrated weed-management recommendations for specific crops and weed biotypes.
- For further information or to report suspected resistance, contact your local sales rep.

#### USE RESTRICTIONS

- **DO NOT** use this product for controlling weeds in flower or vegetable beds or around shrubs or ornamental plantings.
- **DO NOT** use this product on or near desirable plants, including within the dripline of the roots of desirable trees and shrubs, since injury may result.
- **DO NOT** spray on Dichondra, Lippia, or grasses where desirable Clovers are present.
- **DO NOT** apply to newly seeded grasses until they have been mowed 3 times.
- **DO NOT** cut grass 1 to 2 days before and after application.
- **DO NOT** reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application.
- **DO NOT** water for 24 hours after application. Watering will wash off this product.