



GENERAL INFORMATION

KENDAL is a liquid nutrient intended to supplement standard fertility programs.

KENDAL is specially formulated to provide quickly available nutrition in support of natural plant vigor.

CLEANING OF SPRAYER

Flush with clean water all parts of the sprayer including the pump, hoses, and nozzles several times prior to and after the use of this product.

SHAKE WELL BEFORE USING

Produced and packed by **VALAGRO S.p.A.** Zona Ind.le - 66041 ATESSA (Ch) - ITALY

Distributed and guaranteed by

Valagro Usa Inc.

19500 Hwy 249, suite 245 - Houston TX 77070 Tel (281) 664 8700 - Fax (281) 664 8701

Information regarding the contents and levels of metals in this product is available on the internet at http://www.aapfco.org/metals.htm

KENDAL[®] is a Registered Trademark of VALAGRO S.p.A.

We recommend that you follow the Green Industries BMP's at: http://www.dep.state.flus/water/nonpoint/docs/nonpoint/BMP_Book_final.pdf We recommend that you follow the Golf Course BMP's at: http://www.dep.state.flus/water/nonpoint/docs/nonpoint/alfbmp07.pdf



GUARANTEED ANALYSIS

Total Nitrogen (N)	. 3.0 %
2.7 % Urea Nitrogen	
0.3 % Other Water soluble Nitrogen	
Soluble Potash (K2O)	15.0 %

Derived from: Urea; Protein Hydrolysate; Potassium Hydroxide

TANK MIX COMPATIBILITY

KENDAL can be tank mixed with pesticides, fertilizers or any other chemicals. It is advised to conduct a compatibility test. It is advised not to mix in alkaline solutions.

KENDAL can be applied with Copper based product on Citrus and Tomatoes taking caution not to spray in extreme hot temperatures, or at full bloom. On other crops, with different sensitivities to Copper, a small scale pre test is recommended before to apply KENDAL in combination.

The user assumes full responsibility to ensure compatibility when tank mixing with other products.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid breathing spray mist. May cause irritation of nose, throat or skin. Avoid contactwith eyes, skin and clothing. In case of contact with skin or eyes, flush with plenty of water, for eyes get medical attention.

WEIGHT PER GALLON: 11.1 Pounds

NET VOLUME 2.5 Gallons (9.46 Liters) NET WEIGHT 27.7 lb (12.6 kg)



DO NOT SELL UNPACKED



* When used as directed. Keep away from water. Do not over apply



DIRECTION FOR USE

FOLIAR APPLICATION RATES AND TIMINGS				
CROP	RATE	SPRAY VOLUME	APPLICATION TIMING	
VEGETABLE CROPS: Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, etc.	1.0-1.5 quarts/acre	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
LEAFY VEGETABLES: Including but not limited to: lettuce, cabbage, celery etc.	1.0 quart per acre	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
FRUIT CROPS: Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, raisin, table and wine grapes.	2.0 quarts/acre	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
BERRIES: Including, but not limited to: blueberries, cranberries and strawberries, etc.	1.0 quart/acre	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
NUT CROPS: Including but not limited to: almond, pecan, pistachio, walnut, etc.	2.0 quarts/acre	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
FIELD CROPS: Including but not limited to: corn, cotton, peanuts, potatoes, rice, soybeans, sugar beets, wheat, etc.	20-32 oz per acre	In low volume applications (3-10 gallons/ acre) use 20 oz Kendal, and 32 oz in higher water volumes	Apply during the early/late vegetative, flowering, grain/boll/tuber/nut sizing stages as necessary	
FORAGE CROPS: Including but not limited to: alfalfa, timothy, fescue, etc.	20-32 oz per acre	In low volume applications (3-10 gallons/ acre) use 20 oz Kendal, and 32 oz in higher water volumes	Apply 14 days before each cut	
FLOWERS/ORNAMENTALS	1.0 oz per 1000 sq.ft	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply every 14 days throughout the growing season	
TURF	2-3 oz per 1000 sq.ft mainte- nance, 4-6 oz per 1000 sq.ft when turf has been stressed by disease.	Use a minimum of 25 gallons of water and a maximum of 100 gallons of water per acre	Apply Kendal every 14 days throughout the growing season	

Use higher rates for higher water volumes. After an initial full rate application, half rates can be used for subsequent applications made every 7 days in a maintenance program.

FERTIGATION APPLICATION RATES AND TIMINGS				
CROP	RATE	APPLICATION TIMING		
VEGETABLE CROPS: Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, etc.	3.5-4.5 quart/ac	Apply every 14 days throughout the growing season		
FRUIT CROPS: Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, raisin, table and wine grapes.	3.5-4.5 quart/ac	Apply every 14 days throughout the growing season		
BERRIES: Including, but not limited to: blueberries, cranberries and strawberries, etc.	1.0 quart/acre	Apply every 14 days throughout the growing season		
NUT CROPS: Including but not limited to: almond, pecan, pistachio, walnut, etc.	3.5-4.5 quart/ac	Apply every 14 days throughout the growing season		
FLOWERS/ORNAMENTALS	1-2 oz per 1000 sq.ft	Apply every 14 days throughout the growing season		
TURF	2-3 oz per 1000 sq.ft maintenance, 4-6 oz per 1000 sq.ft when turf has been stressed by disease.	Apply every 14 days throughout the growing season		

After an initial full rate application, half rates can be used for subsequent applications made every 7 days in a maintenance program.

CONDITIONS OF SALE: Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with directions under normal conditions and use. No one other than an officer of the seller is authorized to make any warranty, guarantee or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions, ahonmal conditions, preserve of other materials, the manner of application, or other factors, all of which are beyond the control of Valagior USA or the seller. All such risks shall be assumed by buyer.