

SOIL ACIDIFIER READY TO USE

FOR USE ON:

- BLUEBERRIES
 - AZALEAS
 - BLUE HYDRANGEAS
 - TREES
 - TURF
-
- LOWERS SOIL PH
 - IMPROVES PLANT HARDINESS
 - IMPROVES COLOR AND
GENERAL APPEARANCE

EPA Est. No. 4-NY-1 F: 1290
Buyers Guarantee Limited to Label Claims
©Bonide Products, Inc. All Rights Reserved

Bonide Products, Inc.
6301 Sutliff Road
Oriskany, NY 13424



WHAT IT DOES

- Improves plant hardiness
- Improves resistance to some plant diseases, such as fusarium
- Improves water utilization and water penetration
- Improves color and general appearance
- Corrects nutritional sulfur deficiencies
- Lowers soil pH
- Helps increase availability of soil iron

HOW TO USE ON BLUEBERRIES, AZALEAS, BLUE HYDRANGEAS, AND OTHER ACID LOVING PLANTS:

AT PLANTING TIME: Mix Soil Acidifier evenly into the soil that has been removed from the hole prepared for the plant. Then replace this treated soil into the hole. Use 1 cup of Soil Acidifier per square yard of planting area.

ON GROWING PLANTS: Sprinkle Soil Acidifier evenly beneath the plants to be treated. Work into soil with a hoe or similar tool. Use 1 cup of Soil Acidifier per square yard of planted area.

HOW TO USE ON TURF:

Soil Acidifier may be applied by hand, with a rotary or drop-type spreader to either moist or dry turf. Turf should be watered at least ½ inch the same day application is made.

TO REDUCE SOIL pH

TURF: Soil Acidifier should be applied at 4 ½ lbs. per 1000 sq. ft. in the Spring and Fall.

TO CORRECT NUTRITIONAL DEFICIENCIES

TURF: Soil Acidifier should be applied in the Spring and Fall at 1lb. per 2000 sq. ft.

RESULTS TO EXPECT:

During the active growing season, plants with sulfur deficiencies can be expected to regain normal color and growth within one month after application. Under high pH conditions, look to an ongoing program.

NOTE: All of the above recommendations are suggestions only, and standard application practices should be exercised dependent upon the temperatures, type of grass, soil conditions, and area. The simplest way to assure proper application rates is to obtain and follow local soil test recommendations.

CAUTION: Flammable solid. Store away from heat, sparks or open flame. For use as a soil additive only. Store out of reach of children.