STORAGE AND DISPOSAL

Storage: Store and transport in an upright position. Store product in original container in a cool dry, locked place out of reach of children. <u>Disposal</u>: *I empty* - Nonrefiliable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled - Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. If on Skin Take off contaminated clothing, Rinse skin immediately with plently of water or Clothing: for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION: May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Use with care when applying in areas adjacent to any body of water.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.



Bonide Products, Inc. 6301 Sutliff Road Oriskany, NY 13424 ©Bonide Products, Inc. All Rights Reserved For indoor/outdoor residential use only

Ant Killer

Dust

Kills ants, fire ants, fleas,

ticks, termites* and more

Kills insects for up to

8 months

Instrucciones en español

EPA Reg. No. 4-441 *Localized control only

..<u>.99.95%</u>

Keep Out Of Reach Of Children

Deltamethrin .. (CAS No. 52918-63-5) ...0.05%

OTHER INGREDIENTS

EPA Est. No. 4-NY-1

TOTAL

CAUTION (See side panels for additional Precautionary Statements and First Aid)



Kills the queen

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read the entire Directions for Use and Precautions before using this product. This product is a ready-to-use insecticide dust which exhibits effective knock-down and long-lasting control against the pests listed when used according to label directions. This product can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include but are not limited to:

animal quarters • apartments • houses • household greenhouses
ornamentals • mobile homes and recreational vehicles

This product is intended for application with a duster to hiding and runway areas and other places where insects are found.

INDOR USE: In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or inflovulong the material into the air. To avoid the possibility of staining, do not use on carpets, upholstery and other fabrics. Do not apply as a broadcast application indoors. Application is prohibited directly into severs or drains, or to any area like a gutter where drainage to servers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

To apply insecticide directly into cracks and crevices, use a duster. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices; service ducts (excluding heating, ventilation and air conditioning); false floors and ceilings; wall voids; around electrical and telephone fittings and equipment, around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around windows and door frames; along baseboards; in attics and crawlspaces.

The amount to be applied will vary with the site, but usually be in the range of 2-3 grams of product per square yard (0.5 lbs. per 1,000 sq. ft.).

ANTS, BOXELDER BUGS, COCKROACHES (INCLUIDING BOTH RESISTANT AND NON-RESISTANT STRAINS), CRICKETS, FLEAS, FIREBRATS AND SILVERFISH: Apply this product thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For Ants apply to ant trails, around doors and windows and other places where ants enter premises.

TERMITES, CARPENTER ANTS AND CARPENTER BEES: Apply to voids or channels in damaged wood members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. This dust can be applied in attics and crawl spaces to prevent entry of dry and Formosan termites at a rate of 0.5 lb. per 1,000 sq. ft. of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one vear to ensure that colony has been killed.

The purpose of such applications of this product is to kill workers or winged forms of subterranean termites which may be present in the treated channels at the time of treatment. Such applications are not a substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. For active termite infestations, get a professional inspection.

OUTDOOR USE: Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops. Do not water the treated area to the point of run-off. Do not make applications during rain.

PERIMETER TREATMENT: Use this product as a residual treatment for control of ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs, spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stainways, in crawl spaces, and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and unformly to the foundation and crawl spaces where pests are active and may find entrance.

USE DIRECTIONS FOR FIRE ANT TREATMENT

IMPORTED FIRE ANT MOUND TREATMENT: Apply this product with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18⁶ from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. DO NOT DISTURB THE MOUND PRIOR TO APPLICATION. If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

Notice: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.