

METEORTM

IGR CONCENTRATE

- With S-Methoprene Insect Growth Regulator
 - Lasts 210 days
 - Breaks the flea life cycle
- To Prevent the Emergence of Adult Fleas Indoors

Active Ingredient:

(S)-Methoprene (CAS #65733-16-6) 1.2%

Other Ingredients* 98.8%

Total: 100.0%

*Contains petroleum distillates

EPA Reg. No. 87276-7-53883

EPA Est. No. 53883-TX-002

KEEP OUT OF REACH OF CHILDREN

CAUTION

See inside booklet for additional Precautionary Statements,
First Aid and Directions for Use.

For Chemical Spill, Leak, Fire, Exposure, or Medical Emergencies,
Call: SafetyCall® Intl. 1-866-897-8050

NET CONTENTS
16 FL. OZ. (1 PT.)

Manufactured by:

CSI

C O N T R O L
S O L U T I O N S
i n c o r p o r a t e d

5903 Genoa-Red Bluff
Pasadena, TX 77507-1041



0 72693 02651 3

METEOR™

IGR CONCENTRATE

- With S-Methoprene Insect Growth Regulator
 - Lasts 210 days
 - Breaks the flea life cycle
- To Prevent the Emergence of Adult Fleas Indoors

Active Ingredient:

(S)-Methoprene (CAS #65733-16-6) 1.2%

Other Ingredients*: 98.8%

Total: 100.0%

*Contains petroleum distillates

NET CONTENTS: 1 FL. OZ.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See box label for additional
Precautionary Statements
First Aid and Directions for Use.

EPA Reg. No. 87276-7-53883

EPA Est. No. 53883-TX-002

NOT FOR INDIVIDUAL SALE

Manufactured by:

Control Solutions, Inc.

5903 Genoa-Red Bluff

Pasadena, TX 77507-1041

METEOR™

IGR CONCENTRATE

- *With S-Methoprene Insect Growth Regulator*
- *Lasts 210 days*
- *Breaks the flea life cycle*
- *To Prevent the Emergence of Adult Fleas Indoors*

ACTIVE INGREDIENT:

(S)-Methoprene (CAS #65733-16-6) 1.2%

OTHER INGREDIENTS*: 98.8%

TOTAL: 100.0%

*Contains petroleum distillates

EPA Reg. No. 87276-7-53883 EPA Est. No. 53883-TX-002

KEEP OUT OF REACH OF CHILDREN CAUTION

*See inside booklet for additional Precautionary
Statements, First Aid and Directions for Use.*

**For Chemical Spill, Leak, Fire, Exposure, or
Medical Emergencies, Call:
SafetyCall® Intl. 1-866-897-8050**

Manufactured by:
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

FIRST AID

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® Intl. at 1-866-897-8050 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product contains petroleum distillates.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used or referenced as a source of ingredient in the formulation, manufacture, or registration of any other products without prior written authorization from Control Solutions, Inc.

PRODUCT INFORMATION

This product contains the active ingredient S-Methoprene, an insect growth regulator that prevents fleas from maturing into adults by acting in the early stages of development. Treatment with this product on areas where there are flea larvae, that flea larvae will enter into, or where flea eggs have been deposited will prevent adult fleas from developing for up to 7 months. Because this product is a growth regulator, it does not affect fleas that have reached full development or fleas that have reached the pupae stage.

IMPORTANT NOTE: In order to prevent fleas from being introduced indoors, it is important to treat pets to ensure that they do not carry fleas. Treat pets with a product registered with the EPA and labeled for such a use.

MIXING DIRECTIONS

Prepare product as a diluted spray solution by adding 1 ounce of this product to 1/2 gallon of water in a mixing container and agitate thoroughly. Then add an additional 1/2 gallon of water and agitate again, resulting in one gallon of spray solution.

TANK MIXES

If there is already a high population of fleas at the biting (adult) stage, tank-mix this product with an EPA registered product that is labeled for use to control fully developed/adult fleas. Add the product you are tank mixing with this product to 1/2 gallon of water in the mixing container and agitate thoroughly. Then add this product to the mixing container and agitate further. Finally, add an additional 1/2 gallon of water to the mixing container to create one gallon of spray solution and agitate the mixture thoroughly.

APPLICATION RATE

Apply this product at the rate of 1 gallon diluted spray solution (see "MIXING DIRECTIONS" above) per 1500 square feet of surface area.

METHOD OF APPLICATION

In order to prevent fleas and flea infestation, apply this product before the flea season. Users/applicators must ensure that they shake the solution well prior to each use.

Apply to areas where fleas, flea eggs and flea larvae are or are likely to be located such as surfaces where pets sleep, carpets, rugs and upholstered furniture (including on and under cushions and throw rugs) using a low pressure sprayer with a fan tip typically used for indoor applications.

NOTE: This product typically will not stain materials that would not be stained by water alone. However, prior to full application a test should be made by applying a small amount of diluted solution to an inconspicuous area in order to determine whether staining will take place.

Avoid contact with areas that have been treated until they are dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not re-use or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LIMITATION OF WARRANTY AND LIABILITY

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR

PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law Control Solutions, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

METEOR™

IGR CONCENTRATE

- *With S-Methoprene Insect Growth Regulator*
- *Lasts 210 days*
- *Breaks the flea life cycle*
- *To Prevent the Emergence of Adult Fleas Indoors*

ACTIVE INGREDIENT:

(S)-Methoprene (CAS #65733-16-6) 1.2%

OTHER INGREDIENTS*: 98.8%

TOTAL: 100.0%

*Contains petroleum distillates

EPA Reg. No. 87276-7-53883 EPA Est. No. 53883-TX-002

KEEP OUT OF REACH OF CHILDREN CAUTION

*See inside booklet for additional Precautionary
Statements, First Aid and Directions for Use.*

**For Chemical Spill, Leak, Fire, Exposure, or
Medical Emergencies, Call:
SafetyCall® Intl. 1-866-897-8050**

Manufactured by:
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041



10 x 1 Control Pack

METEORTM IGR Concentrate



Control Solutions, Inc.
Pasadena, TX 77507

Product Code #CSI2650



6 x 1 PINT

METEORTM

IGR Concentrate



0 72693 26514 1

Control Solutions, Inc.
Pasadena, TX 77507

Product Code #CSI2651

IGR CONCENTRATE

METEOR™

CSI
CONTROL
SOLUTIONS
INCORPORATED

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used or referenced as a source of ingredient in the formulation, manufacture, or registration of any other products without prior written authorization from Control Solutions, Inc.

PRODUCT INFORMATION

This product contains the active ingredient S-Methoprene, an insect growth regulator that prevents fleas from maturing into adults by acting in the early stages of development. Treatment with this product on areas where there are flea larvae, that flea larvae will enter into, or where flea eggs have been deposited will prevent adult fleas from developing for up to 7 months. Because this product is a growth regulator, it does not affect fleas that have reached full development or fleas that have reached the pupae stage.

IMPORTANT NOTE: In order to prevent fleas from being introduced indoors, it is important to treat pets to ensure that they do not carry fleas. Treat pets with a product registered with the EPA and labeled for such a use.

MIXING DIRECTIONS

Prepare product as a diluted spray solution by adding 1 ounce of this product to 1/2 gallon of water in a mixing container and agitate thoroughly. Then add

an additional 1/2 gallon of water and agitate again, resulting in one gallon of spray solution.

TANK MIXES

If there is already a high population of fleas at the biting (adult) stage, tank-mix this product with an EPA registered product that is labeled for use to control fully developed/adult fleas. Add the product you are tank mixing with this product to 1/2 gallon of water in the mixing container and agitate thoroughly. Then add this product to the mixing container and agitate further. Finally, add an additional 1/2 gallon of water to the mixing container to create one gallon of spray solution and agitate the mixture thoroughly.

APPLICATION RATE

Apply this product at the rate of 1 gallon diluted spray solution (see "MIXING DIRECTIONS" above) per 1500 square feet of surface area.

METHOD OF APPLICATION

In order to prevent fleas and flea infestation, apply this product before the flea season. Users/applicators must ensure that they shake the solution well prior to each use.

Apply to areas where fleas, flea eggs and flea larvae are or are likely to be located such as surfaces where pets sleep, carpets, rugs and upholstered furniture (including on and under cushions and throw rugs) using a low pressure sprayer with a fan tip typically used for indoor applications.

NOTE: This product typically will not stain materials that would not be stained by water alone. However, prior to full application a test should be made by applying a small amount of diluted solution to an inconspicuous area in order to determine whether staining will take place.

Avoid contact with areas that have been treated until they are dry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Store in a cool place away from heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

FIRST AID

If in eyes:	• Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
If swallowed:	• Immediately call a poison control center or doctor. • Do not induce vomiting unless told to do so by the poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® Intl. at 1-866-897-8050 for emergency medical treatment information.

NOTE TO PHYSICIAN: This product contains petroleum distillates.

METEOR™

IGR CONCENTRATE

- With S-Methoprene Insect Growth Regulator
- Lasts 210 days
- Breaks the flea life cycle
- To Prevent the Emergence of Adult Fleas Indoors

CSI
CONTROL
SOLUTIONS
INCORPORATED

Active Ingredient:
(S)-Methoprene
(CAS #65733-16-6)..... **1.2%**
Other Ingredients*:..... **98.8%**
Total:..... **100.0%**

*Contains petroleum distillates

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

**See back panel for additional
Precautionary Statements,
First Aid and Directions for Use.**

**CONTROL PACK
(10 X 1 FL. OZ.)**

LIMITATION OF WARRANTY AND LIABILITY

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use. To the extent consistent with applicable law, CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law Control Solutions, Inc. or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. To the extent consistent with applicable law, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.

Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

Manufactured by:
Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507-1041

EPA Reg. No. 87276-7-53883
EPA Est. No. 53883-TX-002



**CONTROL PACK
(10 X 1 FL. OZ.)**