

Supplemental Label

Alpine® WSG

This supplemental label expires on April 12, 2016 and must not be used or distributed after this date.

ACTIVE INGREDIENT:

Dinotefuran: N-methyl-N-[(tetrahydro-3-furanyl)methyl]guanidine 40.0%

OTHER INGREDIENTS: 60.0%

TOTAL: 100.0%

EPA Reg. No. 499-561

DIRECTIONS FOR USE

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER
INCONSISTENT WITH ITS LABELING.**

- The supplemental labeling and the entire Alpine WSG container label, EPA Reg. No. 499-561, must be in possession of the user at the time of application.
- Read the label affixed to the container before applying.
- Use of this product according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for Alpine WSG.

FOOD/FEED HANDLING ESTABLISHMENTS

Food/Feed handling establishments are places other than private residences in which food is held, processed, prepared or served, including those operating under the Federal meat, poultry, shell egg grading and egg products inspection programs. **APPLICATIONS OF THIS PRODUCT IN FOOD/FEED AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS MAY BE MADE AS A CRACK & CREVICE, VOID, SPOT OR GENERAL TREATMENT.** General surface application may be used only when the facility is not in operation, provided exposed food/feed has been covered or removed from the area prior to application.

FOOD/FEED AREAS: Include areas for receiving, serving, storing (dry, cold, frozen, raw), packing (canning, bottling, wrapping, boxing), preparing (cleaning, slicing, cooking, grinding), edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups).

NON-FOOD/FEED AREAS: Include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after packaging, canning or bottling).

Avoid contamination of food/feed or food/feed contact surfaces. Remove or cover food/feed, dishes, utensils, food processing equipment, and food preparation surfaces, in the treatment area, or wash them before use. Apply as a Crack & Crevice, void, spot or general treatment to selective surfaces such as baseboards, under elements of construction, stainless steel equipment, shelving, machinery, storage areas, pallets, tables, chairs and other areas where listed pests may be harboring, traveling, breeding or entering the structure. Maximum use rate = 0.05 g ai/l/ft. Reapplications may be made at 3 day intervals when applying as a Crack & Crevice, void or spot treatment, or at 6 day intervals when applying as a general surface treatment.

Whitmire Micro-Gen Research Laboratories, Inc.®

3568 Tree Court Industrial Blvd.

St. Louis, MO 63122-6682

Questions? Call 1-800-777-8570

© 2014 Whitmire Micro-Gen Research Laboratories, Inc.®