



# **GRANULAR INSECT BAIT**

FOR INDOOR AND OUTDOOR CONTROL OF ANTS, CRICKETS AND ROACHES<sup>1</sup> FOR USE IN AND AROUND STRUCTURES AND RESIDENTIAL ÁREAS RECOMMENDED FOR USE BY

ctive Ingredients: lydramethylnon†: tetrahydro-5, 5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl) phenyl)-1-(2-(4-rifluoromethyl) phenyl) ethenyl)-2-propenylidene) hydrazone. 100 00%

7.75"

EPA Est. No. 67572-GA-1

## **KEEP OUT OF REACH OF CHILDREN CAUTION**

FIRST AID

IF ON SKIN OR CLOTHING:	•

Call a poison control center or doctor for treatment







This Maxforce® Complete Brand Granular Insect Bait controls Crickets Silverfish Firebrats

including the following ant species:

Acrobat Carpenter Fire<sup>2</sup>
Argentine Cornfield Ghost Odorous House Thief Harvester Pharaoh Big Headed Field

German, American, Oriental and Smoky Brown Roaches Native and imported fire ants

**Net Contents** 

bs (1.81 kg)

79649886

79924380 090429A

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
HAMING AND EXPERIENCE ANIMALS
CAUTION
Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Store in a secure place. Pets may be attracted to this product. Keep pets away from treated areas for at least 24 hours after application.
Personal Protective Equipment (PPE)
Applicators and handlers must wear: Shoes plus socks.
Follow manufacturer's instruction for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

ers should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and

is product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to tertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or sposing of equipment washwaters.

## STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool dry area (out of reach of children). Keep container closed when not in use. Avoid contamination with other insecticides.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved

waste disposal facility. CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for recycling, if available if empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposa instructions. Never place unused product down any indoor or outdoor drain.

See back panel label for additional precautions and directions for use.



Bayer Environmental Science

8.00"

A Business Group of Bayer CropScience LP 2 T. W. Alexander Drive

Research Triangle Park, NC 27709





# BRAND GRANULAR INSECT BAIT

oz (one tablespoon) of bait per 25 linear feet. NOTE: Around structures the total application should not exceed 4-8 oz per 200-400 linear feet (or 0.5 oz per 25 linear feet). A typical application would be 4-8 oz adjacent to an average sized home of 200-400 linear feet. Be sure to freat areas such as porches, patios, driveways, sidewalks, flower gardens, landscape timbers and around trees, wood piles, air conditioning units and garbage receptacles. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION. Treat visible ant trails as well as cracks or crevices where insects (ants, roaches, crickets) may enter a structure.

REFILLABLE STATIONS: Maxforce Complete Brand Granular Insect Bait may be placed into refillable tamper resistant bait stations. Place up to 1 to 3 oz (2 to 6 Tbsp.) of bait into tamper resistant stations and close securely after application. During follow-up visits inspect placements and reapply as needed. Refillable tamper resistant stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home. For best results, place stations near air conditioning units water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever target pests are frequently found. Stations may also be placed along fence lines and property lines to intercept foraging pests. Regularly inspect all stations and replace bait as needed for continual control. Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. If the station is

2. BROADCAST APPLICATION: Broadcast this product uniformly at a rate of 1 oz per 1,800 sq

equivalent to 1.5 lbs/A), FIRE ANTS<sup>2</sup> AND OTHER MOUND BUILDING ANTS<sup>3</sup>: Sprinkle approximately two lespoons (1 oz) of bait around each mound. For best results, do not apply bait directly in tablespoons (1 o2) of bait around each mound. For best results, do not apply bait directly in or on the mound. Do not disturb the mound. Ants that are agitated may not feed on the bait. FOR INDOOR USE: AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor

AVOID CONTAMINATION OF FOOD, FOOD CONTACT SURFACES AND FEEDSTUFFS. NOTE: Indoor applications are limited to areas that are inaccessible to children or pets, such as cracks, crevices, wall voids, unfinished attics, crawl spaces, refillable tamper-resistant balt stations and behind electrical switch plates, within residential and non-residential buildings or structures and within non-food/non-feed areas of industrial, institutional, and commercial buildings. Non-food/non-feed areas include bedrooms, living rooms, bathrooms, closets, media rooms, garbage rooms, lavatories, entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Apply up to 0.5 oz (one tablespoon) of bait per crack, crevice or other inaccessible areas where insects may hide or live. Apply product using suitable application equipment (such as the Centro Bait Master). Wipe up any loose or excess granules. Apply evenly in unfinished attics and crawl spaces at a rate of 0.5 oz per 100 sq ft only if the space is secured or otherwise inaccessible to children and domestic animals.

1 German, American, Oriental, and Smoky Brown Roaches
2 Native and Imported
3 Pavement, Field, Cormield, and Harvester Ants

## IMPORTANT: READ BEFORE USE

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED. OF MERCHANT-ABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABBLE. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BURNANGES RESULTING FROM THE USE OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd) and Maxforce® are registered trademarks of Bayer

79850379

8.00"



CENERAL INFORMATION

Maxforce Complete Brown CENERAL INFORMATION

Maxforce Complete Brand Granular Insect Bait is a ready-to-use product for use indoors and outdoors and around buildings, on lawns, and other non-crop areas' such as residential areas, the non-food/non-feed areas of institutional and commercial establishments including warehouses, restaurants, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, apartment buildings, schools, laboratories, computer facilities, pet shops, zoos, sewers, highway rights-of-way and medians, traffic islands, utility rights-of-way (including power lines, pipelines, aqueducts) managed turf areas (non-crop¹) (including school yards, playgrounds, atthetic fields, amusement parks, picinic areas, recreation areas, office parks, industrial grounds, airports, shopping centers, public parks, arboretums, public gardens, monument sites, cemeteries and mausoleums, golf courses, race tracks, fairgrounds, outdoor amphitheaters, sod farms, and ornamental nurseries). The use of this product on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. Maxforce Complete Brand Granular Insect Bait contains a special blend of foods, combined with the delayed-action stomach poison, hydramethylnon. The delayed action of the active ingredient allows foraging ants to bring the bait back to the nest so that the entire colony, including the queen, is destroyed. When properly used, this bait will control many of the following insects, including ants, cockroaches1, crickets, and silverfish before they can enter a structure. Do not apply other insecticides (such as aerosols, sprays, etc.) on top of or in close proximity to Maxforce Complete Brand Granular Insect Bait, as it will reduce the effectiveness. Expect to see fewer insects within a week.

\*\*Do not apply other insectlicides (such as aerosols, sprays, etc.) on top of or in close proximity to the other non-crop areas in California.

belief in recadulors.

Do not apply other insecticides (such as aerosols, sprays, etc.) on top or in close proximity to this product, as it will reduce effectiveness. Application Restrictions

Do not apply this product by any method not specified on this label. The use of this product

on pasture and rangeland is unlawful. Do not graze or feed lawn or sod clippings to livestock. DO NOT USE ON EDIBLE FOOD CROPS OR ON AREAS INTENDED FOR EDIBLE FOOD CROP PRODUCTION. Not for use in USDA meat and poultry plants.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

APPLICATION INSTRUCTIONS

KEEP PEOPLE AND PETS OUT OF AREA DURING APPLICATION.

090429A

7.75"



## **ACTIVE INGREDIENT:**

Indoxacarb*	0.05%
OTHER INGREDIENTS:	99.95%
TOTAL:	100.00%

\*Indoxacarb belongs to the oxadiazine chemical class.

### Manufactured for:

Target Specialty Products, 15415 S. Marquardt Ave, Santa Fe Springs, CA 90670

EPA Reg. No: 53883-466-82540, EPA Est. No: 71106-GA-3 Net Contents: 1.06 oz. (30 g)

# KEEP OUT OF REACH OF CHILDREN CAUTION

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact SafetyCall® International for emergency medical treatment at (866) 897-8050.

See side/back/inside panel(s) for Precautionary Statements, Directions for Use and Storage and Disposal.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

## **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

Strike Max Alacer Ant Gel Bait is applied as a crack and crevice or spot treatment to indoor or outdoor sites where ant infestations are a problem.

Kills ants\* in and around residential, institutional, commercial and industrial areas. These sites include inside residential buildings (including apartments and single and multi-family buildings), commercial and industrial facilities (including warehouses, supermarkets, restaurants, motels, hotels, hospitals & nursing facilities, zoos, food handling/storage establishments), schools, day care facilities, transportation equipment (incluiding aircraft, trains, ships, boats, cars, trucks, semi trucks, and buses) and other similar sites where ant infestations or activity can be problematic. \*except Pharoah ants

Strike Max Alacer Ant Gel Bait is specifically formulated to be attractive to all\* major pest species of ants. This product kills ants\* such as Acrobat, Argentine, Big-Headed, Carpenter, Cornfield, Crazy, Field, Ghost, Honey, Little Black, Odorous House, Pavement, Pyramid, Red Imported Fire Ant, Rover, Thief and White-footed. For complete control of outdoor nests of Harvester and Red Imported Fire Ants, use additional treatments labeled for outdoor management of these pest species.

\*except Pharoah

### USE RESTRICTIONS:

- DO NOT treat areas that are easily accessible to children, domestic animals and nets
- DO NOT apply to surfaces that food contacts.
- · DO NOT allow open foods to contact gel material.


## **USE PRECAUTIONS:**

- Avoid applying Strike Max Alacer Ant Gel Bait to surfaces recently treated with repellent residual sprays.
- DO NOT apply repellent residual sprays to surfaces treated with Strike Max Alacer Ant Gel Bait.


## **APPLICATION INSTRUCTIONS AND USE RATES**

- Strike Max Alacer Ant Gel Bait may be applied as spots or small beads of gel.
- Spots or beads of gel should be applied to areas where ants are active, to foraging trails, or nest sites.
- For spot applications: apply 0.1 to 1.0 gram of Strike Max Alacer Ant Gel Bait per spot. Spots should be approximately ¼ " in diameter. Make as many placements as necessary.
- For bead applications: apply Strike Max Alacer Ant Gel Bait as a bead approximately 1/8" wide and 2" long; for highly active foraging trails, extend the bead up to 3".
- When making applications of gel, avoiding disrupting the natural foraging of ants.
- If the ant nest can be located, inject up to 2.0 grams of bait directly into the nest or harborage entrance.
- For applications into commercially available refillable bait stations, apply only an appropriate amount of Strike Max Alacer Ant Gel Bait so the bait does not spill from the station and the station is not over-filled.
- After application, inspect bait placements for consumption/activity.
   If needed, apply additional Strike Max Alacer Ant Gel Bait and reapply bait in the same location if all the bait is consumed or in a different area if new ant activity is observed.

## **HOW IT WORKS**



## WHERE IT WORKS



## INDOOR APPLICATION DIRECTIONS

- Carefully inspect infested areas to determine infestation levels, where ants are foraging, nesting sites, and specific areas where bait should be applied.
- Bait should be applied indoors into cracks and crevices along walls, ceilings or floors, cabinets, behind or under equipment or appliances, under tables, within framing of tables or furniture, around sinks, within or near garbage collection areas, attics, or other inaccessible areas indoors.
- Bait applications may also be made between elements of construction, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment bases and legs, near sinks or stoves, and in bathrooms.
- If using refillable bait stations, place the stations where ants are foraging or near their trails or nests. Inspect gel placements regularly and replace gel with fresh gel as needed.

### APPLICATIONS IN FOOD/FEED HANDLING AREAS

Apply Strike Max Alacer Ant Gel Bait only as a crack and crevice application to food/feed areas of food/feed handling establishments. Applications may be made while the facility is in operation. Place the bait dispenser directly into the crack or crevice, hole or other similar opening where ants are found or suspected and dispense bait. Food and feed handling areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed, and facility is in operation. Use good application practice to avoid movement of Strike Max Alacer Ant Gel Bait to exposed surfaces used for food preparation.

## Food/Feed Handling Use Restrictions:

- DO NOT apply Strike Max Alacer Ant Gel Bait to areas where food/ feed, food utensils or food processing surfaces may come into contact and become contaminated.
- DO NOT apply Strike Max Alacer Ant Gel Bait to areas that are routinely washed such as cracks and crevices in tops of tables, food/ feed preparation and prepared food holding surfaces as bait could be removed by the washing.
- DO NOT apply Strike Max Alacer Ant Gel Bait to surfaces where the temperature exceeds 120 130°F because this could cause the bait to liquefy and lose effectiveness.
  - Examples include, but are not limited to, heat producing equipment, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.

If Strike Max Alacer Ant Gel Bait contacts an exposed surface, first remove as much of the gel bait as possible, then wash area with soap and water.

## APPLICATIONS IN NON-FOOD/NON-FEED HANDLING AREAS

Strike Max Alacer Ant Gel Bait can be used as a spot or crack and crevice treatment in areas inaccessible to children and pets to control ants in residential structures and the non-food/non-feed areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.

Non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker tooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning).

## **WAX PAPER APPLICATION**

For gel bait applications under appliances and other similar areas, or to protect the bait from possible existing contamination, apply the bait using 2-3" wax paper squares. Fold the wax paper in half to make a triangle and apply the 1/8" wide and 2" long bait bead in the center. Place the folded wax paper containing the bait into the appropriate bait placement location. Wax paper squares can easily be inspected, removed and/or replaced as needed.

## **OUTDOOR APPLICATION DIRECTIONS**

- Thoroughly inspect around structures for entry points, openings, and other similar areas where ants can access and crawl in.
- If access points are identified, make effort to remove or patch to prevent entry into structure.
- Apply spots or beads of Strike Max Alacer Ant Gel Bait (see application rates for all uses) to windows, doors, between construction elements, sewer areas, adjacent ant harborage (trees, ornamental plants), along walls, garbage holding areas, or other suitable placement sites.
- Apply Strike Max Alacer Ant Gel Bait to suitable areas to reduce the potential of subsequent human contact.
- After application, inspect bait placements for consumption/activity and apply fresh ant gel as needed.
- · If outdoor temperatures are high, the consistency of the gel may

be affected. Inspect placements after application to determine if additional gel is needed.

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food, or feed by storage and disposal. **PESTICIDE STORAGE:** Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) are that is inaccessible to children and animals, in such a manner as to prevent cross contaimination with other pesticides, fertilizers, food and feed.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: DO NOT reuse or refill this container. Offer to recycling if available. Place empty bait dispensers in trash. If partially filled: Call your local solid wate agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**NOTICE**: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

## **WARRANTY STATEMENT**

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Target Specialty Products or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Target Specialty Products and Seller harmless for any claims relating to such factors.

To the extent consistent with applicable law, Target Specialty Products warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or TARGET SPECIALTY PRODUCTS, and Buyer and User assume the risk of any such use. TARGET SPECIALTY PRODUCTS MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

To the extent consistent with applicable law, IT IS TARGET SPECIALTY PRODUCTS, AND SELLERS INTENTION THAT in no event shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF TARGET SPECIALTY PRODUCTS, AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF TARGET SPECIALTY PRODUCTS OR SELLER, THE REPLACEMENT OF THE PRODUCT.

To the extent consistent with applicable law, Target Specialty Products and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Target Specialty Products.