

throughly washed with an effective cleaning compound and rinsed with potable water after use of this product. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

CRAWLING INSECTS:

Indoors: Apply directly to listed insects as a crack-and-crevice treatment application in all hiding places, including behind baseboards, sinks, cabinets, meter boxes, door frames, wall voids, plumbing chases, under sink cabinets, attics, windows and closets. Apply directly to listed insects as a spot treatment application to breeding and nesting sites for listed crawling insects (excluding fire or carpenter ants), hiding places and other places where crawling insects may be found. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

Outdoors: Apply to surfaces on buildings, porches, patios, and other structures, openings around doors and windows, eaves and attic vents, utility entry points, weep holes, soffit areas and other exterior openings (including foundation cracks or drilled holes) where listed pests may enter the structure or where they have been seen or found, or can find shelter. Apply to ant trails, around doors and windows, in crawl spaces and other places where ants may be found. **DO NOT** apply more than once every 7 days. **DO NOT** apply this product outdoors to fire or carpenter ants.

BED BUGS: Remove linens and wash before reuse. Spray bed bugs and eggs directly. Take bed apart and spray bed bugs and eggs directly that are found in or on cracks, joints and interior of framework (as well as bedspings, box springs and furniture. On infested mattresses, apply directly to bed bugs and eggs. Allow treatment to dry thoroughly before remaking bed. **DO NOT** use in patient rooms in hospitals and nursing homes for treatment of bed bugs while occupied by patients. As part of a bed bug treatment program, this product may be used in conjunction with a bed bug proof mattress encasement. **DO NOT** apply more than once every 7 days.

PANTRY INSECTS/STORED PRODUCT INSECT PESTS: Apply around cartons, containers, shelving, storage areas, closets, cabinets, behind or under walls and baseboards and other areas where these insects tend to congregate. **DO NOT** apply to areas where food/food, food utensils or food processing surfaces may come into contact and become contaminated. Infested products should be disposed of. **DO NOT** apply more than once every 7 days.

FLYING INSECTS:

Indoors: Apply as a spot treatment to surfaces where house flies or stable flies congregate, collect or rest. **DO NOT** apply more than once every 7 days.

Outdoors: Apply directly to listed insects on outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray localized resting areas, such as under eaves, porches, light fixtures and cords, railings, etc. where these insects may rest. **DO NOT** apply more than once every 7 days.

CARPENTER BEES: Apply the spray directly into gallery entrance holes. Exterior wood surfaces may be treated to prevent nest cavity excavation by adult carpenter bees. Following treatment, the entrance holes must be left open 24 hours to be certain that returning adult bees are killed. When there is no activity, the hole may be sealed with a suitable sealant. **DO NOT** apply more than once every 7 days.

WOOD DESTROYING INSECTS OUTDOORS: This product may be used as a spot treatment for control of above-ground termites and wood infesting beetles inside trees, utility poles, fencing and decking materials and similar structural members. Wherever possible, locate an interior infested cavity and spray directly into the entrance hole to listed wood destroying insects which are present at the time of treatment. Repeat applications as needed to maintain control of re-infestations. This product is not intended to provide structural termite pest control. For termites, the purpose of this application is to kill workers and/or winged reproductive forms of termites which are present at the time of treatment. It is not intended to provide structural pest control, and is not a substitute for mechanical alteration, soil and foundation treatment, but merely as a supplement. **DO NOT** apply more than once every 7 days.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Store upright at room temperature. Do not store near heat or open flame. Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER HANDLING: Do not puncture or incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions.

LIMITATIONS OF LIABILITY: To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use or handling of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid or at Control Solutions, Inc. election, the replacement of product.



Manufactured for:
Control Solutions Inc.
5903 Genoa-Red Bluff Rd
Pasadena, Texas 77507
A Member of the ADAMA Group



8 10084 59008 9

DOXEM[®] NXT

PRESSURIZED SOLUTIONS

- Kills pests on contact and leaves behind a residual
- Contains 4 unique modes of action
- For use in and around food handling establishments

KILLS: Ants, Bed Bugs, Booklice, Boxelder Bugs, Carpenter Bees, Carpet Beetles (Black and Varied), Centipedes, Cigarette Beetles, Clover Mites, Cockroaches, Crickets, Darkling Beetles, Drain Flies, Earwigs, Firebrats, Fruit Flies, Ground Beetles, House Flies, Lady Beetles, Leafhopper Bugs, Mealworms (Yellow or Dark), Millipedes, Pantry Insects, Pillbugs, Pharaoh Ants, Silverfish, Sowbugs, Spiders, Spider Beetles, Springtails, Stable Flies, Stink Bugs, Stored Product Pests, Termites (subterranean and drywood), Webbing Clothes Moths, Weevils and Wood Destroying Insects.

FOR USE IN AND AROUND: Apartments, Non-Food/Non-Feed Storage Areas, Food/Feed Handling Establishments, Homes, Hospitals, Hotels, Kennels, Animal Housing Facilities (poultry houses, cattle, sheep, swine, goat and dairy facilities, horse stables, and pet sleeping quarters), Medical Facilities, Motels, Nursing Homes, Resorts, Non-Food/Non-Feed and Food/Feed Areas of Restaurants and other Food/Feed Handling Establishments, Schools, Stores, Supermarkets, Modes of Transport (Buses, Boats, Ships, Trains, Trucks, Planes (cargo areas only)), Utility Rooms, Warehouses, and other Commercial and Industrial Buildings.

For indoor and outdoor (excluding fire or carpenter ants) use

ACTIVE INGREDIENTS:

Novolacarb	0.10%
Imidacloprid	0.20%
Pyriproxyfen	0.02%
OTHER INGREDIENTS*	99.63%
TOTAL:	100.00%

*Contains petroleum distillates

EPA Reg. No. 53883-455

EPA Est. No. 53883-TX-002

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none">• Immediately call a poison control center or doctor• Do not induce vomiting unless told to do so by a poison control center or doctor.• Do not give any liquid to the person.• Do not give anything by mouth to an unconscious person.
----------------------	--

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may contact SafetyCall[®] International at (866) 897-8050, twenty-four (24) hours per day seven (7) days per week.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

PRODUCT INFORMATION: This product contains four active ingredients: two adulticides and two insect growth regulators. The adulticides give quick kill of existing indoor adult insects while the insect growth regulators work to prevent new adults from developing. Apply this product as an indoor crack-and-crevice, spot or void treatment. Spray may leave a slight residue with heavy applications that is easily removed with soap and water. For outdoor applications (excluding fire ants and carpenter ants) this product will kill and control listed pests as a crack-and-crevice, spot or void application.

NET CONTENTS: 15 FL OUNCES

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. **DO NOT** apply directly to any body of water. To protect the environment, **DO NOT** allow pesticide to enter or run-off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

PHYSICAL AND CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. **DO NOT** puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For indoor or outdoor use as either a crack-and-crevice injection or spot treatment. Use this product with the supplied actuator.

USE RESTRICTIONS:

DO NOT use this product to treat drywood termites in New York State. **DO NOT** use this product as the sole source of control for active, structural infestations by subterranean termites. **DO NOT** apply this product directly to companion animals (pets). **DO NOT** apply to rooms or structures while they are occupied by or easily accessible to companion animals (pets). **DO NOT** make applications to any animal feedstuffs, water or watering equipment. **DO NOT** contaminate animal food, feed or water in and around companion animal housing while making applications. **DO NOT** apply this product in a way that will contact adults, children or pets, either directly or through drift. **DO NOT** allow adults, children or pets to enter the treated area until sprays have dried. **DO NOT** apply in classrooms while they are in use. Room should be thoroughly ventilated after spraying before re-entry. **DO NOT** apply to institutions (e.g., libraries and recreational facilities) while occupants are present in the immediate area. **DO NOT** apply this product in patient rooms while occupied, or in any rooms while occupied, including rooms occupied by the elderly or the infirmed. **DO NOT** use in serving areas while food is exposed. In the home, cover or thoroughly wash all food processing surfaces and utensils following treatment if contaminated. Cover exposed food and drinking water or remove from area being treated. **DO NOT** apply to aircraft cabins. Applications to aircraft must be limited to cargo areas and galley kitchen only. **DO NOT** use this product in electrical equipment (where there is exposed wiring or contact points) due to possibility of short circuits and shock hazard. **DO NOT** make outdoor applications during rain. **DO NOT** apply directly to outdoor impervious horizontal surfaces such as sidewalks, driveways, and patios except as a spot or crack-and-crevice treatment. **DO NOT** apply this product to areas or surfaces where food/food, food utensils, or food-processing surfaces may come into contact and become contaminated. **DO NOT** apply to food prep areas that are routinely washed, such as cracks and crevices in tops of tables, food/food preparation and holding surfaces for prepared foods. **DO NOT** apply directly into sewers or drains, or to any area like a gutter where drainage to storm sewers, water bodies, or aquatic habitat can occur, unless labeled for drain treatment. Remove pets, birds and cover fish aquariums and ornamental ponds before spraying and turn aquarium systems off. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

CRACK-AND-CREVICE APPLICATION: Inject this product into cracks-and-crevices or void spaces where listed insects may be harboring, living or breeding. Place injector tip into cracks, crevices, holes and other small openings for direct spray to target listed insects. Release approximately one second of spray per injection. For a heavy infestation, make injections approximately 12" apart. For light infestations or preventative treatment, make applications approximately three feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of three linear feet per second. For heavy infestations move injector tip along at the rate of one linear foot per second. For inaccessible closed voids calculate the void's volume and treat at rate of five to ten seconds per three cubic feet. Several holes may be required in long running voids. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

SPOT TREATMENT: Apply to storage facilities, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, shelves, drawers and similar areas. Spray as many listed insects as possible per direct hit. Hold can 12 to 15 inches from surface to be treated. Apply for the listed insects at 2 seconds per 2 sq. ft. Spot treatments must **NOT** exceed two square feet in size (for example, 2 ft. by 1 ft. or 4 ft. by 0.5 ft.). Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

FOOD/FEED HANDLING ESTABLISHMENTS – Non-Food/Non-Feed Areas: Examples of non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, mop closets and storage (after packaging, canning or bottling). All areas that insects inhabit or through which listed insects may enter should be treated directly. This product may be used while the facility is in operation. Use as a crack-and-crevice or spot treatment as instructed above. Apply this product indoors to fire ants on non-porous surfaces only. **DO NOT** apply more than once every 7 days.

FOOD/FEED HANDLING ESTABLISHMENTS – Food/Feed Areas: Examples of food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation. This product may be used while the facility is in operation. Use as a crack-and-crevice treatment only. **DO NOT** apply to areas where food/food, food utensils or food processing surfaces may come into contact and become contaminated. If food contact surfaces become contaminated, contact surfaces must