

SAVITRI™

ANT GEL

KILLS THE ANTS* YOU SEE AND THE ONES YOU DON'T *excluding Pharoah



Insecticide

Use Indoors & Outdoors

ACTIVE INGREDIENT:	(% by weight)
Indoxacarb*	0.05%
OTHER INGREDIENTS:	99.95%
TOTAL:	100.00%

*Indoxacarb belongs to the oxadiazine chemical class.

EPA Reg. No.: 91234-261

KEEP OUT OF REACH OF CHILDREN

CAUTION

**Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand the label, find someone to explain it to you in detail.)**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.
You may also contact SafetyCall® 1-844-685-9173 for emergency medical treatment information.

See below for additional Precautionary Statements

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

All handlers must wear long-sleeved shirts, long pants, shoes, and socks.

Environmental Hazards

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 24 hours. Rinsing application equipment over the treated area will help avoid runoff to water bodies or drainage systems. Do not apply to any impervious surfaces which may contact or lead directly to surface water, storm drains, or urban runoff conveyance systems (gutters).

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE.

Savitri Ant Gel is applied as a crack and crevice or spot treatment to indoor or outdoor sites where ant infestations are a problem.

Kills ants* in and around residential, institutional, commercial and industrial areas. These sites include inside residential buildings (including apartments and single and multi-family buildings), commercial and industrial facilities (including warehouses, supermarkets, restaurants, motels, hotels, hospitals & nursing facilities, zoos, food handling/storage establishments), schools, day care facilities, transportation equipment (including aircraft, trains, ships, boats, cars, trucks, semi trucks, and buses) and other similar sites where ant infestations or activity can be problematic.

*Except Pharaoh ants

Savitri Ant Gel is specifically formulated to be attractive to all* major pest species of ants. This product kills ants* such as Acrobat, Argentine, Big-Headed, Carpenter, Cornfield, Crazy, Field, Ghost, Honey, Little Black, Odorous House, Pavement, Pyramid, Red Imported Fire Ant, Rover, Thief and Whitefooted. For complete control of outdoor nests of Harvester and Red Imported Fire Ants, use additional treatments labeled for outdoor management of these pest species.

*Except Pharaoh

USE RESTRICTIONS:

- **DO NOT** treat areas that are easily accessible to children, domestic animals and pets.
- **DO NOT** apply to surfaces that food contacts.
- **DO NOT** allow open foods to contact gel material.

USE PRECAUTIONS:

- Avoid applying **Savitri Ant Gel** to surfaces recently treated with repellent residual sprays.
- **DO NOT** apply repellent residual sprays to surfaces treated with **Savitri Ant Gel**.

APPLICATION INSTRUCTIONS AND USE RATES

- **Savitri Ant Gel** may be applied as spots or small beads of gel.
- Spots or beads of gel should be applied to areas where ants are active, to foraging trails, or nest sites.

- For spot applications: apply 0.1 to 1.0 gram of **Savitri Ant Gel** per spot. Spots should be approximately 1/4" in diameter. Make as many placements as necessary.
- For bead applications: apply **Savitri Ant Gel** as a bead approximately 1/8" wide and 2" long; for highly active foraging trails, extend the bead up to 3".
- When making applications of gel, avoiding disrupting the natural foraging of ants.
- If the ant nest can be located, inject up to 2.0 grams of bait directly into the nest or harborage entrance.*
- For applications into commercially available refillable bait stations, apply only an appropriate amount of **Savitri Ant Gel** so the bait does not spill from the station and the station is not over-filled.
- After application, inspect bait placements for consumption/activity. If needed, apply additional **Savitri Ant Gel** and reapply bait in the same location if all the bait is consumed or in a different area if new ant activity is observed.

*Not for Use in California



Figure 1. Example line of gel approximately 1/8" x 2".



Figure 2. Spot of gel approximately 0.1 g of gel bait.



Figure 3. Example spot of gel approximately 1 g of gel bait.

INDOOR APPLICATION DIRECTIONS

- Carefully inspect infested areas to determine infestation levels, where ants are foraging, nesting sites, and specific areas where bait should be applied.
- Bait should be applied indoors into cracks and crevices along walls, ceilings or floors, cabinets, behind or under equipment or appliances, under tables, within framing of tables or furniture, around sinks, within or near garbage collection areas, attics, or other inaccessible areas indoors.
- Bait applications may also be made between elements of construction, behind baseboards or molding, at openings into voids, and within hollow spaces in equipment bases and legs, near sinks or stoves, and in bathrooms.
- If using refillable bait stations, place the stations where ants are foraging or near their trails or nests. Inspect gel placements regularly and replace gel with fresh gel as needed.

APPLICATIONS IN FOOD/FEED HANDLING AREAS

Apply **Savitri Ant Gel** only as a crack and crevice application to food/feed areas of food/feed handling establishments. Applications may be made while the facility is in operation. Place the bait dispenser directly into the crack or crevice, hole or other similar opening where ants are found or suspected and dispense bait. Food and feed handling areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed, and facility is in operation. Use good application practice to avoid movement of **Savitri Ant Gel** to exposed surfaces used for food preparation.

Food/Feed Handling Use Restrictions:

- **DO NOT** apply **Savitri Ant Gel** to areas where food/feed, food utensils or food processing surfaces may come into contact and become contaminated.
- **DO NOT** apply **Savitri Ant Gel** to areas that are routinely washed such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces as bait could be removed by the washing.

▪ **DO NOT** apply **Savitri Ant Gel** to surfaces where the temperature exceeds 120 - 130°F because this could cause the bait to liquefy and lose effectiveness.

- Examples include, but are not limited to, heat producing equipment, parts of stoves, ovens, grills, fume hoods, saunas, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers, and hot water pipes.

If **Savitri Ant Gel** contacts an exposed surface, first remove as much of the gel bait as possible, then wash area with soap and water.

APPLICATIONS IN NON-FOOD/NON-FEED HANDLING AREAS

Savitri Ant Gel can be used as a spot or crack and crevice treatment in areas inaccessible to children and pets to control ants in residential structures and the non-food/non-feed areas of commercial, industrial, public and institutional buildings/structures, including restaurants, warehouses, food processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, aircraft, buses, boats/ships, trains, pet shops and zoos.

Non-food/non-feed areas include garbage rooms, lavatories, floor drains (to sewers), entries, vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after bottling or canning).

OUTDOOR APPLICATION DIRECTIONS

- Thoroughly inspect around structures for entry points, openings, and other similar areas where ants can access and crawl in.
- If access points are identified, make effort to remove or patch to prevent entry into structure.
- Apply spots or beads of **Savitri Ant Gel** (see application rates for all uses) to windows, doors, between construction elements, sewer areas, adjacent ant harborage (trees, ornamental plants), along walls, garbage holding areas, or other suitable placement sites.
- Apply **Savitri Ant Gel** to suitable areas to reduce the potential of subsequent human contact.
- After application, inspect bait placements for consumption/activity and apply fresh ant gel as needed.
- If outdoor temperatures are high, the consistency of the gel may be affected. Inspect placements after application to determine if additional gel is needed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals, in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: DO NOT reuse or refill this container. Offer to recycling if available. Place empty bait dispensers in trash. If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

LIMITATION OF WARRANTY AND LIABILITY

IMPORTANT: READ BEFORE USE. Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability. **CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of ATTICUS, LLC. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: To the extent consistent with applicable law, ATTICUS, LLC makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label. **LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither ATTICUS, LLC the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.

Savitri™ is a trademark of Atticus, LLC.

20220930ap1