

TEKKO[®] PRO



Insect Growth Regulator Concentrate

COMBINATION CHEMISTRY™ FROM CONTROL SOLUTIONS

- For indoor or outdoor use
- Effectively controls listed Fleas, Ticks, Flies, Mosquitoes, Gnats, Crickets, & Ants for up to 7 months
- For use on furniture and carpets
- For use in animal quarters, kennels and poultry houses

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy)ethoxy] pyridine (Pyriproxyfen)	1.30%
Novaluron*	1.30%

OTHER INGREDIENTS** : 97.40%

TOTAL: 100.00%

*Contains 0.10 lbs of Novaluron and 0.10 lbs of pyriproxyfen per gallon.

KEEP OUT OF REACH OF CHILDREN
CAUTION

EPA Reg. No. 53883-335

EPA Est. No. 53883-TX-002

NET CONTENTS:
1 PINT



ADAMA

Manufactured by:

**Control
Solutions Inc.**

5903 Genoa-Red Bluff, Pasadena, TX 77507

A member of Adama
Consumer and Professional Solutions

EPA 112217

TEKKO[®] PRO



Insect Growth Regulator Concentrate COMBINATION CHEMISTRY™ FROM CONTROL SOLUTIONS

- Inhibits reinfestation by fleas for up to 7 months.
- Reduces egg production in houseflies and prevents development of larvae into adults.
- Inhibits reinfestation by listed cockroaches for up to 6 months.
- Effectively controls listed Fleas, Ticks, Flies, Mosquitoes, Gnats, Crickets, & Ants for up to 7 months
- Photostable for up to 14 days
- For use on Furniture and Carpets
- For use in Animal Quarters, Kennels and Poultry Houses
- Treats up to 6,000 square feet
- For indoor/outdoor use

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxphenoxy) ethoxy] pyridine (Pyriproxyfen)	1.30%
Novaluron*	1.30%
OTHER INGREDIENTS**:	97.40%
TOTAL:	100.00%

*Contains 0.10 lbs. Novaluron and 0.10 lbs pyriproxyfen per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may contact SafetyCall[®] International at 1-866-897-8050, twenty-four (24) hours per day seven (7) days per week.

EPA Reg. No. 53883-335 EPA Est. No. 53883-TX-002

NET CONTENTS: 16 FL. OZ.



ADAMA

Manufactured by:

Control Solutions Inc.

5903 Genoa-Red Bluff, Pasadena, TX 77507

A member of Adama

Consumer and Professional Solutions

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic invertebrates. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal or equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

Examples of specific areas where Tekko® Pro treatments may be made include, but are not limited to, the areas listed below:

Industrial Plants, Factories, Warehouses, Commercial Buildings, Condominiums, Apartments, Cabins, Day Care Centers, Mobile Homes, Homes, Hospitals, Hotels, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Campsites, Gas Stations, Prisons, Rooms, Schools, Parks, Institutions, Jails, Sport Stadiums, Supermarkets, Taverns, Theaters, Morgues, Mortuaries, Crematoriums, Funeral Parlors, Mausoleums, Atriums, Attics, Bathrooms, Basements, Bedrooms, Porches, Closets, Draperies, Dressers, Kitchens, Porches Upholstered Furniture, Cabinets, Crawl Spaces, Carpet, Campers, Garbage Areas, Garbage Cans, Patios, Garages, Gazebos, Storage Areas, Floors, Furniture, Locker Rooms, Utility Room Indoor, Utility Room Outdoor, Washrooms;

Animal Quarters (enclosed premise treatment), Cat Living Quarters (enclosed premise treatment), Dog Houses, Dog Living Quarters, Dog Kennel Runs, Kennels, Pet Bedding, Pet Carriers, Pet Grooming Parlors, Pet Sleeping Areas, Pet Stores, Pet Quarters (enclosed premise treatment), Veterinaries, Zoos;

Candy Plants, Canneries, Bakeries, Breweries, Cereal Processing Facilities, Food Processing Plants, Food and Non-Food Warehouses, Cafeterias, Indoor Eating Establishments, Grocery Stores, Institutional Dining Areas, Flour Mills, Grain Storage Facilities, Outdoor Eating Establishments, Recreational Areas Outdoors, Restaurants, Dairies, Delicatessens;

Transportation Equipment (automobiles, boxcars, buses, boats, trucks, railcars, ship cargo holds);

Outdoor Areas and Surfaces Perimeters, including: Lawns and Around Foundation Walls.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Precautions:

- For best results, follow directions for specific use areas.
- Do not use this product in or on electrical equipment due to possibility of shock hazard.
- Do not excessively wet carpet, draperies and furniture.
- Always test in an inconspicuous area prior to use as some natural and synthetic fibers may be adversely affected by any liquid product.

Restrictions:

- When used in hospital rooms, convalescent hospital rooms, and nursing home rooms, remove patients prior to treatment.
- Ventilate treated rooms thoroughly for two (2) hours after treatment. Do not return patients to treated room until after ventilation.

**READ ALL DIRECTIONS
COMPLETELY BEFORE USE.****CONTROL OF FLEAS AND TICKS**

The active ingredients in Tekko® Pro are Novaluron and Pyriproxyfen, both are insect growth regulators. Insect growth hormones are naturally occurring in insects and Tekko® Pro prevents the adult pest from developing. These properties will gradually result in the reduction and eventual elimination of the pest population. Flea eggs and flea larvae that come into contact with Tekko® Pro will also not develop into adult fleas. Tekko® Pro works for up to 7 months on fleas by inhibiting the development of the immature stages of the flea and preventing them from reaching the biting adult stage. Tekko® Pro does not work on adult fleas and flea pupae that already exist.

USE RESTRICTIONS:

- Remove pets prior to spraying treatment area.
- After treatment, do not allow children and pets into treated areas until spray has dried.
- Do not allow children or pets to contact treated surfaces until spray has dried.
- Do not spray when wind conditions could create a mist to blow back to applicator.
- Do not apply this product in or around bodies of water.
- Do not soak young or flowering plants.

Use Sites	Application Method	Application Rate	Use Directions
General Surface Application	Low-pressure Sprayer	<u>Dilute spray solution:</u> 1 oz. per gal. of water <u>Spray rate:</u> 1 gal. per 1,500 ft ²	For use on carpets, furniture, pet sleeping areas & throw rugs, etc. Repeat treatment every 7 months as necessary. If needed, repeat treatments may be made 21 days after previous treatment.
Carpet Shampoo	Non-Heat Extracting Carpet Shampoo Equipment	<u>Dilute instructions on carpet shampoo:</u> 1 oz. per gal. (7.8 ml/L) of diluted shampoo <u>Application rate:</u> 1 gal. of diluted shampoo per 1,500 ft ² (139 m ²)	May also be used with a liquid, non-heat extracting carpet shampoo application. Allow carpet to completely dry and vacuum thoroughly.

Use Sites	Application Method	Application Rate	Use Directions
Kennels and Doghouses (building, resting areas, walls, floor, animal bedding & run areas)	Adjustable Hose-End Sprayer, Tank Type Sprayer, Sprinkling Can or Low Pressure Sprayer	<u>Dilute spray solution:</u> 1 oz. per gal. of water <u>Spray rate:</u> 1 gal. per 1,500 ft ²	<p>Treat pets and their bedding with EPA registered flea and tick control products, flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application as part of a complete flea control program.</p> <p>Repeat Tekko® Pro application at 7 month intervals or as needed, but not more than every 21 days. Follow use directions for other EPA registered products that are used in conjunction.</p>

Use Sites	Application Method	Application Rate	Use Directions
Animal Runs, Lawns, Under Trees, Ornamental Plants & Shrubs	Adjustable Hose-End Sprayer, Tank Type Sprayer or Sprinkling can	1.0 oz. in a sufficient amount of water (minimum 1 gal.) to cover 1,500 ft ² Spray rate: 1 tsp. per gal. will cover 250 ft ²	As a spot treatment for areas where pets normally frequent, but not limited to under trees, ornamental plants and shrubs. Application on soil surfaces will provide 21 days of IGR activity. If needed, repeat treatments with Tekko® Pro may be made 14 days after last treatment or, if heavy rainfall occurs, repeat as necessary. If large populations of adult fleas and ticks exist, treat the lawn area with an EPA registered adulticide lawn treatment product such as Cyzmic CS.

Note:

- If a high population of adult fleas or ticks is present or for immediate relief of adult flea and ticks, it may be necessary to use an adulticide. Tekko® Pro may be combined with an EPA registered adulticide. This mixture will also inhibit the development of the immature stages of the flea for up to 7 months. Follow all precautions and use directions on both products. Use at the application rate specified in the table below.
- Application of Tekko® Pro prior to the flea and tick season will aid in reducing developing populations. Apply to areas where pets and other animals are known to frequent and where previous infestations have been known to occur to prevent the emergence of adult fleas and ticks and also control stages of fleas that don't resemble adult fleas.
- Before treatment, vacuum carpets, draperies and upholstered furniture. Dispose of vacuum bag in an outdoor trash receptacle.
- This is just part of a complete flea control program. To further prevent the introduction of adult fleas, pets and their bedding should also be treated with an EPA registered flea and tick control product, flea or flea and tick collar, pet powder, pet spray, pet dip, pet shampoo, flea shampoo or flea and tick pet shampoo, in conjunction with this application as part of a complete flea control program.
- In CA, only for use on Lone Star ticks.

Spray Mixing: Prepare a diluted spray solution by adding 1 fluid ounce Tekko® Pro per gallon of water. Partially fill the mixing container with water, add Tekko® Pro, agitate and fill to final volume. Do not allow spray mixture to stand overnight. Agitate before each use.

CONTROL OF COCKROACHES AND CRICKETS

Tekko® Pro will prevent nymphal cockroaches and crickets from developing into adults. After application, cockroaches with twisted wings will begin to appear indicating that they are unable to reproduce. When used as directed, cockroach and cricket populations will be eliminated. One treatment works for 6 months against hatching cockroaches and crickets.

USE RESTRICTIONS:

- Do not spray into the air; only spray onto the specific use sites.
- Do not apply when windy.
- Do not apply this product in or around bodies of water.
- This product cannot be mixed with any product containing a label prohibition against such mixing.

Use Sites	Application Method	Application Rate	Use Directions
Indoor General Surface Application, including Crack and Crevice	Low-pressure Sprayer	<u>Dilute spray solution:</u> 2 ozs. per gal. of water <u>Spray rate:</u> 1 gal. per 1,000 ft ²	Contact as many insects as possible. Thoroughly spray all areas where these pests may hide paying attention to places such as beneath sinks, behind and beneath stoves and refrigerators, cracks and crevices, around garbage cans, cabinets, along the outside of baseboards, door and window sills, door and window frames and floors, around and on drains, pipes, plumbing, behind bookcases, storage and other utility installation areas, infested furniture and the inside of cabinets and closets. Repeat treatment every 6 months as necessary

Use Sites	Application Method	Application Rate	Use Directions
<p>Wall voids and other small structural void areas</p>	<p>ULV equipment, mechanical misting sprayers, aerosol generators, fog injection systems</p>	<p>Mix 1 fl. oz. of Tekko® Pro with 1 fl. oz. of petroleum distillate or 1 fl. oz. of water and agitate to assure a uniform mixture. The resulting 2 fl.ozs. of solution will then be used to treat 1,900 cubic feet of space.</p>	<p>Using an appropriate ULV spraying device, inject the aerosol spray directly into cracks and crevices to completely fill the wall, equipment and other small structural void areas. Follow the injection equipment manufacturer's recommendations for the proper set up and air pressures. Allow the air stream to push the material deep into the space. Ventilate area thoroughly before re-entry.</p>

Use Sites	Application Method	Application Rate	Use Directions
Outdoor Perimeter Treatments	Low Pressure Sprayer	2 ozs. in a sufficient amount of water (minimum of 1 gal.) to cover 1,000 ft ² in a band 2 to 4 ft wide adjacent to & around structure.	Apply at a height of 2 to 3 feet on the foundation where pests may be active or may find entrance. Apply spray around window frames, doors, garage doors, patios, decks, carports, shutters, around garbage areas, sill plate and other areas where cockroaches may congregate. Repeat at 6 month intervals.
<p>Note:</p> <ul style="list-style-type: none"> If a high population of adult cockroaches is present or for immediate relief of adult cockroaches, it may be necessary to use an adulticide. Tekko® Pro may be combined with an EPA registered adulticide. This mixture will also inhibit the development of the immature stages of the cockroach for up to 6 months. Follow all precautions and use directions on both products. Use at the application rate specified in the table below. 			

Spray Mixing: Prepare a diluted spray solution by adding 2 fluid ounces Tekko® Pro per gallon of water. Partially fill the mixing container with water, add Tekko® Pro, agitate and fill to the final volume. Agitate before each use. Do not allow spray mixture to stand overnight.

Tekko® Pro can be mixed with other EPA registered pesticides and used in accordance with the most restrictive of label limitations and precautions. No label dosage rates may be exceeded.

Tank Mixes: Make applications in accordance with those use precautions and label instructions that are consistent for each product. Prepare the tank mix using the label rate of adulticide and Tekko® Pro by adding the adulticide first and making sure it is well mixed and in suspension, then adding the correct amount of Tekko® Pro according to the label instructions below.

CONTROL OF STORED PRODUCT PESTS

(Including Indian Meal Moths, Rice Moths, Tobacco Moths, Red Flour Beetles, Confused Flour Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Warehouse Beetles, Cigarette Beetles, and Dermestid Beetles)

Spray Mixing for Surface, Spot, Crack and Crevice Application: Prepare a diluted spray solution by adding 1.5 fluid ounces of Tekko® Pro per gallon of water. Partially fill the mixing container with water, add Tekko® Pro, agitate and fill to final volume. Agitate before each spray application.

Use Sites	Application Method	Application Rate	Use Directions
<p>General Surface Application, and Crack and Crevice in Food and Non-Food Areas</p>	<p>Pressurized spray system capable of delivering a pin-point or variable spray pattern</p> <p>Low-pressure Sprayer</p>	<p><u>Dilute spray solution:</u> 1.5 ozs. per gal. of water (11.7 ml/L)</p> <p><u>Spray rate:</u> 1 gal. per 1,500 ft² (27 ml/m²)</p>	<p>For treatment of food processing and food handling establishments and in food and nonfood storage warehouses repeat application in 90 days.</p> <p>(Places other than private residents in which food is held, processed, prepared, or served)</p> <p>Crack and Crevice applications may be made directly to cracks and crevices, baseboards, floors, ceilings, walls, expansion joints, molding, areas around water and sewer pipes, voids where pests can hide and similar areas. Spot treatments may also be made to storage areas, closets, around water pipes, doors and windows, behind and under refrigerators, cabinets, sinks, stoves and other equipment, shelves, drawers and similar areas.</p> <p>Contact as many insects as possible.</p>

Use Sites	Application Method	Application Rate	Use Directions
Fogging Appl.	ULV equipment, mechanical misting sprayers, aerosol generators, or thermal foggers	<p>Follow the equipment manufacturer's solution preparation instructions. Tekko® Pro may be diluted with water or petroleum distillate.</p> <p><u>Application rate:</u> 1.5 ozs. (44.3 ml) per 12,000 cubic feet (340 m³)</p>	<p>Close area to be treated and shut off all ventilation Systems. Apply the product in the air and direct fog or mist toward all areas that may harbor target pests. After treatment, leave the room closed for 30 minutes or longer as recommended by the equipment manufacturer or the labels of other products applied in tank mixing. Do not remain in treated area. Ventilate thoroughly before reentry.</p>

Food Handling Establishments

(Places other than private residences in which food is held, processed, prepared, or served):

Application is limited to space, general surface, spot, and/or crack and crevice treatment in food handling establishments where food and food products are held, prepared, processed and served. Space and general surface application may be used only when the facility is not in operation provided exposed food is covered or removed from the area being treated prior to application. Spot, and/or crack and crevice treatments may be used while the facility is in operation provided exposed food is covered or removed from the area being treated prior to application. Food contact surfaces must be thoroughly washed with an effective cleaning compound and rinsed with potable water after use of the product. Fogging applications are recommended for larger facilities including food and non-food warehouses.

Food Serving Areas: Tekko® Pro may be used in food areas of food handling establishments, restaurants, or other areas where foods are commercially prepared or served. Tekko® Pro may also be used in serving areas only when facility is not in operation or food is not exposed. Serving areas are areas where prepared foods are served, such as dining rooms. All food-processing surfaces and utensils must be covered during treatment or thoroughly washed before use. Food areas include areas for receiving, storage, packing (canning, bottling, wrapping,

boxing), preparing, edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Repeat application in 90 days.

Non-Food Areas: Tekko® Pro may be used to treat nonfood areas. Nonfood areas include areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling), walls and floors, under and between pallets, areas of machinery and equipment, mop and equipment closets, behind cabinets, under shelves and racks.

PREPARATION OF Adulicide and Tekko® Pro Combination:

Tekko® Pro can be mixed with other EPA registered pesticides and used in accordance with the most restrictive of label limitations and precautions. No label dosage rates may be exceeded.

Tank Mixes: Make applications in accordance with those use precautions and label instructions that are consistent for each product. Prepare the tank mix using the label rate of adulicide and Tekko® Pro by adding the adulicide first and making sure it is well mixed and in suspension, then adding the correct amount of Tekko® Pro according to the label instructions below.

Note: This product cannot be mixed with any product containing a label prohibition against such mixing.

CONTROL OF ANTS

Use Sites	Application Method	Application Rate	Use Directions
Interior General Surface Application	Low-pressure Sprayer or Similar Application	Application rate: 2 ozs. per gal. of water per 1,000 ft ²	Apply Tekko® Pro to interior areas of a building where ants are actively foraging. Repeat treatments may be made 14 days after previous treatment.
Perimeter or Around Foundation Walls	Low Pressure Sprayer or Similar Application	2 ozs. in a sufficient amount of water (minimum of 1 gal.) to cover 1,000 ft ²	Apply Tekko® Pro to exterior perimeter or around foundation walls where ants are actively foraging and in a band 6-10 feet wide adjacent to the foundation wall of the building. Repeat treatments may be made 14 days after previous treatment, or if heavy rainfall occurs.

Note:

- For immediate control of adult ants, Tekko® Pro may be used in a tank mix combination with an EPA registered adulticide insecticide, or as an alternating treatment with adulticide insecticide.

FOR CONTROL OF FLYING INSECT PESTS
(Such as Flies, Moths, Midges, Mosquitoes and Gnats)

Tekko® Pro may be used for the control of house flies, stable flies, moths, mosquitoes, nuisance flies (gnats, midges) and other similar flying pest insects such as those classified as Dipterous or Hymenopterous. Tekko® Pro causes a decrease in the number and hatching of eggs laid by treated adults. Fly larvae (maggots) treated with Tekko® Pro cannot develop into normal adults. The use of Tekko® Pro will result in a reduction in adult fly populations after 3-4 weeks, at the time when previously hatched adult flies have died naturally.

Tekko® Pro may be used for control of flying insect pests in, on and around residential, commercial, public, industrial and agricultural buildings. Tekko® Pro may be used to control nuisance flies, gnats, midges, and mosquitoes by application into moist breeding areas (potted plants, moist debris or litter) or into areas holding standing water such as gutters, drains, pools and fountains.

USE RESTRICTIONS:

- Do not treat birdcages or stock pens when animals are present.
- Do not make interior applications of Tekko® Pro in areas of facility where animals are present.
- Do not apply directly to any natural bodies of water such as ponds, lakes, streams, rivers, marshes, potholes, and estuaries.
- Do not allow animals back in treated areas of facility until treated areas have dried.
- Cover or remove exposed food, feed, water and watering equipment.

Use Sites	Application Method	Application Rate	Use Directions
Interior Applications to Residential, Commercial, Public, Industrial and Agricultural Buildings	General Surface (including Broadcast, Spot and Crack and Crevice)	1 oz. per gal. of water per 1,500 ft ² or 1,000 linear feet for crack and crevice	Treat all areas where flying insects may collect, rest or breed. Apply solution as a coarse, wetting spray to breeding and harborage sites. For drains, apply dilution into and around the drain and catch basin area. When possible, treat vertical surfaces surrounding breeding sites, where small flies tend to alight. If needed, repeat 14 days after previous treatment or if heavy rainfall.
Fly breeding sites such as drains, traps of sinks, bathtubs and in-floor drains	Foam Application	1 oz. per gallon of diluent To convert to foam, add foaming agent at the manufacturer's recommended rate.	Using a professional foam applicator, apply finished foam to areas of fly breeding sites such as drains, traps of sinks, bathtubs and in-floor drains. For best results, foam should be applied thoroughly ensuring all void areas and fly breeding material is treatment. Follow the requirements of the foam equipment manufacturer.

Use Sites	Application Method	Application Rate	Use Directions
<p>Exterior Applications to Residential, Commercial, Public, Industrial and Agricultural Buildings</p>	<p>General Surface (including Broadcast, Spot and Crack and Crevice)</p>	<p>1 oz. per gal. of water per 1,500 ft² or 1,000 linear feet for crack and crevice</p>	<p>Apply to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or found. To help prevent infestations of buildings by flying insects, treat soil, vegetation or other substrates in a band 6-10 feet wide adjacent to the building foundations, walls, around doors and windows, and overhead areas where these pests are active and may find entrance or harborage. For surface applications, thoroughly wet floors, walls, ceilings, doors, around windows, garbage and refuse areas. Apply to foliage and ornamental plants as well as into moist breeding areas such as potted plants, moist debris or litter, or into areas holding standing water such as gutters, drains, pools and fountains. Control will be enhanced when facilities are cleaned and interior applications are supplemented with exterior perimeter treatments.</p>

Use Sites	Application Method	Application Rate	Use Directions
<p>Livestock, Poultry Housing and Pet Kennels (Interior and Exterior)</p>	<p>General Surface, Fogger/ULV, Crack and Crevice and Spray</p>	<p>1 oz. per gal. of water per 1,500 ft²</p>	<p>Treat all areas where flying insects may collect, rest or breed, including vertical walls, ceilings, pipes, conduit, stalls, stanchions, floors, and walkways. When Tekko® Pro is used alone, treatments can be extended to animal bedding, manure, and other potential areas where flying insects may breed.</p> <p>For surface applications, thoroughly wet floors, walls, ceilings, doors, around windows, garbage and refuse areas. When used as directed, Tekko® Pro will not harm beneficial insects in animal litter or bedding, such as predatory wasps. Control will be enhanced when facilities are cleaned and interior applications are supplemented with exterior perimeter treatments.</p> <p>If needed, repeat 14 days after previous treatment or if heavy rainfall occurs.</p>

Note:

- For knockdown and more rapid control of adult flying insect pests or to control an influx of flies from untreated areas, Tekko® Pro may be used in a tank mix combination with an EPA registered adulticide insecticide.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store upright at room temperature. Avoid exposure to extreme temperatures. Keep this product in its tightly closed original container. Store in a cool, dry (preferably locked) area that is inaccessible to children and animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

CONTAINER HANDLING: If empty - Nonrefillable container. Do not reuse or refill this container. Offer empty container for recycling if available or puncture and dispose of container in a sanitary landfill, or by other procedures approved by State and local authorities.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

STORAGE AND DISPOSAL (continued)

[Commercial Language]

For Bulk containers: (Refillable Container)

Refill this container with pesticides only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the re-filler.

To clean the container before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or re-circulate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this procedure two more times.

LIMITATION OF WARRANTY AND LIABILITY

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product should be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather, presence of other materials or other influencing factors in the use of the product, which are beyond the control of Control Solutions, Inc. or Seller. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Control Solutions, Inc. and Seller harmless for any claims relating to such factors.

Control Solutions, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. This warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of Seller or Control Solutions, Inc., and Buyer and User assume the risk of any such use.

CONTROL SOLUTIONS, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

IT IS CONTROL SOLUTIONS INC., AND SELLERS INTENTION THAT only to the extent consistent with applicable law shall Control Solutions or Seller be liable for any incidental, consequential or special damages resulting from the use or handling of this product. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CONTROL SOLUTIONS, INC., AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CONTROL SOLUTIONS, INC. OR SELLER, THE REPLACEMENT OF THE PRODUCT.**

Control Solutions, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of Control Solutions, Inc.

NOTES

NOTES



TEKKO® PRO



Insect Growth Regulator Concentrate COMBINATION CHEMISTRY™ FROM CONTROL SOLUTIONS

- Inhibits reinfestation by fleas for up to 7 months.
- Reduces egg production in houseflies and prevents development of larvae into adults.
- Inhibits reinfestation by listed cockroaches for up to 6 months.
- Effectively controls listed Fleas, Ticks, Flies, Mosquitoes, Gnats, Crickets, & Ants for up to 7 months
- Photostable for up to 14 days
- For use on Furniture and Carpets
- For use in Animal Quarters, Kennels and Poultry Houses
- Treats up to 6,000 square feet
- For indoor/outdoor use

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine (Pyriproxyfen)	1.30%
Novaluron*	1.30%
OTHER INGREDIENTS**:	97.40%
TOTAL:	100.00%

*Contains 0.10 lbs. Novaluron and 0.10 lbs pyriproxyfen per gallon.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may contact SafetyCall® International at 1-866-897-8050, twenty-four (24) hours per day seven (7) days per week.

EPA Reg. No. 53883-335

EPA Est. No. 53883-TX-002

NET CONTENTS: 16 FL. OZ.



ADAMA

Manufactured by:

Control Solutions Inc.

5903 Genoa-Red Bluff, Pasadena, TX 77507

A member of Adama

Consumer and Professional Solutions