<u>aterial Safety Data Sheet</u>





SECTION 1	IDENTIFICATIO	

IDENTITY:

TOP GUN PELLET RODENTICIDE PLACE PACK EPA Registration No. 67517-72-56 **ACTIVE INGREDIENT CHEMICAL NAME: Bromethalin CHEMICAL FAMILY: Diphenylamines** Marketed By: J.T. EATON & CO., INC. 1393 East Highland Road Twinsburg, Ohio 44087 Date Prepared: June 15, 2014

HMIS Rating: Health:

Flammability: Reactivity: Personal Protection: Safety glasses and

0 Rubber gloves.

1

1

Emergency Telephone Number: 1-800-664-9042 or National Pesticide Telecommunications Network at 1-800-858-7378 Telephone Number for Information: 9 AM to 5 PM EST - 330-425-7801

SECTION 2 HAZARDOUS INGREDIENTS

				<-OSHA LIMITS ->		OPTIONAL
HAZARDOUS COMPONENTS	CAS NUMBER	PEL	STEL	CEILING	ACGIH TLV	%
Bromethalin N-Methyl-2,4,-dinitro-N- (2,4,6-tribromophenyl)- 6- (Trifluoromethyl) Benzenamine C ₁₄ H ₇ Br ₃ F ₃ N ₃ O ₄	63333-35-7	N/A	N/A	N/A	N/A	0.01

SECTION 3 • PHYSICAL / CHEMICAL DATA

BOILING POINT: (F): N/A	BULK DENSITY: 42 pounds per cubic foot
VAPOR PRESSURE: (mm hg): N/A	MELTING POINT: >130° F
VAPOR DENSITY: (AIR = 1): N/A	EVAPORATION RATE (Butyl Acetate = 1): N/A
SOLUBILITY IN H ₂ O: Insoluble	% VOLATILE: Negligible
APPEARANCE / ODOR: Green pellets. Grain like odor.	SPECIFIC GRAVITY ($H_2O = 1$): N/A

SECTION 4 • FIRE & EXPLOSION HAZARD DATA

FLASH POINT (Method Used) - N/A FLAMMABLE LIMITS: Not Established LEL: N/A UEL: N/A EXTINGUISHING MEDIA: Same as for surrounding fire.

SECTION 5 • REACTIVITY DATA

CHEMICAL STABILITY: Stable. CONDITIONS TO AVOID: None. INCOMPATIBLE MATERIALS: None known. HAZARDOUS POLYMERIZATION: Will not occur

SPECIAL FIRE FIGHTING PROCEDURES: None

UNUSUAL FIRE & EXPLOSION HAZARDS: None.

SECTION 6 • HEALTH HAZARD DATA

ROUTES OF ENTRY:	INHALATION? NO	SKIN? YES	INGEST YES				
HEALTH HAZARDS (ACUTE and CHRONIC): Toxicity of Bromethalin Pellets.							
Dog Oral LD ₅₀	47 g/kg	Rabbit LD ₅₀		130 g/kg			
Cat Oral LD50	18 g/kg	Adult Quail LD50		46 g/kg			
Monkey Oral LD ₅₀	50 g/kg	Oral (rats) LD ₅₀		20 g/kg			
CARCINOGENICITY: NO							
NTP?	IARC MONOGRAP	'H? O	OSHA REGULATED?				
NO	NO		NO				

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

In the case of an acute massive dose in humans as may occur with, any of the following signs may be expected: headache, confusion, personality change, tremors, convulsive seizures, coma, marked respiratory distress or death.

In the case of human ingestion of sublethal doses (chronic toxicity) the individual should be observed closely for signs of numbness, incoordination, headache, and mild confusion.

SECTION 6 • HEALTH HAZARD DATA continued

FIRST AID PROCEDURES continued:

EYES: Immediately flush eyes with plenty of water for at least 5 minutes.

SKIN: If splashed on skin, wash thoroughly with soap and water.

INHALATION: NONE

INGESTION: The suggested treatment of bromethalin toxicity in the adult human can be divide into three categories. Appropriate dosages for children must be carefully adjusted according to weight. Measures to be taken are: 1. Limit further absorption by inducing emesis. This could be done by agitating the back of the throat, giving 1 or 2 tablespoons of Syrup of Ipecac, etc. This should be followed by administering activated charcoal, milk, beaten eggs, or suspension of flour or starch. NOTE: If no convulsions are present,

SECTION 7 • PRECAUTIONS FOR SAFE HANDLING

IN CASE MATERIAL IS RELEASED OR SPILLED: Sweep up and place in a suitable container.

WASTE DISPOSAL METHOD: Dispose of in an approved landfill.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place away from foodstuffs.

SECTION 8 • CONTROL MEASURES

RESPIRATORY PROTECTION: N/A VENTILATION: LOCAL EXHAUST: N/A SPECIAL: None MECHANICAL EXHAUST: None PROTECTIVE GLOVES: Chemically impervious gloves.

EYE PROTECTION: Safety glasses as needed for other activities.OTHER PROTECTIVE EQUIPMENT: None WORK / HYGIENIC PRACTICES: Avoid contact with skin. Wash hands thoroughly, standard good practices.

SECTION 9 • CALIFORNIA ADDENDUM

(PROPOSITION 65) SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986

The following specific warnings are hereby given relative to substances that the State of California has identified as carcinogens and/or reproductive hazards under Proposition 65: None

WARNING: N/A WARNING: N/A

SECTION **10** • SARA TITLE III HAZARD CATEGORY

For Reporting Under Sections 311 & 312

Immediate - YES Delayed - YES Fire - NO Reactive - NO Sudden Release of Pressure - NO

SECTION **11** • SHIPPING INFORMATION

HAZARD CLASS: D.O.T. Placarding Not Required BILL OF LADING DESCRIPTION: Rodenticide ITEM 102120 Class 60 Manufacturer makes no warranty, express or implied, other than indicated on Label and MSDS. Customer assumes all risk of use and/or handling of this material when such use and / or handling is contrary to Label and MSDS.

This product does not meet the definition of any hazard class and therefore is not regulated for DOT, IATA/ICAO, and IMDG transportation.

All information contained in this Material Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Material Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you and you must make independent determinations of the suitability and completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee expressed or implied is made by J.T. Eaton & Co., Inc. as to the results to be obtained based upon your use of the information nor does J.T. Eaton & Co., Inc. assume any liability arising out of your use of the information.

TOP GUN™ PELLET RODENTICIDE PLACE PACK EPA Registration No. 67517-72-56 Page 2

gastric lavage could be done.

2. Treatment of convulsions by standard anticonvulsant therapy, diazepam, diphenylhydantoin, and barbiturate should be instituted. These treatments have been shown to prolong survival in rats which have received large doses of bromethalin.

3. Treatment of cerebral edema and increased cerebrospinal fluid pressure should be done in the hospital. Treatment of this syndrome would largely depend on the severity since rodent studies have shown that these effects are reversible in large part within seven days. Treatment would involve the use of an osmotic diuretic, such as mannitrol and corticosteroid therapy (dexamethasone) and furosemide.

MATERIAL SAFETY DATA SHEET