

MATERIAL SAFETY DATA SHEET

PRESCRIPTION TREATMENT® brand 565 PLUS XLO® Formula 2

EMERGENCY PHONE NUMBERS:

MEDICAL: 800-225-3320 (PROSAR)

TRANSPORTATION: 800-424-9300 (CHEMTREC)

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: PRESCRIPTION TREATMENT® brand 565 PLUS XLO® Formula 2
EPA Reg. No.: 499-290
Product Code: 02-0505 (12 x 20 oz.)
EPA Signal Word: CAUTION
Distributed by: Whitmire Micro-Gen Research Laboratories, Inc.
3568 Tree Court Industrial Blvd.
St. Louis MO 63122-6682

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION INFORMATION

ACTIVE INGREDIENTS (2.5%)	%	CAS NO.
Pyrethrins	0.5%	8003-34-7
Piperonyl Butoxide, Technical	1.0%	51-03-6
N-Octyl Bicycloheptene Dicarboximide	1.0%	113-48-4

OTHER INGREDIENTS* (97.5%)	%	CAS NO.
Dimethyl Ether	proprietary	115-10-6
Isopropanol	proprietary	67-63-0

* All ingredients may not be listed. Ingredients not listed do not meet the reporting requirements of the OSHA Hazard Communication Standard (HCS) as specified in 29 CFR 1910.1200.

EXPOSURE INFORMATION

Material	OSHA PEL		ACGIH TLV	
	STEL	TWA	STEL	TWA
Pyrethrins	NE	NE	10 mg/M ³	5 mg/M ³
Piperonyl Butoxide, Tech.	NE	NE	NE	NE
N-Octyl Bicycloheptene dicarboximide	NE	NE	NE	NE
Dimethyl Ether	NE	NE	NE	1000 ppm
Isopropanol	NE	400 ppm	500 ppm	400 ppm

SECTION 3. HAZARDS IDENTIFICATION

SIGNS/SYMPTOMS OF EXPOSURE

Prolonged exposure may cause skin irritation, and drying of nose and throat. May cause eye irritation.

ROUTES OF ENTRY

Primary: Skin **Secondary:** Ingestion **Tertiary:** Ingestion

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in open flame may result in carbon dioxide and carbon monoxide.

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Contents under pressure. Exposure to temperatures above 130° F may cause bursting.

SECTION 4. FIRST AID MEASURES

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Describe any symptoms and follow the advice given.

Ingestion: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Medical Conditions Generally Aggravated by Exposure: None known.

Emergency Telephone Number of Prosar: 800-225-3320

SECTION 5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION

Flash Point (TOC): > 20° F

Flame Extension: > 18"

Explosive Limits of propellant in Air (% by volume):

Lower (LEL) = 3.4%

Upper (UEL) = 18.0%

NFPA 30B Flammability: Level 1 Aerosol

UNUSUAL FIRE, EXPLOSION AND REACTIVITY HAZARDS

Contents under pressure. Exposure to temperatures above 130° F may cause bursting.

IN CASE OF FIRE

Extinguisher Media: CO₂, Dry Chemical, Foam

Special Fire Fighting Procedures: None required.

SECTION 6. ACCIDENTAL RELEASE MEASURES

IN CASE OF SPILL OR LEAK

If container begins to leak (through puncture, etc.), allow to discharge completely in well ventilated area, then dispose of as directed below.

This product contains the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) listed chemical *Pyrethrins* which has a reportable quantity (RQ) of 1 lb. A release of more than 200 pounds of this product (approx. 160 containers) is reportable to the National Response Center (800-424-8802).

Emergency Telephone Number of Chemtrec: (800) 424-9300 (for transportation spills)

PROTECTIVE EQUIPMENT

Eyes: Use proper protection – safety glasses as a minimum.

Skin: Wear chemical resistant gloves. (Good practice requires that gross amounts of any chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Inhalation: If working in enclosed spaces, wear a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter.

WASTE DISPOSAL METHOD

Take full or leaking containers to a local disposal company for biological treatment or incineration. Review all Local, State, and Federal regulations concerning health and pollution to determine approved disposal procedures. Do not contaminate water, food or feed by storage or disposal.

SECTION 7. HANDLING AND STORAGE

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Keep out of reach of children. CAUTION – Harmful if swallowed or absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling.

PHYSICAL OR CHEMICAL HAZARDS

Extremely flammable. Contents under pressure. Keep away from heat, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

STORAGE

Store in a cool area away from heat or open flame and inaccessible to children. Do not contaminate water, food or feed.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Respiratory Protection: For prolonged exposure, a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter is recommended.

Protective Gloves: If prolonged or repeated skin contact is likely, chemical resistant gloves are recommended. (Good practice requires that gross amount of any chemical be removed from the skin as soon as practical, especially before eating or smoking.)

Eye Protection: Safety glasses or goggles are recommended.

Other Protective Equipment: None required.

MATERIAL SAFETY DATA SHEET

PRESCRIPTION TREATMENT® brand 565 PLUS XLO® Formula 2

VENTILATION

Local Exhaust: None required.

Mechanical: None required.

Special: None required.

Other: Provide adequate ventilation. In hospitals and nursing homes, rooms should be ventilated for two hours after spraying. Do not return patients to room until after ventilation.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Sprays as a strong, dry mist.

Odor: Characteristic Pyrethrin and IPA odor.

Solubility in Water: Slight.

Vapor Pressure: 55 psig @ 70° F.

Viscosity: NE

Vapor Density: NE

Boiling Point: NE

Freezing/Melting Point: NE

pH (Conc.): 0.65 - 0.75 (1% in H₂O)

Density (Conc.): 0.85 g/ml @ 20° C

SECTION 10. STABILITY AND REACTIVITY

REACTIVITY

Stability: Indefinite when used according to label directions.

Conditions to Avoid: Do not spray into open flame or onto very hot surfaces.

Incompatibility (Material to Avoid): None known.

Hazardous Polymerization: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS

Thermal decomposition in open flame may result in carbon dioxide and carbon monoxide.

SECTION 11. TOXICOLOGICAL INFORMATION

ROUTES OF ENTRY

Primary: Skin

Secondary: Ingestion

Tertiary: Ingestion

ACUTE

Eyes: May cause eye irritation. Produced slight, reversible conjunctival irritation in rabbits.

Skin: Prolonged exposure may cause skin irritation. Produced an average primary skin irritation score of 0.08 in rabbits. Not a dermal sensitizer to guinea pigs.

Ingestion: Acute oral toxicity (rats) LD₅₀ = 4,730 mg/kg

Inhalation: Not likely due to the product being pressurized and producing particles large enough not to be respirable. Acute inhalation toxicity (rats) LC₅₀ > 7.4 mg/L. A few cases of extrinsic asthma from pyrethrin mixtures have been reported. Prolonged exposure may cause drying of nose and throat.

CHRONIC / CARCINOGENICITY

Neither this product nor any of its ingredients are classified as carcinogens by the National Toxicity Program (NTP), the International Agency for Research on Cancer (IARC) or the Occupational Safety and Health Administration (OSHA).

SECTION 12. ECOLOGICAL INFORMATION

This product is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes.

SECTION 13. DISPOSAL CONSIDERATION

Do not contaminate water, food or feed by disposal. Dispose of container and wastes in accordance with all Federal, state and local regulations.

Container Disposal: Before disposal, empty container by using the product according to the label directions. DO NOT PUNCTURE! If steel aerosol can recycling is available, offer for recycling. If recycling is not available and if allowed by state and local

regulations, discard container in trash. If container is partly filled and cannot be used as directed on the label, contact your local solid waste agency for disposal instructions.

Waste Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

SECTION 14. TRANSPORT INFORMATION

U.S. DOT CLASSIFICATION (U.S. Domestic Surface Transport)

Proper Shipping Name: Consumer Commodity

Hazard Class: ORM-D

Proper Shipping Description: NA

Package Marking: Consumer commodity ORM-D

IMDG CLASSIFICATION (Ocean Transport)

Proper Shipping Name: Aerosols

Hazard Class: 2.1

UN I.D. NO.: UN 1950

Proper Shipping Description: Dangerous Goods in Limited Quantities of Class 2.1

Package Labeling: No label required.

Package Marking: Dangerous Goods in Limited Quantities of Class 2.1

ICAO/IATA CLASSIFICATION (Air Transport)

Proper Shipping Name: Aerosols, Flammable

Hazard Class: 2.1

UN I.D. NO.: UN 1950

Proper Shipping Description: Aerosols, Flammable, 2.1, UN 1950

Package Labeling: Flammable Gas

Package Marking: Aerosols, Flammable, UN 1950, LTD. QTY.

Packing Instruction: Y203, ERG code 10L

SECTION 15. REGULATORY INFORMATION

CERCLA

This product contains the CERCLA listed chemical *Pyrethrins* which has a reportable quantity (RQ) of 1 lb.

SARA TITLE III SECTION 311/312 HAZARD CLASS

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Acute Health Hazard
Fire Hazard
Release of Pressure (puncture) Hazard

SARA TITLE III SECTION 313 CHEMICALS

This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Piperonyl Butoxide, Technical 1.0% by weight

TSCA

All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

SECTION 16. OTHER INFORMATION

NFPA HEALTH RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 1

HMIS HAZARD RATING INFORMATION

HEALTH - 1 FLAMMABILITY - 2 REACTIVITY - 1

KEY:	4 = Severe
	3 = Serious
	2 = Moderate
	1 = Slight
	0 = Minimal

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

Questions concerning the safe handling of the product should be referred to the Whitmire Micro-Gen Customer Service Department at 800-777-8570.

NA - Not Applicable
NE - Not Established
PEL - Permissible Exposure Limit
TLV - Threshold Limit Value
STEL - Short Term Exposure Limit (15 min.)
TWA - Time Weighted Average (8 hrs)



WHITMIRE MICRO-GEN
RESEARCH LABORATORIES, INC.

Part Number: 19-0131-2
Effective Date: 4/16/03
Review Date: NA
Supersedes: 11/7/02
Text ID: 030416-3
Code #: 114-020