

Material Safety Data Sheet

Dow AgroSciences LLC

Product Name: TURFLON* Ester Ultra Herbicide Issue Date: 05/07/2010
Print Date: 07 May 2010

Dow AgroSciences LLC encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

1. Product and Company Identification

Product Name

TURFLON* Ester Ultra Herbicide

COMPANY IDENTIFICATION

Dow AgroSciences LLC A Subsidiary of The Dow Chemical Company 9330 Zionsville Road Indianapolis, IN 46268-1189 USA

Customer Information Number: 800-992-5994

EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: 800-992-5994 **Local Emergency Contact:** 800-992-5994

2. Hazards Identification

Emergency Overview Color: Colorless to yellow Physical State: Liquid.

Odor: Mild

Hazards of product:

CAUTION! Causes skin irritation. Causes eye irritation. Harmful if swallowed. May cause allergic skin reaction.

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Potential Health Effects

Eye Contact: May cause slight eye irritation. Corneal injury is unlikely.

Skin Contact: Brief contact may cause moderate skin irritation with local redness. May cause drying

and flaking of the skin.

Skin Absorption: Prolonged skin contact is unlikely to result in absorption of harmful amounts.

Skin Sensitization: Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Has demonstrated the potential for contact allergy in mice.

Issue Date: 05/07/2010

Inhalation: Prolonged exposure is not expected to cause adverse effects.

Ingestion: Low toxicity if swallowed. Small amounts swallowed incidentally as a result of normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause injury.

Effects of Repeated Exposure: For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver.

Cancer Information: In long-term animal studies with ethylene glycol butyl ether, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans. If the material is handled in accordance with proper industrial handling procedures, exposures should not pose a carcinogenic risk to man.

Birth Defects/Developmental Effects: For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother.

Reproductive Effects: The data presented are for the following material: Triclopyr. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals.

3. Composition Information

Component	CAS#	Amount
Triclopyr-2-butoxyethyl ester	64700-56-7	60.5 %
Ethylene glycol monobutyl ether	111-76-2	0.5 %
Balance		39.0 %

4. First-aid measures

Eye Contact: Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

Skin Contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation: Move person to fresh air. If person is not breathing, call an emergency responder or ambulance, then give artificial respiration; if by mouth to mouth use rescuer protection (pocket mask etc). Call a poison control center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Never give anything by mouth to an unconscious person.

Notes to Physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Have the Safety Data Sheet, and if available, the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Extinguishing Media: Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Do not use direct water stream. May spread fire. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective. Water fog, applied gently may be used as a blanket for fire extinguishment. **Fire Fighting Procedures:** Keep people away. Isolate fire and deny unnecessary entry. Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed. Fight fire from protected location or safe distance. Consider the use of unmanned hose holders or monitor nozzles. Immediately withdraw all personnel from the area in case of rising sound

from venting safety device or discoloration of the container. Do not use direct water stream. May spread fire. Move container from fire area if this is possible without hazard. Burning liquids may be moved by flushing with water to protect personnel and minimize property damage. Water fog, applied gently may be used as a blanket for fire extinguishment. Contain fire water run-off if possible. Fire water run-off, if not contained, may cause environmental damage. Review the "Accidental Release Measures" and the "Ecological Information" sections of this (M)SDS.

Issue Date: 05/07/2010

Special Protective Equipment for Firefighters: Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations, refer to the relevant sections.

Unusual Fire and Explosion Hazards: Container may rupture from gas generation in a fire situation. Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. **Hazardous Combustion Products:** During a fire, smoke may contain the original material in addition to combustion products of varying composition which may be toxic and/or irritating. Combustion products may include and are not limited to: Nitrogen oxides. Hydrogen chloride. Carbon monoxide. Carbon dioxide. Phosgene.

6. Accidental Release Measures

Steps to be Taken if Material is Released or Spilled: Contain spilled material if possible. Small spills: Absorb with materials such as: Clay. Dirt. Sand. Sweep up. Collect in suitable and properly labeled containers. Large spills: Contact Dow AgroSciences for clean-up assistance.

Personal Precautions: Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection.

Environmental Precautions: Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12, Ecological Information.

7. Handling and Storage

Handling

General Handling: Keep out of reach of children. Do not swallow. Avoid breathing vapor or mist. Avoid contact with eyes, skin, and clothing. Use with adequate ventilation. Wash thoroughly after handling.

Storage

Store in a dry place. Store in original container. Keep container tightly closed when not in use. Do not store near food, foodstuffs, drugs or potable water supplies.

8. Exposure Controls / Personal Protection

Exposure Limits

Component	List	Туре	Value
Triclopyr-2-butoxyethyl ester	Dow IHG	TWA	2 mg/m3 D-SEN

RECOMMENDATIONS IN THIS SECTION ARE FOR MANUFACTURING, COMMERCIAL BLENDING AND PACKAGING WORKERS. APPLICATORS AND HANDLERS SHOULD SEE THE PRODUCT LABEL FOR PROPER PERSONAL PROTECTIVE EQUIPMENT AND CLOTHING. A D-SEN notation following the exposure guideline refers to the potential to produce dermal sensitization, as confirmed by human or animal data.

Personal Protection

Product Name: TURFLON* Ester Ultra Herbicide

Eye/Face Protection: Use safety glasses (with side shields).

Skin Protection: Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Remove contaminated clothing immediately, wash skin area with soap and water, and launder clothing before reuse or dispose of properly. Items which cannot be decontaminated, such as shoes, belts and watchbands, should be removed and disposed of properly.

Hand protection: Use gloves chemically resistant to this material. Examples of preferred glove barrier materials include: Butyl rubber. Chlorinated polyethylene. Neoprene. Polyethylene. Ethyl vinyl alcohol laminate ("EVAL"). Examples of acceptable glove barrier materials include: Natural rubber ("latex"). Viton. Polyvinyl chloride ("PVC" or "vinyl"). Nitrile/butadiene rubber ("nitrile" or "NBR"). NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

Issue Date: 05/07/2010

Respiratory Protection: Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. For most conditions no respiratory protection should be needed; however, if discomfort is experienced, use an approved air-purifying respirator. The following should be effective types of air-purifying respirators: Organic vapor cartridge with a particulate pre-filter.

Ingestion: Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

Engineering Controls

Ventilation: Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

9. Physical and Chemical Properties

Physical State Liquid.

Colorless to yellow

Odor Mild

Flash Point - Closed Cup > 100 °C (> 212 °F) Pensky-Martens Closed Cup ASTM D 93

Flammable Limits In Air Lower: No test data available

Upper: No test data available

Autoignition Temperature > 325 °C (> 617 °F) *Literature* **Vapor Pressure** No test data available

Boiling Point (760 mmHg)
Vapor Density (air = 1)
No test data available.
No test data available.
No test data available.

Specific Gravity (H2O = 1) 1.11 Digital Density Meter (Oscillating Coil)
Liquid Density 1.11 g/cm3 @ 20 ℃ Digital density meter

emulsifies

Freezing Point No test data available Melting Point Not applicable

Solubility in water (by

weight)

pH 3.36 (@ 1 %) pH Electrode (1% aqueous suspension)

Decomposition Temperature

Evaporation Rate (Butyl No test data available

Acetate = 1)

 Product Name: TURFLON* Ester Ultra Herbicide Issue Date: 05/07/2010

10. Stability and Reactivity

Stability/Instability

Thermally stable at typical use temperatures.

Conditions to Avoid: Exposure to elevated temperatures can cause product to decompose.

Generation of gas during decomposition can cause pressure in closed systems.

Incompatible Materials: Avoid contact with: Strong acids. Strong bases. Strong oxidizers.

Hazardous Polymerization

Will not occur.

Thermal Decomposition

Decomposition products depend upon temperature, air supply and the presence of other materials. Decomposition products can include and are not limited to: Hydrogen chloride. Nitrogen oxides. Phosgene.

11. Toxicological Information

Acute Toxicity

Ingestion

LD50, Rat, female 3,200 mg/kg

Dermal

LD50, Rat, male and female > 5,000 mg/kg

Inhalation

LC50, 4 h, Aerosol, Rat, male and female > 5.05 mg/l

Eye damage/eye irritation

May cause slight eye irritation. Corneal injury is unlikely.

Skin corrosion/irritation

Brief contact may cause moderate skin irritation with local redness. May cause drying and flaking of the skin.

Sensitization

Skin

Prolonged or frequently repeated skin contact may cause allergic skin reactions in some individuals. Has demonstrated the potential for contact allergy in mice.

Repeated Dose Toxicity

For the active ingredient(s): In animals, effects have been reported on the following organs: Blood. Kidney. Liver.

Chronic Toxicity and Carcinogenicity

In long-term animal studies with ethylene glycol butyl ether, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans. If the material is handled in accordance with proper industrial handling procedures, exposures should not pose a carcinogenic risk to man. The data presented are for the following material: Triclopyr. Did not cause cancer in laboratory animals.

Carcinogenicity Classifications:

Component	List	Classification
Ethylene glycol monobutyl	ACGIH	Confirmed animal carcinogen with
ether		unknown relevance to humans.; Group A3

Developmental Toxicity

For the active ingredient(s): Has been toxic to the fetus in laboratory animals at doses toxic to the mother. For the active ingredient(s): Did not cause birth defects in laboratory animals.

Reproductive Toxicity

The data presented are for the following material: Triclopyr. In laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. The data presented are for the following material: Butoxyethanol. In animal studies, did not interfere

Product Name: TURFLON* Ester Ultra Herbicide

with reproduction. For the minor component(s): Available data are inadequate to determine effects on reproduction.

Issue Date: 05/07/2010

Genetic Toxicology

For the active ingredient(s): In vitro genetic toxicity studies were negative. For the active ingredient(s): Animal genetic toxicity studies were negative.

12. Ecological Information

ENVIRONMENTAL FATE

Movement & Partitioning

For the active ingredient(s): Bioconcentration potential is low (BCF < 100 or Log Pow < 3). Potential for mobility in soil is low (Koc between 500 and 2000).

Persistence and Degradability

Based largely or completely on information for similar material(s). Biodegradation under aerobic static laboratory conditions is moderate (BOD20 or BOD28/ThOD between 10 and 40%).

ECOTOXICITY

Based largely or completely on information for similar material(s). Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested). Material is slightly toxic to birds on an acute basis (LD50 between 501 and 2000 mg/kg).

Fish Acute & Prolonged Toxicity

Based largely or completely on information for similar material(s). LC50, bluegill (Lepomis macrochirus): 0.44 - 1.2 mg/l

LC50, rainbow trout (Oncorhynchus mykiss): 0.98 - 2.6 mg/l

LC50, Atlantic silverside (Menidia menidia): 0.77 mg/l

Aquatic Invertebrate Acute Toxicity

Based largely or completely on information for similar material(s). EC50, water flea Daphnia magna, immobilization: 0.35 - 2.0 mg/l

EC50, eastern oyster (Crassostrea virginica), shell growth inhibition: 0.30 mg/l

LC50, grass shrimp (Palaemonetes pugio): > 1.8 mg/l

Aquatic Plant Toxicity

Based largely or completely on information for similar material(s). EC50, green alga Pseudokirchneriella subcapitata (formerly known as Selenastrum capricornutum), biomass growth

inhibition: 11 mg/l

Toxicity to Above Ground Organisms

Based largely or completely on information for similar material(s). oral LD50, bobwhite (Colinus virginianus): 1,350 mg/kg

13. Disposal Considerations

If wastes and/or containers cannot be disposed of according to the product label directions, disposal of this material must be in accordance with your local or area regulatory authorities. This information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. If the material as supplied becomes a waste, follow all applicable regional, national and local laws.

14. Transport Information

DOT Non-Bulk

NOT REGULATED

DOT Bulk

NOT REGULATED

IMDG

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S

Technical Name: Contains Triclopyr-2-butoxyethyl Ester
Hazard Class: 9 ID Number: UN3082 Packing Group: PG III

EMS Number: f-a,s-f Marine pollutant.: Yes

ICAO/IATA

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S

Technical Name: Contains Triclopyr-2-butoxyethyl Ester
Hazard Class: 9 ID Number: UN3082 Packing Group: PG III

Cargo Packing Instruction: 914
Passenger Packing Instruction: 914

Additional Information

MARINE POLLUTANT

Contains Triclopyr-2-butoxyethyl Ester

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

15. Regulatory Information

OSHA Hazard Communication Standard

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Immediate (Acute) Health HazardYesDelayed (Chronic) Health HazardYesFire HazardNoReactive HazardNoSudden Release of Pressure HazardNo

Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Hazardous Substances List and/or Pennsylvania Environmental Hazardous Substance List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Pennsylvania (Worker and Community Right-To-Know Act): Pennsylvania Special Hazardous Substances List:

To the best of our knowledge, this product does not contain chemicals at levels which require reporting under this statute.

Issue Date: 05/07/2010

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986)

This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.

Toxic Substances Control Act (TSCA)

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

16. Other Information

Hazard Rating System

NFPA Health Fire Reactivity
2 1 0

Revision

Identification Number: 1001102 / 1016 / Issue Date 05/07/2010 / Version: 5.3

DAS Code: GF-1529

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

N/A	Not available
W/W	Weight/Weight
OEL	Occupational Exposure Limit
STEL	Short Term Exposure Limit
TWA	Time Weighted Average
ACGIH	American Conference of Governmental Industrial Hygienists, Inc.
DOW IHG	Dow Industrial Hygiene Guideline
WEEL	Workplace Environmental Exposure Level
HAZ_DES	Hazard Designation
Action Level	A value set by OSHA that is lower than the PEL which will trigger the need for
	activities such as exposure monitoring and medical surveillance if exceeded.

Dow AgroSciences LLC urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.