

Revision date : 2012/07/23 Version: 3.0 Page: 1/10 (30287110/SDS_CPA_US/EN)

1. Product and Company Identification

<u>Company</u> BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA 24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Substance number: Molecular formula: Chemical family: Synonyms: 000000184418 C13 H19 N3 O4 aniline derivative pendimethalin

2. Hazards Identification

Emergency overview

CAUTION: KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. HARMFUL IF SWALLOWED. HARMFUL IF ABSORBED THROUGH SKIN. Causes eye irritation. Avoid contact with the skin, eyes and clothing. Wash thoroughly after handling.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: dark amber Odour: aromatic, moderate odour

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

Irritation / corrosion:

May cause slight irritation to the skin. May cause moderate but temporary irritation to the eyes.

Sensitization:

Revision date : 2012/07/23 Version: 3.0 Page: 2/10 (30287110/SDS_CPA_US/EN)

Skin sensitizing effects were not observed in animal studies.

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Signs and symptoms of overexposure:

orange-red coloured urine caused by dye (not associated with methemoglobinemia) Vomiting may cause aspiration pneumonia due to the ingredients. Because of the increased risk of chemical pneumonia or pulmonary edema caused by aspiration of the hydrocarbon solvent, vomiting should be induced only under professional supervision.

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Terrestrial toxicity:

Acutely harmful to terrestrial organisms.

Degradation / environmental fate:

Not readily biodegradable (by OECD criteria).

3. Composition / Information on Ingredients

CAS Number	Content (W/W)	Chemical name
40487-42-1	37.4 %	pendimethalin
91-57-6	< 12.0 %	Naphthalene, 2-methyl-
91-20-3	< 7.0 %	naphthalene
90-12-0	< 6.0 %	Naphthalene, 1-methyl-
	< 39.0 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Note to physician

Antidote: No known specific antidote. Treatment: Treat symptomatically. Revision date : 2012/07/23 Version: 3.0 Page: 3/10 (30287110/SDS_CPA_US/EN)

5. Fire-Fighting Measures

Flash point:	approx. 104 °C	Information applies to the solvent.
Autoignition:	approx. 491 °C	Information applies to the solvent.
Lower explosion limit:	approx. 0.7 %(V)	Information applies to the solvent.
Upper explosion limit:	approx. 5.6 %(V)	Information applies to the solvent.
Self-ignition temperature:		not self-igniting

Suitable extinguishing media:

foam, dry powder, carbon dioxide, water spray

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrocarbons, If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released if the product is involved in a fire.

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Revision date : 2012/07/23 Version: 3.0

Page: 4/10 (30287110/SDS_CPA_US/EN)

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

Storage incompatibility:

General advice: Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Storage stability:

If substance/product crystallizes, thaw at room temperature.

Temperature tolerance

Protect from temperatures below: 0 °C The product can crystallize below the limit temperature.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with workplace control parameters

naphthalene	OSHA ACGIH	PEL 10 ppm 50 mg/m3 ; TWA value 10 ppm ; STEL value 15 ppm ; Skin Designation ; The substance can be absorbed through the skin.
Naphthalene, 1-methyl-	ACGIH	TWA value 0.5 ppm;Skin Designation; The substance can be absorbed through the skin.
Naphthalene, 2-methyl-	ACGIH	TWA value 0.5 ppm;Skin Designation; The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Revision date : 2012/07/23 Version: 3.0

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: Odour: Colour: pH value: Freezing point: Boiling point: Vapour pressure: Density: Vapour density: Viscosity, dynamic: Solubility in water: Molar mass:	liquid aromatic, moderate od dark amber 6 - 7 approx19 °C approx. 250 °C approx. 0.05 hPa 1.06 g/cm3	our (20 - 40 g/l) Information applies to the solvent. Information applies to the solvent. (20 °C) Information applies to the solvent. (20 °C) not determined not determined emulsifiable, insoluble
Molar mass:	281.35 g/mol	

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

Nitric Acid, Sulfuric acid, oxidizing agents, strong alkalies

Hazardous reactions:

The product is chemically stable.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition:

226 - 230 °C (DTA)

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen oxide, nitrogen dioxide, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. Under adiabatic conditions the product is capable of self-sustaining progressive thermal decomposition.

Revision date : 2012/07/23 Version: 3.0

Page: 6/10 (30287110/SDS_CPA_US/EN)

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties: Not an oxidizer.

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50 Species: rat (male/female) Value: 3,956 mg/kg

Inhalation:

Type of value: LC50 Species: rat Value: > 5.35 mg/l Exposure time: 4 h

Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 2,000 mg/kg

Irritation / corrosion

Skin: Species: rabbit Result: mildly irritating

Eye:

Species: rabbit Result: mildly irritating

Sensitization:

Species: guinea pig Result: Non-sensitizing.

Genetic toxicity

Information on: pendimethalin No mutagenic effect was found in various tests with microorganisms and mammals.

Carcinogenicity

Information on: pendimethalin

In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed. In long-term studies in rats the substance induced thyroid tumors. A marked decrease in body weight gain and an increase in benign thyroid proliferative lesions were observed in the lifetime rat study at the highest dose tested. The substance is not considered to pose a carcinogenic risk at low human exposure levels.

Reproductive toxicity

Information on: pendimethalin The results of animal studies gave no indication of a fertility impairing effect.

Revision date : 2012/07/23 Version: 3.0

Development:

Information on: pendimethalin

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Experiences in humans:

Pendimethalin is a strongly orange-red compound - virtually an aniline dye. Cases have been described of of orange-yellow colouration of urine following heavy exposure of workers to the dust of pendimethalin. Despite its structure as both a nitro-compound and aromatic amine, exposure to pendimethalin is NOT associated with methemoglobinemia.

12. Ecological Information

Fish

Information on: pendimethalin Acute: static Oncorhynchus mykiss/LC50 (96 h): 0.138 mg/l

Aquatic invertebrates

Information on: pendimethalin Acute: static Daphnia magna/EC50 (48 h): 0.4 mg/l

Aquatic plants

Information on: pendimethalin Toxicity to aquatic plants: green algae/EC50 (72 h): 0.0337 mg/l static Skeletonema costatum/EC50 (5 d): 0.005 mg/l

Non-Mammals

Information on: pendimethalin Other terrestrial non-mammals: mallard duck/LD50: 1,421 mg/kg Acutely harmful to terrestrial organisms. Honey bee/LD50: 49.8 ug/bee Acutely harmful to terrestrial organisms.

Other adverse effects:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide

Revision date : 2012/07/23 Version: 3.0

(30287110/SDS_CPA_US/EN)

Page: 8/10

or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA: D028

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different waste-code assignments.

14. Transport Information

Land trans	port
USDOT	

Soa transport

Not classified as a dangerous good under transport regulations

IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3082 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN 37%)
Air transport	

IATA/ICAO	
Hazard class: 9	
Packing group: III	
ID number: UN 3082	
Hazard label: 9, EHSM	
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N	.O.S.

Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this MSDS for the RQ for this product.

(contains PENDIMETHALIN 37%)

15. Regulatory Information

Federal Regulations

Registration status: Chemical	TSCA, US	blocked / not listed
Crop Protection	TSCA, US	released / exempt
OSHA hazard catego		ARC 1, 2A or 2B carcinogen; NTP listed carcinogen; Chronic target organ ffects reported; ACGIH TLV established

Revision date : 2012/07/23 Version: 3.0 Page: 9/10 (30287110/SDS CPA US/EN)

EPCRA 311/312 (Hazard categories):

Chemical name

naphthalene pendimethalin

CAS Number

91-20-3

EPCRA 313:

<u>CAS Number</u> 91-20-3 40487-42-1

0407-42-1

CERCLA RQ 100 LBS Chemical name naphthalene

Acute; Chronic

State regulations

State RTK	CAS Number	Chemical name
NJ, PA	91-57-6	Naphthalene, 2-methyl-
MA, NJ, PA	91-20-3	naphthalene
MA, PA	90-12-0	Naphthalene, 1-methyl-

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

16. Other Information

Refer to product label for EPA registration number.

Recommended use: herbicide

NFPA Hazard codes: Health : 1 Fire: 1 Reactivity: 1 Special:

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by: BASF NA Product Regulations msds@basf.com

MSDS Prepared on: 2012/07/23

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

Revision date : 2012/07/23 Version: 3.0

END OF DATA SHEET

Page: 10/10 (30287110/SDS_CPA_US/EN)