

1. IDENTIFICATION

Product name: **Quali-Pro[®] MSM Turf**
Chemical name of active ingredient(s): Metsulfuron Methyl: methyl 2-[[[(4-methoxy-6-methyl-1,3,5-triazin-2-yl) amino]carbonyl]amino] sulfonyl] benzoate
Registrant/Manufacturer: FarmSaver.com, LLC.
4515 Falls of Neuse Road, Suite 300
Raleigh, NC 27609
Phone: 1-800-979-8994
For fire, spill, and/or leak emergencies, contact CHEMTRAC: Phone: 1-800-424-9300
Outside US: 1-703-527-3887
For medical emergencies and health and safety inquiries, contact Prosar: Phone: 1-800-308-5391

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMMON NAME	CAS NO.	%	OSHA/ PEL	ACIGH/ TLV	OTHER	NTP/IARC/OSHA (Carcinogen)
Metsulfuron Methyl	74223-64-6	60	NE	NE	NA	None
NE = Not Established NA = Not Applicable						

3. HAZARDS IDENTIFICATION

PHYSICAL PROPERTIES

Appearance: Beige colored, small, longish granule
Odor: Non-characteristic, very mild odor

EMERGENCY OVERVIEW CAUTION. Hazards to Human and Domestic Animals. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PRIMARY ROUTES OF ENTRY: Skin and eyes.

SYMPTOMS OF EXPOSURE: May cause eye irritation with tearing, pain or blurred vision. Repeated dermal contact may cause skin irritation with itching, burning, redness, swelling, or rash.

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: No specific conditions are known which may be aggravated by exposure to this product.

4. FIRST AID MEASURES

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
In Case of emergency or chemical spill, call 1-800-424-9300.	

5. FIRE FIGHTING MEASURES

FLASH POINT: Not applicable.

FLAMMABLE LIMITS: Not applicable.
LFL/UFL: Not applicable

EXTINGUISHING MEDIA: Water Spray, Foam, Dry Chemical, CO₂.

UNUSUAL FIRE, EXPOSURE AND REACTIVITY HAZARDS: Like most powders, under severe dusting conditions, this material may form explosive mixtures in air.

FIRE FIGHTING INSTRUCTIONS: Runoff from fire control may be a pollution hazard. Control runoff.

HAZARDOUS DECOMPOSITION PRODUCTS: Will not occur.

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Review FIRE FIGHTING MEASURES and HANDLING AND STORAGE sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

ACTION TO TAKE FOR SPILLS/LEAKS: Dike spill. Prevent material from entering sewers, waterways, or low areas. Shovel or sweep up.

7. HANDLING AND STORAGE

PRECAUTIONS TO TAKE IN HANDLING: Avoid breathing vapors or mist. Avoid breathing dust. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Wash clothing after use. Do not store or consume food, drink, or tobacco in areas where they may become contaminated with this material. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

PRECAUTIONS TO TAKE IN STORAGE: Always use original container to store pesticides in a secured warehouse of strong building. Do not store near open containers of fertilizers, seeds, or other pesticides. Do not contaminate water, food or feed by storage or disposal.

STORAGE TEMPERATURE (MIN/MAX): Store below 140°C (284°F).

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THE PRODUCT. FOR COMMERCIAL APPLICATION AND ON-FARM APPLICATIONS, CONSULT THE PRODUCT LABEL.

EYE PROTECTION: Protective eyewear or chemical safety glasses with side shields or chemical goggles.

SKIN PROTECTION: Long-sleeve shirt, long pants, shoes plus socks.

HAND PROTECTION: Chemical-resistant gloves.

RESPIRATOR REQUIREMENTS:

- **VENTILATION:** Whenever possible, adequate ventilation should be used to minimize the need for personal protective equipment.

ADDITIONAL PROTECTIVE MEASURES: Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

MATERIAL SAFETY DATA SHEET

Quali-Pro[®] MSM Turf

Page 3 of 4

- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

EXPOSURE GUIDELINES: Refer to Section 2.

ENGINEERING CONTROLS: Refer to product label.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: Beige colored, small, longish granule

ODOR: Non-characteristic, very mild odor

DENSITY: 1.644 g/cm³

pH: 4.02

10. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable at normal temperatures and storage conditions.

INCOMPATIBILITY WITH OTHER MATERIALS: None

DECOMPOSITION: Decomposition will not occur.

POLYMERIZATION: Polymerization will not occur.

11. TOXICOLOGICAL INFORMATION

Acute Oral	LD ₅₀ (Rat): >5000 mg/kg
Acute Dermal	LD ₅₀ (Rabbit): >2000 mg/kg
Acute Inhalation	LC ₅₀ (Rat): >5.3 mg/L (4 hours)
Eye Irritation	Slightly irritating
Dermal Irritation	Not irritating in tests
Dermal Sensitization	Not a contact sensitizer

Animal testing indicates that Metsulfuron Methyl does not have carcinogenic, developmental, reproductive or genetic effects.

12. ECOLOGICAL INFORMATION

AQUATIC TOXICITY:

METSULFURON METHYL

96 hour LC50 - Rainbow trout: > 150 mg/L

96 hour LC50 - Bluegill sunfish: > 150 mg/L

48 hour LC50 - *Daphnia magna*: > 150 mg/L

AVIAN TOXICITY:

METSULFURON METHYL

LD50 - Mallard Duck: > 2510 mg/kg.

LC50 - Bobwhite Quail: > 5620 mg/kg

13. DISPOSAL CONSIDERATIONS

PRODUCT DISPOSAL: Do not contaminate water supply, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State, and Local regulations.

CONTAINER DISPOSAL: Triple rinse (or equivalent) the container, adding rinsate to spray tank. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, by incineration, or by burning, if allowed by state and local authorities. If burned, stay out of smoke.

14. TRANSPORTATION INFORMATION

DOT CLASSIFICATION: Not regulated

MATERIAL SAFETY DATA SHEET

Quali-Pro[®] MSM Turf

Page 4 of 4

B/L FREIGHT CLASSIFICATION: Item 50320 [Compounds; Weed Killing (Herbicide), NOI, Other than poison], Class 60

INTERNATIONAL TRANSPORTATION:

IMO (vessel): Not regulated

IATA (air): Not regulated

15. REGULATORY INFORMATION

SARA TITLE III CLASSIFICATION:

Section 302/304: Not applicable

Section 311/312: Acute Health Hazard

Section 313 chemical(s): Not applicable

CA PROPOSITION 65: Not applicable.

CERCLA REPORTABLE QUANTITY (RQ): Not Applicable

RCRA CLASSIFICATION: Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

TSCA: The ingredients of this product are listed on the TSCA inventory or are exempt.

16. OTHER INFORMATION

HAZARD RATINGS	NFPA	HMIS	
HEALTH:	1	1	0 MINIMAL
FLAMMABILITY:	1	1	1 SLIGHT
REACTIVITY:	0	0	2 MODERATE
			3 HIGH
			4 SEVERE

MSDS Date: 8-2-07

The information contained herein is given in good faith and is believed to be correct, but no warrant, express or implied, is made. Consult FarmSaver.com, LLC. for further information.