

Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 1 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

RODUCT NAME: Ben's® Complete Clothing and Gear 24oz Pump Spray 044224076014				HMIS Hazard Rating HEALTH 1 FLAMMABILITY 1		
S Date:	February 2, 2017				REACTIVITY	0
S Revision No.:	1				PERSONAL PROTECTIO	ΝX
E:	Insecticide for controlling insects and ticks					
A Reg. No.:	1021-1746-56					
MANUFACTURER:	Tender (	Corporation				
ADDRESS:	944 Indu	944 Industrial Park Rd				
INFORMATION CALLS		Littleton, NH 03561 800-258-4696				
CUSTOMER SERVICE		lercorp.com				
TECHNICAL QUESTIC		<u>y@tendercorp.co</u>	~			
FAX PHONE:	603-444					
EMERGENCY PHONE	( )	oills):(800) 354-23 Tender Corporat	82 ion (800) 258-4696			
	mouloui		· · ·			
		SECTION 2	HAZARDS IDENTIFICA	ATION		
EMERGENCY OVERV	Avoid co	ntact with skin, ey	vith Slight Solvent Odor ves, do not inhale vapors Jse" on the label very cal		clothes while wearing.	
HAZARD CLASSIFICA	TION: This mat 1910.120		d hazardous by the 2012	OSHA Haz	ard Communication Stand	ard (29CFF
Acute Toxicity – Inhala GHS Label elements, Pictogram	, , ,		Category 4 ents			
GHS Label elements, Pictogram	including preca					
GHS Label elements,	, , ,					
GHS Label elements, Pictogram	including preca					
GHS Label elements, Pictogram	including preca		ents			
GHS Label elements, Pictogram Signal word: Hazard statements	including preca	autionary statem Harmful if inhale Very Toxic to aq	ents d uatic life			
GHS Label elements, Pictogram Signal word: Hazard statements H332	including preca	autionary statem Harmful if inhale Very Toxic to aq	ents d	side effects	5	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410	including preca	autionary statem Harmful if inhale Very Toxic to aq	ents d uatic life	side effects	5	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement	including preca	autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu	ents d uatic life uatic life with long lasting		5	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu Avoid breathing	ents d uatic life Jatic life with long lasting dust/fume/gas/mist/vapo	ors/spray	5	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu Avoid breathing Use only outdoo	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated	ors/spray area		
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu Avoid breathing Use only outdoo Contaminated w	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated rork clothing should not b	ors/spray area		
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu Avoid breathing Use only outdoo	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated rork clothing should not b	ors/spray area		
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aqu Avoid breathing Use only outdoo Contaminated w Wear protective	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated rork clothing should not b gloves	ors/spray area be allowed c		
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321	including preca	Autionary statem Harmful if inhale Very Toxic to aqu Very toxic to aqu Very toxic to aqu Very toxic to aqu Very toxic to aqu Wear protective Specific treatme	ents ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated ork clothing should not b gloves nt (see Section 4/First Ai	ors/spray area be allowed c id		
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aq Very toxic to aq Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa	ents ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated ork clothing should not b gloves unt (see Section 4/First Ai ash with plenty of soap ar	ors/spray area be allowed c id nd water	out of the workplace	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aq Very toxic to aq Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation o	ents ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated or k clothing should not b gloves ent (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic	ors/spray area be allowed c id nd water cal advice/a	out of the workplace	
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313 P363	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aq Very toxic to aq Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation of Wash contamina	ents ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated or cork clothing should not b gloves ent (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic ated clothing before reuse	ors/spray area be allowed c id nd water cal advice/a e	out of the workplace ttention	hle for
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313 P363 P304+P340 breathing	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aq Very toxic to aqu Avoid breathing Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation of Wash contamina IF INHALED: rei	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated ork clothing should not b gloves ent (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic ated clothing before reuss move victim to fresh air a	ors/spray area be allowed c id nd water cal advice/a e and keep at	out of the workplace ttention rest in a position comforta	ble for
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313 P363 P304+P340 breathing P312	including preca	Autionary statem Harmful if inhale Very Toxic to aq Very toxic to aq Very toxic to aqu Avoid breathing Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation of Wash contamina IF INHALED: rei	ents ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated or cork clothing should not b gloves ent (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic ated clothing before reuse	ors/spray area be allowed c id nd water cal advice/a e and keep at	out of the workplace ttention rest in a position comforta	ble for
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313 P363 P304+P340 breathing P312 Precautionary statement	including preca	Autionary statem Harmful if inhale Very Toxic to aqu Very toxic to aqu Avoid breathing Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation of Wash contamina IF INHALED: rei Call a POISON	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated ork clothing should not b gloves ant (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic ated clothing before reuse move victim to fresh air a CENTER or doctor/physic	ors/spray area ie allowed c id nd water cal advice/a e ind keep at ician if you t	but of the workplace ttention rest in a position comforta feel unwell	ble for
GHS Label elements, Pictogram Signal word: Hazard statements H332 H400 H410 Precautionary statement P261 P271 P272 P280 Precautionary statement P321 P302+P352 P333+P313 P363 P304+P340 breathing P312	including preca WARNING WARNING nts- Prevention nts – Response: nts – Storage	Autionary statem Harmful if inhale Very Toxic to aqu Very toxic to aqu Avoid breathing Use only outdoo Contaminated w Wear protective Specific treatme IF ON SKIN: Wa If skin irritation of Wash contamina IF INHALED: rei Call a POISON	ents d uatic life uatic life with long lasting dust/fume/gas/mist/vapo ors or in a well-ventilated ork clothing should not b gloves ent (see Section 4/First Ai ash with plenty of soap ar or rash occurs: Get medic ated clothing before reuss move victim to fresh air a	ors/spray area ie allowed c id nd water cal advice/a e ind keep at ician if you t	but of the workplace ttention rest in a position comforta feel unwell	ble for



Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 2 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

Hazards not otherwise classified (HNOC): Not applicable

ROUTES OF EXPOSURE: Dermal, oral

POTENTIAL HEALTH EFFECTS

INHALATION: May cause irritation to lungs

 SKIN CONTACT:
 Do not use over cuts, wounds or irritated skin<br/>Pre-existing skin disorders may be aggravated by exposure

 EYE CONTACT:
 Prolonged contact may cause irritation, with redness, pain, tearing, blurred vision and conjunctivitis.

 INGESTION:
 May be harmful if swallowed.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	Conc. (%)	CAS NO	EINECS NO.	Classification
Permethrin	.5	52645-53-1	258-067-9	None

 \* The exact percentage (concentration) of composition has been withheld as a trade secret Comments: Ingredients not identified are proprietary or non-hazardous.
 See Section 8 – "EXPOSURE CONTROLS/PERSONAL PROTECTION" for exposure guidelines

	SECTION 4: FIRST AID MEASURES			
INHALATION:	Remove affected person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.			
CONTACT WITH SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center of doctor for treatment advice.			
CONTACT WITH EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsine eye. Call a poison control center or doctor for treatment advice.			
INGESTION:	If swallowed, IMMEDIATELY call poison control center or doctor for treatment advice. DO NO give any liquid to the person. Do not induce vomiting unless told to do so by poison control ceneter or doctor. Never give anything by mouth to an unconscious person.			
SELF-PROTECTION OF FIRST RESPONDER:	Use personal protective equipment as required			
NOTES TO PHYSICAN:	For skin effects, a highly efficient therapeutic agent for pyrethroid exposure is topical application of tocopherol acetate (Vitamin E).			
	SECTION 5: FIRE-FIGHTING MEASURES			
SUITABLE EXTINGUISHINGMEDIA	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
UNSUITABLE EXTINGUISHING MEDIA	Caution: Use of water spray when fighting fire may be inefficient			
SPECIFIC HAZARDS	No information available.			
EXPLOSION DATA	Sensitivity to Mechanical Impact – None Sensitivity to Static Discharge – None			
PROTECTIVE EQUIPMENT AND PRECAUTIONS	As in any fire, wear self-contained breathing apparatus pressure-demand, MSA/NOISH (approved or equivalent) and full protective gear			
NFPA HEALTH HAZARD PROPERTIES:X	DS: 2 FLAMMABILITY: 1 INSTABILITY: 0 PHYSICAL AND CHEMICAL			



Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 3 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

SECTION 6: ACCIDENTAL RELEASE MEASURES				
PERSONAL PRECAUTIONS:	Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak			
ENVIRONMENTAL PRECAUTIONS:	Prevent further leakage or spillage if safe to do so. Do not allow into any sewer, on the ground of into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. See section 12 for additional ecological information			
METHODS FOR CONTAINMENT:	Prevent further leakage or spillage if safe to do so.			
METHODS FOR CLEANING UP:	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly			

#### SECTION 7: HANDLING AND STORAGE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

 HANDLING:
 Use personal protective equipment as required. Ensure adequate ventilation especially in confined areas. Use with local exhaust ventilation. Do not breathe dust/fume/gas/mist/vapors/spray. For more information see product label.

 STORAGE:
 Keep container tightly closed in a dry and well-ventilated place. Keep containers tightly closed in a cool, well-ventilated place. Keep in properly labeled containers. For more information, see product label.

KEEP OUT OF THE REACH OF CHILDREN

#### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING	Safety Showers	
CONTROLS:	Eye Wash Stations	
	Ventilation Systems	

#### PERSONAL PROTECTIVE EQUIPMENT (PPE):

- **EYE/FACE:** Tight sealing safety goggles. Face protection shield
- SKIN AND BODY: Wear protective gloves and protective clothing.
- **RESPIRATORY:** If exposure limits are exceeded or irritation is experienced, NOISH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
- **GENERAL HYGIENE:** When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended

**EXPOSURE GUIDELINES:** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies



Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 4 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

APPEARANCE:       Milky White Liquid         ODOR:       Slight-solvent         pH:       7.5         FREEZING POINT:       Not available         SPECIFIC GRAVITY (H2O = 1) @25'C:       Not available         VAPOR PRESSURE (mmHg) @ 'C:       Not applicable         VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propeilent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents         HAZARDOUS POLYMERIZATION:       No	SECTION 9	: PHYSICAL AND CHEMICAL PROPERTIES		
pH:       7.5         FREEZING POINT:       Not available         SPECIFIC GRAVITY (H2O = 1) @25°C:       Not available         VAPOR PRESSURE (mmHg) @ °C:       Not applicable         VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less to compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         STABILITY:         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	APPEARANCE:	Milky White Liquid		
FREEZING POINT:       Not available         SPECIFIC GRAVITY (H2O = 1) @25°C:       Not available         VAPOR PRESSURE (mmHg) @ °C:       Not applicable         VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	ODOR:	Slight-solvent		
SPECIFIC GRAVITY (H2O = 1) @25'C:       Not available         VAPOR PRESSURE (mmHg) @ 'C:       Not applicable         VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less to compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	pH:	7.5		
VAPOR PRESSURE (mmHg) @ °C:       Not applicable         VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	FREEZING POINT:	Not available		
VAPOR DENSITY (AIR = 1):       Heavier than air         FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	SPECIFIC GRAVITY (H2O = 1) @25°C:	Not available		
FLASH POINT:       >93.3°C / >200°F         SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	VAPOR PRESSURE (mmHg) @ °C:	Not applicable		
SOLUBILITY IN WATER:       Partially miscible in water (Note: Water solubility analysis is for aerosol contents less is compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	VAPOR DENSITY (AIR = 1):	Heavier than air		
compressed gas propellent (i.e., Non-Volatiles)).         VISCOSITY:       6.83 CPS @ 23° C on Non-Volatiles         VOLATILE ORGANIC COMPOUNDS (VOC):       0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	FLASH POINT:	>93.3°C / >200°F		
VOLATILE ORGANIC COMPOUNDS (VOC): 0.08%         SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	SOLUBILITY IN WATER:	Partially miscible in water (Note: Water solubility analysis is for aerosol contents less to compressed gas propellent (i.e., Non-Volatiles)).		
SECTION 10: STABILITY AND REACTIVITY         STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	VISCOSITY:	6.83 CPS @ 23º C on Non-Volatiles		
STABILITY:       Stable         CONDITIONS TO AVOID:       Extreme temperatures and direct sunlight         INCOMPATIBILITY (MATERIAL TO AVOID):       Incompatible with strong acids and bases. Incompatible with oxidizing agents	VOLATILE ORGANIC COMPOUNDS (VOC):	0.08%		
CONDITIONS TO AVOID:Extreme temperatures and direct sunlightINCOMPATIBILITY (MATERIAL TO AVOID):Incompatible with strong acids and bases. Incompatible with oxidizing agents	SEC	TION 10: STABILITY AND REACTIVITY		
<b>INCOMPATIBILITY (MATERIAL TO AVOID):</b> Incompatible with strong acids and bases. Incompatible with oxidizing agents	STABILITY:	Stable		
agents	CONDITIONS TO AVOID:	Extreme temperatures and direct sunlight		
HAZARDOUS POLYMERIZATION: No	INCOMPATIBILITY (MATERIAL TO AVOID):			
	HAZARDOUS POLYMERIZATION:	No		

### SECTION 11: TOXICOLOGICAL INFORMATION

The preparation has not been tested for all toxicological effects; some are classified on the basis of the known hazards of the components.

Acute oral toxicity:	LD50 – Greater than 5000mg/kg Notes: Albino rats
Acute inhalation toxicity:	<b>LC50</b> – The acute inhalation $LC_{50}$ of this material places it in EPA Toxic Category IV.
Acute dermal toxicity:	LD50 – Greater than 2000mg/kg Notes: Albino rats
Irritant effect on skin:	No irritation at 72 Hours (Rabbit)
Irritant effect on eyes:	Conjunctival irritation clearing by 48 hours
Sensitization:	Negative (Guinea Pig)
Mutagenicity:	Not determined
Carcinogenicity/Reproductive toxicity:	None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA, or ACGIH as being carcinogens.



Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 5 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

#### SECTION 12: ECOLOGICAL INFORMATION

Persistence and degradability: Bioaccumulation:

No Information available No Information available

Chemical Name	Partition coefficient; n-Octanol/Water:
Permethrin 52645-53-1	6.5

Environmental Hazards (EPA):	Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state Water Board or Regional Office of the EPA.
	SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:

Disposal should be in accordance with applicable regional, national and local laws and regulations. For more information, see product label

**US:** None of the ingredients in this product appear on the RCRA lists (Resource Conservation Recovery Act Regulations 40 CFR 261.24, 40CFR 251.33) or CERCLA Hazardous Substances list (40CFR302 Table 302.4)

#### SECTION 14: TRANSPORT INFORMATION

#### SHIPPING INFORMATION:

Regulation	UN No.	Proper Shipping Name	Class	Package Group	Label	Additional Information
U.S. Department of Transportation (DOT) – Non-Bulk	_	_	-	_	-	Not regulated
International Air Transport Assoc. (IATA)	_	-	-	-	-	Not regulated

The transportation regulations are cited according to international regulations and in the form applicable to the United States and Canada. Possible national deviations in other countries are not considered.

### SECTION 15: REGULATORY INFORMATION

#### U.S. FEDERAL REGULATIONS:

TSCA (TOXIC SUBSTANCE CONTROL ACT): Does not comply

**CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):** There are no components that are subject to emergency requirements under CERCLA Section 1039a0(40CFR 302.4) in this formulation.

#### CERCLA HAZARDOUS SUBSTANCE: None

#### CERCLA REPORTABLE QUANITIY: None

RCRA 261 (RESOURCE CONSERVATION RECOVERY ACT): This product is not defined as a hazardous solid waste..

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT) FIRE: No PRESSURE GENERATING: No REACTIVITY: No ACUTE: YES

Section 302 Extremely Hazardous Substances (TPQ): There are no SARA Title III Secton 302 extremely hazardous substances present in this formulation (40CFR 355)

### 311/312 HAZARD CLASS: None

313 REPORTABLE INGREDIENTS: This product contains no SARA Title III Section 313 chemicals that exceed the reporting limits



Ben's® Complete Clothing and Gear 24oz Pump Spray Tender Item 0006-7601 Page 6 of 6

Prepared according to 29CFR 1910.1200, Regulation (EC) No. 1272/2008 (GHS) and Canadian Controlled Products Act (CPR)

#### U.S. STATE REGULATIONS:

California Proposition 65 Warning: None States Right to Know: Volatile Organic Compounds (VOC); This product contains less than 0.08%

### SECTION 16: OTHER INFORMATION

HMIS		
Health: 1	Flammability: 1	Reactivity: 0
Special: None		

4=extreme 3=High 2=Moderate 1=Slight 0=Insignificant

#### **REVISED SECTIONS OR REASON FOR REVISION:**

ORIGIN DATE: FEBRUARY 2, 2017

**DISCLAIMER:** The information provided herein was believed to be accurate, to the best knowledge of Tender Corporation, at the time of preparation from a compilation of sources believed to be reliable and is furnished without warranty, expressed or implied. It is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling, storage and use of this product and to determine the suitability of the product for its intended use. This data sheet relates only to the specific product listed and does not relate to use in combination or in any process with other materials