

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

Section 1 – Chemical Product and Company Identification

Product Name: FenvaStar EcoCap

CAS # 66230-04-4

EPA Reg. #: 71532-28-91026

Product Use: Insecticide

Company Identification: LG Life Science America Inc.
910 Sylvan Avenue
Englewood Cliffs, NJ 07632

Emergency call: 201-816-2310

Section 2 – Hazards identification

Classification of substance:



Fatal if swallowed

Flammable liquid and Vapour

Several toxic to environment

Harmful if inhaled

Cause eye irritation

GHS labeling elements:

The substance is classified and labeled according to the Globally Harmonized System (GHS):

Hazard pictograms:



GHS06

GHS02

GHS09

Signal Word: Dangers

Hazard-determined components of labeling: Esfenvalerate

Hazard statements:

Fatal if swallowed

Flammable liquid and Vapour

Several toxic to environment

Harmful if inhaled

Cause eye irritation

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

Precautionary Statements:

Prevention:

Keep away from heat/ sparks/open flames/hot surfaces.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting and equipment.

Use only non-sparking.

Take precautionary measure against static discharge.

Wear protective gloves/eye protection and face protection.

Wash hands thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Avoid breathing/dust/fume/gas/mist/vapour/spray.

Avoid release to the environment

Use only outdoor or in a well-ventilated area.

Response:

If Swallowed: Immediately call poison center or physician. Rinse mouth.

If inhaled: Remove person to fresh air and keep in a comfortable position for breathing. Call a poison center or physician if you feel unwell.

In case of Fire: Remove unauthorized persons and call emergency response.

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice or attention.

Collect spillage

If on Skin: Take off immediately all contaminated clothing. Rinse skin with water.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents and containers in accordance with local, regional, national, and international regulations.

Section 3 – Composition/information of ingredient

Chemical Name	Trade names and Synonyms	Percent	CAS No.
Esfenvalerate	Esfenvalerate:(S)- α -cyano-3-phenoxybenzyl (S)-2-(4-chlorophenyl)-3-methylbutyrate	3.5%	66230-04-4
	Proprietary components	96.5%	

Section 4 – First Aid Measures

Symptoms	Transient (several minutes up to approximately 24 hours) persistent burning or prickling sensation, which may be accompanied by visible irritation or rash. Effects of single dermal exposure include ataxia, tremors, constricted pupils and hind limb
----------	---

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

	incoordination. A single oral dose nervous system changes including splayed gait, tremors, ataxia, and hind limb incoordination. Repeated doses can cause excessive grooming and neurological changes such as limb incoordination, unsteady gait tremors, convulsions and nonspecific effects such as weight loss. Eye irritation with tearing, pain or blurring.
Swallowed:	Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
Inhalation:	May cause irritation. Remove to fresh air. If person stops breathing or irregular, give artificial respiration and supply oxygen. Call a poison control center or doctor for further treatment advice
Eyes:	May cause irritation. Do not rub eyes. Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye
Skin:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes.
<p>Note to Physicians</p> <p>If on skin after drying apply vitamin E cream or oil if available. If available. If not available, apply vegetable oil liberally over painful areas. The oil or cream may be used repeated until relief is achieved. Contains xylene range aromatic solvent-vomiting may cause aspiration pneumonia. For current information about the treatment, consult a certified Regional Poison Control Center by calling the number listed in your local telephone directory. Notify medical personnel of contaminated situations and have them take appropriate protective measure.</p>	

Section 5 – Fire Fighting Measure

Extinguishing media: Use water spray, water fog, dry chemical and carbon dioxide.

Fire and Explosive Hazards: Combustible

Special fire fighting procedures: Fireman should wear positive pressed freely breathing devices, complete fire protection clothes and shoes. Do not access if tank is on fire. Use water to cool exposed containers to extinguish fire. Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. Avoid inhalation of materials or combustion by-product. Vapor or gas is burned at distant ignition sources can be spread quickly.

Reference to other sections:

See Section 10 for decomposition products.

Section 6 – Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Wear approved respiratory protection, chemically compatible gloves and protective clothing. Keep unprotected persons away. Allow work

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

against the wind and remove all people upwind. Do not direct water at spill or source leak. Caution combustible.

Environmental precautions: Prevent runoff and contact with sources of water including but not limited to drains, sewers, lakes and ponds. In case of large spill, inform the relevant authorities.

Methods and material for containment and cleaning up:

In case small leak or spill: soak up with sand, earth or synthetic absorbent (Do not use alkaline absorbents) and dispose of waste in compliance with local, state, and Federal regulations. Sweep up material, place in a bottle (non-leaking container), and hold for waste disposal.

In case large leak or spill: Eliminate potential source of ignition. Wear appropriate respirator and other protective clothing. Shut off source of leak only if safe to do so. Dike and contain. Remove with vacuum trucks or pump to storage/salvage vessels. Soak up residue with an absorbent such as clay, sand, other suitable material; place in non-leaking containers and seal tightly for proper disposal. Flush area with water to remove trace residue; dispose of flush solution as above.

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Section 7 – Handling and Storage

Handling

Precautions for safe handling: Do not swallow. Do not get in eyes, on skin or clothing. Avoid breathing vapors or mist. Wash thoroughly after handling. Wash clothing after use. Discard shoes if contaminated. Do not store or consume food, drink or tobacco in areas where they may become contaminated with this material. Do not contaminate water, food, or feed by storage. Since emptied containers retain product residue(vapor, liquid, solid) follow all MSDS and label warnings even after container is empty. Keep protective respiratory device available. Keep liquid and vapor away from heat, sparks or flame. Surfaces that are sufficiently hot may ignite liquid product even in the absence of sparks or flame. Extinguish pilot lights, cigarettes and turn off other sources of ignition prior to use and until all vapors are gone. Do not cut, drill, grind, or weld on or near container; even emptied containers can contain explosive vapors.

Conditions for Safe Storage, including any incompatibilities

Storage: Store in original container only. Keep container closed when not in use. Do not store near food or feed. Avoid direct sunlight. Do not apply physical shock to container. Avoid contact with water.

Requirements to be met by storerooms and receptacles: Store in a secure, dry and temperate area. Do not use or store around the home.

Reference to other sections:

See Section 10 for incompatibilities

Section 8 – Contact Controls and Personal Protection

Max allowed concentration: No Data

Way of measurement: No Data

Engineering Control: Facilities storing or utilizing this material should be equipped with an eyewash facility

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

and a safety shower. Use adequate ventilation to keep risk of inhalation low. Take safety shower after handling equipment. Use explosion proof ventilation as required to control vapor concentrations. Keep liquid and vapor away from heat, sparks, or flame. Surfaces that are sufficiently hot may ignite liquid product even in the absence of sparks or flame. Extinguish pilot lights, cigarettes and turn off other source of ignition prior to use and until all vapors are gone. Do not cut, drill, grind or weld on or near container: even emptied containers can contain explosive vapors.

Personal Protection

Respirators: Under conditions of frequent use or heavy exposure, respirator equipment may be needed. Use any chemical cartridge respirators with organic vapor cartridge(s). Use any chemical cartridges respirator with a full facepiece and organic vapor cartridge. Use any air-purifying respirator with a full facepiece and an organic vapor canister. Use any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply. Any self-contained breathing apparatus with a full facepiece.

Eyes: Wear appropriate protective eyeglasses or chemical safety goggles such as splash resistant safety goggles with a secondary protection faceshield. Provide an emergency eye wash station and quick drench shower in the immediate work area.

Body: Wear appropriate chemical resistant overalls and rubber boots and rubber gloves. Avoid any skin exposure.

Hands: Wear appropriate gloves, such as barrier laminate or neoprene rubber or nitrile rubber or Viton.

General protective and hygienic measures: Discard clothing other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Wash contaminated clothing before reuse. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. No smoking, eating or drinking during handling. Change to clean clothes after washing.

Other conditions: When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Section 9 – Physical and Chemical Properties

Information on basic physical and chemical properties

General Information:

Appearance and Physical State: Fluid (Suspension concentrate based on water), very mild latex odor

Color: white

pH Value: 4.16

Viscosity: Not available

Vapor Pressure (25 °C): Not available

Melting point: Not available

Boiling Point: Not applicable

Specific Gravity: Not available

Comparative concentration (water: 1): Not available (not required for end use)

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

Quantity of heat in burning (KJ/mol): Not available (not required for end use)

Density (g/cm³): 0.908 at 25°C

Critical pressure (Mpa): Not available

Critical temperature: Not available

Flash point (C): Not available

Burning temperature (C): Not available

Explosion: Not available

Solubility: Soluble in water and sparingly in alcohol and methanol; less soluble in dehydrated alcohol; insoluble in chloroform and in ether.

Section 10 – Stability and Reactivity

Chemical Stability: This material is stable at the normal storage conditions.

Incompatible to Avoid: Alkaline materials should be avoided. Avoid heat, flame and contact with strong oxidizing agents.

Conditions to Avoid: Avoid accumulation of electrostatic charges, heating, flames, and hot surface.

Decomposition Products: Hydrogen cyanide may be formed by thermal decomposition or reaction with alkaline material

Hazardous Polymerization: Will not occur

Reference to other sections:

See Section 5 for static discharge potential

Section 11 – Toxicological Information

Acute Toxicity:

LD/LC50 values that are relevant for classification:

Oral: LD₅₀ : 550mg/kg

Inhalation: LC₅₀ : 2.05 mg/L

Dermal: LD₅₀ > 5,000 mg/kg

Eyes: Minimally Irritating

Skin: Not a skin sensitizer

Primary irritant effect:

If swallowed: Fatal if swallowed. No hazards anticipated from swallowing small amounts incidental to normal handling operation.

If inhaled: Avoid breathing in mist or vapors. When heated decomposed to hydrogen cyanide.

On eyes: Minimally irritating to the eye

On the skin: Slight irritating to skin

Respiratory sensitization: Single exposure to dust is not likely to be hazardous. Vapors are unlikely due to physical properties.

Skin Sensitization: Product is not considered a contact sensitizer.

Germ Cell Mutagenicity: The chromosome aberration test was negative.

Carcinogenicity: This products component are not listed by IARC, NNTP, OSHA or ACGIH as a cacinogen

Reproductive Toxicity: Not available

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

STOT-Single Exposure: Not available

STOT-Repeated Exposure: Not available

Aspiration Hazard: Not available

Preexisting condition: Individual with preexisting disease of the liver, kidney, skin or peripheral nervous system may have increased susceptibility to the toxicity of excessive exposure.

Section 12 – Ecological Data

Eco-toxicity:

Esfenvalerate

96 hour LC₅₀- Bluegill sunfish: 0.26ug/l

96 hour LC₅₀- Rainbow trout: 0.26ug/l

96 hour LC₅₀-Fathead minnows: 0.18ug/l

Aquatic Toxicity: This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when cleaning equipment or when disposing of equipment rinsate.

Bee Toxicity: This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops if bees are visiting the treatment area.

Section 13 – Disposal Considerations

Waste Disposal: Do not contaminate water, food, or feed by disposal. Dispose of waste in accordance with all applicable Federal, State, and local laws. Improper disposal of excess pesticide, spray mixture, or rinsate is violation of Federal Law. If the waste cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: Do not distribute, make available, furnish or reuse empty containers. Triple rinse (or equivalent), then offer for recycling or reconditioning if container reuse is permitted. If container reuse is prohibited, puncture metal containers and dispose of in a sanitary landfill, or by other approved State and local authorities, If burned, stay out of smoke.

Section 14 – Transport Information

DOT CLASSIFICATION:

Non-bulk: Not regulated and requires no markings, labels, or placards.

Bulk: UN3082, Environmentally hazardous substance, liquid, n.o.s. (esfenvalerate), 9, PGIII, marine pollutant. (Note for bulk shipments: If labeled or placarded properly, no marine pollutant marking is required)

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

DOT CLASSIFICATION:

Non-bulk: Not regulated and requires no markings, label, or placards.

(Note: Combination packages with inner packages less than 5 liters may be re-classified as Consumer Commodities (ORM-D). These packages cannot be shipped by air freight).

INTERNATIONAL TRANSPORTATION:

IMO (vessel): UN3082, Environmentally hazardous substance, liquid, n.o.s. (esfenvalerate), 9, PGIII, marine pollutant

IATA (air): UN3082, Environmentally hazardous substance, liquid, n.o.s. (esfenvalerate), 9, PGIII, marine pollutant

Storage: Store in a cool place, keeping away from heat and light.

Section 15 – Regulatory Data

U.S. Federal Regulations

TITLE II HAZARD CLASSIFICATIONS SECTIONS 311, 312

Acute: Yes
Chronic: Yes
Fire: No
Reactivity: No
Pressure: No

Section 302 Extremely Hazardous Substance: None

CERCLA Reportable Quantity: None

Classification of substance:



Fatal if swallowed

Flammable liquid and Vapour

Several toxic to environment

Harmful if inhaled

Cause eye irritation

GHS labeling elements:

The substance is classified and labeled according to the Globally Harmonized System (GHS):

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

Hazard pictograms:



Signal Word: Dangers

Hazard-determined components of labeling: Esfenvalerate

Hazard statements:

Fatal if swallowed

Flammable liquid and Vapour

Several toxic to environment

Harmful if inhaled

Cause eye irritation

Precautionary Statements:

Prevention:

Keep away from heat/ sparks/open flames/hot surfaces.

Keep container tightly closed.

Ground/Bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting and equipment.

Use only non-sparking.

Take precautionary measure against static discharge.

Wear protective gloves/eye protection and face protection.

Wash hands thoroughly after handling.

Do not eat, drink, or smoke when using this product.

Avoid breathing/dust/fume/gas/mist/vapour/spray.

Avoid release to the environment

Use only outdoor or in a well-ventilated area.

Response:

If Swallowed: Immediately call poison center or physician. Rinse mouth.

If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center or physician if you feel unwell.

In case of Fire: Remove unauthorized persons and call emergency response.

If in Eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice or attention.

Collect spillage

If on Skin: Take off immediately all contaminated clothing. Rinse skin with water.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents and containers in accordance with local, regional, national, and international regulations.

Safety Data Sheet

FenvaStar EcoCap

SDS: 5/8/15

Section 16 – Additional information

Reference: The information contained herein is believed to be accurate. It is provided independently of any sale of the product for purpose of hazard communication. It is not intended to constitute performance information concerning the product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with respect to the product or the information contained herein. This Safety Data Sheet was compiled with data and information from the following source: KOSHA, NITE, ESIS, NLM, SIDS, IPCS

MSDS Date issue 5/26/11

SDS Rev. Date: 5/8/15