



# SAFETY DATA SHEET

## Pystol Farm & Dairy Aerosol

### SECTION 1: IDENTIFICATION

**Product Name:** Pystol Farm & Dairy Aerosol  
**EPA Registration No.:** 53883-403  
**Recommended Use:** Insecticide; See product label for a complete list of uses and use sites.  
**Restrictions on Use:** See product label for any restrictions on the use of this product.  
**Chemical Family:** N/A – Multiple Active Ingredients  
**Chemical Name of Active Ingredient(s):** Permethrin  
 Pyrethrins  
 Piperonyl butoxide  
**Manufactured for:** Control Solutions, Inc.  
 5903 Genoa-Red Bluff  
 Pasadena, TX 77507

**FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300**

**FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050**

### SECTION 2: HAZARD(S) IDENTIFICATION

**EMERGENCY OVERVIEW:** Aerosol with a strong alcohol odor. Inhalation of vapors may cause drowsiness or dizziness. Causes moderate eye irritation. Extremely flammable aerosol.

#### OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Aspiration Hazard	Category 1
Flammable Aerosols	Category 1
Specific Target Organ Toxicity – Single Exposure	Category 3

**Signal Word:** DANGER



**Hazard Statement(s):** May be fatal if swallowed and enters airways.  
 Extremely flammable aerosol.  
 May cause drowsiness or dizziness.

#### Precautionary Statement(s):

- Prevention:** Keep away from heat/sparks/open flames/hot surfaces. – No smoking.  
 Do not spray on an open flame or other ignition source.  
 Pressurized container: Do not pierce or burn, even after use.  
 Avoid breathing mist/vapors/spray.  
 Use only outdoors or in a well-ventilated area.
- Response:** **IF SWALLOWED:** Immediately call a poison center/doctor. Do NOT induce vomiting.  
**IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
- Storage:** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
- Disposal:** Dispose of contents/container in accordance with Federal, state and local laws and regulations.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS Number	Weight %
1,1 Difluoroethane	75-37-6	50.0 – 75.0%
Distillates, petroleum, hydrotreated light	64742-47-8	21.0 – 24.0%
Isopropanol	67-63-0	12.0 – 16.0%
Piperonyl butoxide	51-03-6	2.0%
Permethrin	52645-53-1	0.25%
Pyrethrins	8003-34-7	0.25%

\*Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

**SECTION 4: FIRST AID MEASURES**

<b>IF IN EYES:</b>	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
<b>IF ON SKIN:</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
<b>IF INHALED:</b>	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>IF INGESTED:</b>	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**Most important symptoms/effects, acute and delayed:** Moderate but temporary eye irritation. Drowsiness or dizziness if inhaled. Vomiting may cause aspiration pneumonia. Repeated exposure to skin may cause dryness or cracking.

**Note to Physician:** Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

**SECTION 5: FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media:** Foam, dry chemical, carbon dioxide or water spray

**Unsuitable Extinguishing Media:** Water jet

**Hazardous Combustion Products:** Thermal decomposition may produce toxic carbon and nitrogen oxides, hydrogen chloride, hydrogen fluoride, and halogenated hydrocarbons.

**Special Protective Equipment & Precautions:** Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear (Bunker gear).

**Unusual Fire & Explosion Hazards:** Compressed gas. Containers may burst under fire conditions.

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** See Section 8 for personal protection equipment.

**Environmental Precautions:** Keep spilled material and any rinsate from contaminating soil or from entering sewage and drainage systems and bodies of water.

**Methods for Containment:** Isolate the spill area. Keep unnecessary and unprotected personnel from entering. Absorb small spills with sand, vermiculite or other inert absorbent. Dike large spills using absorbent or impervious material such as clay or sand. Recover and contain as much free liquid as possible for reuse. Allow absorbed material to solidify and scrape up for disposal.

**Methods for Clean-up:** Place contaminated material in appropriate container for disposal. After removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original container.

**Other Information:** This product contains an ingredient regulated by CERCLA ('Superfund'). See Section 15 for additional information.

**SECTION 7: HANDLING AND STORAGE**

**Handling:** RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental splashes of the concentrate or spray mixture from skin, clothing and out of eyes. Avoid all sources of ignition.

**Storage:** **See pesticide label for full information on product storage.** Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals. Containers may explode at or above listed maximum storage temperature.

**Storage Temperature (Min/Max):** Do not store at temperatures exceeding 122°F (50°C).

**Product Incompatibilities:** Avoid contact with strong oxidizers.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Users of a pesticide product must refer to the product label for personal protective equipment requirements.**

**Exposure Guidelines:**

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Pyrethrins	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Isopropanol	400 ppm (TWA)	200 ppm (TWA) 400 ppm (STEL)	
Petroleum distillates	500 ppm (TWA)		350 mg/m <sup>3</sup> (TWA) 1,800 mg/m <sup>3</sup> (CEIL)(15 min)

# Pystol Farm & Dairy Aerosol

Revision Date: February 10, 2017

<b>Engineering Controls:</b>	Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.
<b>Respiratory Protection:</b>	In areas of poor ventilation, use a NIOSH approved respirator with cartridges/canisters approved for organic vapors.
<b>Eye Protection:</b>	Chemical goggles or safety glasses and full-face shield.
<b>Protective Gloves:</b>	Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile, neoprene rubber, polyvinyl chloride (PVC) or Viton.
<b>Other Protective Clothing:</b>	Long-sleeved shirt, long pants and chemical resistant footwear plus socks.
<b>General Safety Measures:</b>	Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Aerosol	<b>Upper/Lower Flammability Limits:</b>	Not determined
<b>Odor:</b>	Strong alcohol	<b>Vapor Pressure:</b>	Not determined
<b>Odor Threshold:</b>	Not determined	<b>Vapor Density:</b>	Not determined
<b>pH (1% dispersion):</b>	4.5 – 5.0	<b>Relative Density (@24°C):</b>	0.816 (typical)
<b>Melting /Freezing Point:</b>	Not determined	<b>Solubility in Water:</b>	Not determined
<b>Boiling Point/Range:</b>	Not determined	<b>Partition Coefficient:</b>	Not determined
<b>Flash Point:</b>	<77°F (concentrate)	<b>Auto-ignition Temperature:</b>	Not determined
<b>Evaporation Rate:</b>	Not determined	<b>Decomposition Temperature:</b>	Not determined
<b>Flammability:</b>	Not applicable	<b>Viscosity:</b>	2.36 cP at 26°C 1.75 cP at 39°C

## SECTION 10: STABILITY AND REACTIVITY

<b>Reactivity:</b>	No hazardous chemical reactions known if stored and handled as indicated.
<b>Chemical Stability:</b>	Stable under normal storage and handling conditions.
<b>Possibility of Hazardous Reactions:</b>	No potential for hazardous reactions known if stored and handled as indicated.
<b>Conditions to Avoid:</b>	Exposure to temperatures above 122°F (50°C). Avoid all sources of ignition: heat, sparks, open flames. Avoid prolonged storage.
<b>Incompatible Materials:</b>	Strong oxidizers
<b>Hazardous Decomposition Products:</b>	Thermal decomposition may produce toxic carbon and nitrogen oxides, hydrogen chloride, hydrogen fluoride, and halogenated hydrocarbons.

**SECTION 11: TOXICOLOGICAL INFORMATION**

**Likely Routes of Exposure:** Eye contact, Skin contact, Inhalation, Ingestion  
**Symptoms of Exposure:** Moderate but temporary eye irritation. Drowsiness and/or dizziness.  
**Oral LD<sub>50</sub>:** >2,000 - < 5,000 mg/kg (Based upon similar formulation.)  
**Dermal LD<sub>50</sub>:** >2,000 mg/kg (Based upon similar formulation.)  
**Inhalation LC<sub>50</sub>:** >4.35 mg/L (Based upon similar formulation.)  
**Eye Irritation/Damage:** Non-irritant (Based upon similar formulation.)  
**Skin Corrosion/Irritation:** Non-irritant (Based upon similar formulation.)  
**Skin Sensitization:** Non-sensitizer (Based upon similar formulation.)

**Chronic/Subchronic Toxicity:** No data available on the mixture  
**Mutagenicity:** No data available on the mixture  
**Reproductive Toxicity:** No data available on the mixture  
**Neurotoxicity:** No data available on the mixture  
**Target Organs:** No data available on the mixture  
**Aspiration Hazard:** Contains petroleum distillates so concentrate prior to adding propellant may be an aspiration hazard.

**Carcinogenicity:**

Chemical Name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide		Group 3		
Isopropanol		Group 3		

**SECTION 12: ECOLOGICAL INFORMATION**

**Environmental Hazards Statement from FIFRA Regulated Pesticide Label:**

This product is extremely toxic to aquatic organisms, including fish and invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff.

Under some conditions, it may also have a potential for transport into surface water in runoff (primarily adsorbed to suspended soil particles), for several months or more after application. These include poorly draining or wet soils with readily visible slopes toward adjacent surface water, frequently flooded areas overlying extremely shallow groundwater, areas with in-field canals or ditches that drain to surface water, areas not separated from adjacent surface waters with vegetated filter strips, and areas over-lying tile drainage systems that drain to surface waters.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are foraging the treatment area.

**ECOTOXICITY DATA:**

The data presented below is for piperonyl butoxide technical.

**Fish Toxicity:** Rainbow trout: 96 hr LC<sub>50</sub> = 1.9 ppm  
 Sheepshead minnow: 96 hr LC<sub>50</sub> = 3.94 ppm

**Aquatic Invertebrate Toxicity:** *Daphnia magna*: 48 hr EC<sub>50</sub> = 0.51 ppm

**Aquatic Plant Toxicity:** No data available

**Avian Toxicity:** No data available

**Honeybee Toxicity:** No data available

**ENVIRONMENTAL EFFECTS:**

**Persistence and Degradability:** No data available

**Bioaccumulation:** No data available

**Mobility:** No data available

**Other Adverse Effects:** No data available

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste Disposal:** **Refer to the pesticide label for full information on disposal.** Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

**Container Disposal:** **Refer to the pesticide label for full information on disposal.** When possible, triple rinse the container and offer for recycling if available.

**RCRA Characteristics:** It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

**SECTION 14: TRANSPORTATION INFORMATION**

**DOT** UN1950, Aerosols, flammable, 2.1  
**(Ground):** This product may be classified as Limited Quantity.  
**IMDG**  
**(Sea):** UN1950, Aerosols, flammable, 2.1, Marine Pollutant  
**IATA**  
**(Air):** UN1950, Aerosols, flammable, 2.1

**SECTION 15: REGULATORY INFORMATION**

**Labeling Requirements Under FIFRA:** This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

**CAUTION**

Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes and gloves. Remove and wash contaminated clothing before reuse.

**TSCA Inventory:** This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA regulated use.

**Pystol Farm & Dairy Aerosol**

Revision Date: February 10, 2017

**SARA Title III Information:****Section 302 – Extremely hazardous substances:** None**Section 311/312 – Hazard Categories:** Acute (Immediate); Fire; Sudden release of pressure**Section 313 –** This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
Piperonyl butoxide	51-03-6	2.0%
Isopropanol	67-63-0	12.0 – 16.0%

**CERCLA –** This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
Pyrethrins	8003-34-7	1 lb	59 gallons (concentrate)

**CALIFORNIA PROPOSITION 65:**

Chemical Name	CAS Number	Prop 65 Category(ies)
None listed		

**U.S. STATE RIGHT-TO-KNOW REGULATIONS:**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Pyrethrins	X	X	X
Isopropanol	X	X	X
Piperonyl butoxide	X	X	X
1,1-Difluoroethane	X		
Distillates, petroleum, hydrotreated light	X	X	X

**SECTION 16: OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 3	<b>Instability</b> 0	<b>Special Hazards</b> – None
-------------	-------------------------	-----------------------	----------------------	-------------------------------

**Disclaimer:** Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

**Revision Date:** February 10, 2017**Document Superseded:** October 5, 2016**Revision Note:** Section 1, 15