

**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

1/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product identifier** 

Trade name	MAXFORCE® FLEET™
Product code (UVP)	84897086
SDS Number	102000031112
EPA Registration No.	432-1264

Relevant identified uses of the substance or mixture and uses advised against

	_
Use	Insecticide
Restrictions on use	See product label for restrictions.
Information on supplier	
Supplier	Bayer Environmental Science A division of Bayer CropScience LP 5000 Centregreen Way, Suite 400 Cary, NC 27513 USA
Responsible Department	Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.	
Emergency Telephone Number (24hr/ 7 days)	1-800-334-7577
Product Information Telephone Number	1-800-331-2867

### **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

### Hazards Not Otherwise Classified (HNOC)

No physical hazards not otherwise classified. No health hazards not otherwise classified.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### Hazardous Component Name

Fipronil

**CAS-No.** 120068-37-3

Concentration % by weight 0.001



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

**2/11** Revision Date: 12/10/2021 Print Date: 05/10/2022

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures		
General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.	
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.	
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.	
Ingestion	Call a physician or poison control center immediately. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Never give anything by mouth to an unconscious person. Do not leave victim unattended.	
Most important symptoms and effects, both acute and delayed		
Symptoms	To date no symptoms are known.	
Indication of any immediate medical attention and special treatment needed		
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.	

# SECTION 5: FIREFIGHTING MEASURES

Extinguishing media	
Suitable	Water, Foam, Carbon dioxide (CO2), Dry chemical
Unsuitable	High volume water jet
Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for firefighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.
Further information	Fight fire from upwind position. Keep out of smoke. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

**3/11** Revision Date: 12/10/2021 Print Date: 05/10/2022

Flash point	93.4 °C / 200.12 °F
Auto-ignition temperature	No data available
Lower explosion limit	No data available
Upper explosion limit	No data available
Explosivity	Not explosive

## SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Precautions	Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.	
Methods and materials for containment and cleaning up		
Methods for cleaning up	Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.	
Additional advice	Use personal protective equipment. If the product is accidentally spilled, do not allow to enter soil, waterways or waste water canal.	
Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

### **SECTION 7: HANDLING AND STORAGE**

#### Precautions for safe handling

Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.
Advice on protection against fire and explosion	Do not use this product in or on electrical equipment due to the possibility of shock hazard.
Hygiene measures	Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics. Remove Personal Protective Equipment (PPE) immediately after handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

**4/11** Revision Date: 12/10/2021 Print Date: 05/10/2022

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Fipronil	120068-37-3	0.035 mg/m3		OES BCS*
		(TWA)		

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### **Exposure controls**

#### Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	Respiratory protection is not required under anticipated circumstances of exposure.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Use tightly sealed goggles and face protection.
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Form	gel
Colour	light yellow
Odor	sweet
Odour Threshold	No data available
рН	4.5 - 5.5 (100 %) (55 °C)
Melting point/range	60 °C / 140 °F
Boiling Point	No data available
Flash point	93.4 °C / 200.12 °F
Flammability	No data available

**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112



5/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

Auto-ignition temperature	No data available
Thermal decomposition	Not applicable
Minimum ignition energy	Not applicable
Self-accelarating decomposition temperature (SADT)	No data available
Upper explosion limit	No data available
Lower explosion limit	No data available
Vapor Pressure	No data available
Evaporation rate	No data available
Relative vapour density	No data available
Relative density	No data available
Density	ca. 1.27 g/cm3 (20 °C)
Water solubility	soluble
Partition coefficient: n- octanol/water	Not applicable
Viscosity, dynamic	No data available
Viscosity, kinematic	No data available
Explosivity	Not explosive

# SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability	Stable under normal conditions. Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Extremes of temperature and direct sunlight. Exposure to moisture.
Incompatible materials	Strong bases, Strong acids, Strong oxidizing agents
Hazardous decomposition products	No decomposition products expected under normal conditions of use.



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

6/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

### SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Ingestion, Skin contact, Eye contact
Immediate Effects	
Skin	May be minimally irritating following prolonged direct contact.
Ingestion	May be harmful if swallowed.
Information on toxicological effects	
Acute oral toxicity	LD50 (Rat) > 5,000 mg/kg
Acute inhalation toxicity	
	No data available
Acute dermal toxicity	LD50 (Rat) > 5,000 mg/kg
Skin corrosion/irritation	slight irritation (Rabbit)
Serious eye damage/eye irritation	Minimally irritating. (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing. (Guinea pig)

#### Assessment STOT Specific target organ toxicity - single exposure

Fipronil: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Fipronil caused specific target organ toxicity in experimental animal studies in the following organ(s): Liver. Fipronil caused neurobehavioral effects and/or neuropathological changes in animal studies.

#### Assessment mutagenicity

Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

Fipronil caused an increased incidence of tumours in rats in the following organ(s): Thyroid. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

#### ACGIH

None.

NTP

None.

IARC

None.

**OSHA** 

None.

Assessment toxicity to reproduction



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

7/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

Fipronil caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fipronil is related to parental toxicity.

#### Assessment developmental toxicity

Fipronil did not cause developmental toxicity in rats and rabbits.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### **Further information**

Acute toxicity studies have been bridged from a similar formulation(s). The non-acute information pertains to the active ingredient(s).

### **SECTION 12: ECOLOGICAL INFORMATION**

Toxicity to fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) = 0.0852 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
Chronic toxicity to fish	Cyprinodon variegatus (sheepshead minnow) Early-life Stage NOEC: = 0.0029 mg/l Exposure time: 35 d The value mentioned relates to the active ingredient fipronil.
	Oncorhynchus mykiss (rainbow trout) Early-life Stage NOEC: = 0.015 mg/l Exposure time: 90 d The value mentioned relates to the active ingredient fipronil.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) = 0.19 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient fipronil.
	LC50 (Mysidopsis bahia (mysid shrimp)) = 0.00014 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
Chronic toxicity to aquatic invertebrates	NOEC (Mysidopsis bahia (mysid shrimp)): = 0.0077 µg/l Life Cycle; Exposure time: 28 d The value mentioned relates to the active ingredient fipronil.
	NOEC (Daphnia magna (Water flea)): = 0.0098 mg/l Exposure time: 21 d The value mentioned relates to the active ingredient fipronil.

BAYER

**MAXFORCE® FLEET™** 

	Version	3.0 / USA
	10200003	1112
-		

8/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) = 0.068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
	NOEC (Desmodesmus subspicatus (green algae)) = 0.040 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient fipronil.
	NOEC (Lemna gibba (gibbous duckweed)) = 0.16 mg/l Exposure time: 14 d The value mentioned relates to the active ingredient fipronil.
Biodegradability	Fipronil: Not rapidly biodegradable
Кос	Fipronil: Koc: 427 - 1278
Bioaccumulation	Fipronil: Bioconcentration factor (BCF) 321 Does not bioaccumulate.
Mobility in soil	Fipronil: Slightly mobile in soils
Results of PBT and vPvB assessment	
PBT and vPvB assessment	This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.

# SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product	Follow container label instructions for disposal of wastes generated during use in compliance with the product label. Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Do not re-use empty containers. Place empty container in trash. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

### **SECTION 14: TRANSPORT INFORMATION**

Not dangerous goods / not hazardous material

# **MAXFORCE® FLEET™**

Version 3.0 / USA 102000031112



9/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

IMDG UN number Class Packaging group Marine pollutant Proper shipping name	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FIPRONIL SOLUTION)
IATA UN number Class Packaging group Environm. Hazardous Mark Proper shipping name	<b>3082</b> 9 III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FIPRONIL SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:

INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

### **SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1264 **US Federal Regulations TSCA** list Water 7732-18-5 Sucrose 57-50-1 1,2-Propanediol 57-55-6 US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) No export notification needs to be made. SARA Title III - Section 302 - Notification and Information Not applicable. SARA Title III - Section 313 - Toxic Chemical Release Reporting None.

# US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

WARNING: This product contains a chemical known to the State of California to cause birth defects or<br/>other reproductive harm. For more information go to www.P65Warnings.ca.gov.N-Methyl-2-pyrrolidone872-50-4Developmental toxin.



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

**10/11** Revision Date: 12/10/2021 Print Date: 05/10/2022

RI RI

US State Right-To-Know Ingredients		
Sucrose	57-50-1	MN,
1,2-Propanediol	57-55-6	MN,
Environmental		
CERCLA		
None.		
Clean Water Section 307(a)(1)		

Clean Water Section 307(a)(1) None. Safe Drinking Water Act Maximum Contaminant Levels None.

#### **EPA/FIFRA** Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word:	Caution!
Hazard statements:	May be harmful if swallowed. Avoid contact with skin and clothing. Keep exposed gel away from open food and food contact surfaces. Wash thoroughly with soap and water after handling.

## **SECTION 16: OTHER INFORMATION**

SECTION 10. OTHER INFORMATION	
Abbreviations and acronyms	
Code of Federal Regulations, Title 49	
US. ACGIH Threshold Limit Values	
Acute toxicity estimate	
Chemical Abstracts Service number	
Comprehensive Environmental Response, Compensation, and Liability Act	
European inventory of existing commercial substances	
European list of notified chemical substances	
International Agency for Research on Cancer	
International Air Transport Association	
International Maritime Dangerous Goods	
Not otherwise specified	
US. National Toxicology Program (NTP) Report on Carcinogens	
Organization for Economic Co-operation and Development	
Transportation of Dangerous Goods	
Time weighted average	
United Nations	
World health organisation	



**MAXFORCE® FLEET™** 

Version 3.0 / USA 102000031112

11/11 Revision Date: 12/10/2021 Print Date: 05/10/2022

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)Health - 1Flammability - 1Physical Hazard - 0PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 14: Transport Information.

Revision Date: 12/10/2021

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.