

2,4-D Amine 4 is a low-volatile phenoxy herbicide formulation that controls a variety of broadleaf weeds in crops including cereal grains, corn, rice, sorghum, soybeans (pre-plant burndown only), sugarcane, fallow land and ornamental turf. A superior formulation provides the user with flexibility in mixing with other herbicides for additional weed control options.

Sept As a salescent time to a sales of the sales

PRODUCT FEATURES:

- A solvent-free, highly soluble formulation that forms a homogeneous solution.
- Effective in controlling more than 90 broadleaf weeds when applied at the young and active growing stage.
- Broad label uses including ornamental grasses, grasses cut for hay, forestry and aquatic weed control.

APPLICATION RESTRICTIONS

- Do not apply this product through any type of irrigation system.
- Do not use in greenhouses.
- Applicators must follow all state and local pesticide drift requirements regarding application of 2,4-D herbicides.
- 2,4-D Amine 4 is NOT approved for application to the new Corn, Cotton and Soybean 2,4-D tolerant GMO crops.

See label for complete application guidelines and restrictions.

ACTIVE INGREDIENT: 2,4-D AMINE

HERBICIDE GROUP: 10

ACTIVE INGREDIENT PER GALLON: 3.8 lbs.

MODE OF ACTION: Synthetic auxin growth regulator

USE RATES: See label for all product use rates

PACKAGING: 4x1's, 2x2.5's, 30's and 265 gal





WEEDS CONTROLLED

ANNUAL OR BIENNIAL WEEDS

Beggarticks⁽¹⁾ Bittercress. Smallflowered⁽²⁾ Bitterweed Broomweed, Common (I) Burdock, Common Buttercup, smallflowered⁽¹⁾⁽²⁾ Carpetweed Cinquefoil, Common⁽²⁾ Cinquefoil, Rough(2) Cocklebur, Common Coffeeweed Copperleaf, Virginia (2) Croton, Texas Croton, Woolly Fixweed Galinsoga Geranium, Carolina (2) Hemp, Wild Horseweed(Marestail)(2) lewelweed limsonweed Knotweed (I)

Lamsquarter, Common Lettuce, Prickly (1)(2) Lettuce, Wild Lupines Mallow, Little(1) Mallow, Venice(1) Marshelder Morningglory, Annual Morningglory, Ivy Morningglory, Woolly Mousetail (2) Mustards (Except Blue Mustard) Parsnip, Wild Pennycress (Fanweed) **Pepperweeds** (Lepidium Spp.) $^{(1)(2)}$ **Pigweeds** (Amaranthus Spp.)(1) Poorjoe Primrose, Common Purslane, Common⁽²⁾ Pusley, Florida Radish, Wild

Ragweed, Common Ragweed, Giant Rape, Wild Rocket, Yellow Salsify, Common⁽¹⁾ Salsify, Westerm⁽¹⁾ Shepherdspurse Sicklepod Smartweed (Annual Species) $^{(1)(2)}$ Sneezeweed, Bitter Sowthistle, Annual Sowthistle, Spiny Spanishneedles Sunflower Sweetclover **Tansymustard** Thistle, Bull Thistle, Musk(I) Thistle, Russian (Tumbleweed)(1) Velvetleaf Vetches

PERENNIAL WEEDS

Kochia

Alfalfa(1)(2) Ironweed, Western⁽²⁾ Chicory Austrian Fieldcress(1 Clover, Red(1)(2) lvy, Ground(1) Nettles(Including Stinging)(1) Artichoke, Jerusalem⁽¹⁾ Coffeeweed Aster, many-flower(1) Cress, Hoary(1) Onion, Wild⁽¹⁾ Bindweed (hedge, field **Dandelion** Pennywort and European)(1)(2) Docks⁽¹⁾ **Plantains** Blue Lettuce Dogbanes⁽¹⁾ Ragwort, Tansy⁽¹⁾ Blueweed, Texas Eveningprimrose, Cutleaf(2) Sowthistle, Perennial Broomweed Garlic, Wild Thistle, Canada⁽¹⁾⁽²⁾ Bullnettle(1)(2) Goldenrod Vervains(I) Carrot, Wild(1) Hawkweed, Orange⁽¹⁾ Wormwood Catnip Healall

PRODUCT USE RATES

PREPLANT/PRE-EMERGENT APPLICATION	
Corn	1 to 2 pints/A
Rice*	½ to 2 pints/A
Soybeans	3/4 to 2 pints/A
Sugarcane	3 pints/A

POST-EMERGENT APPLICATION		
Cereal Grains	½ to 2 pints/A	
Corn	½ to I pint/A	
Hops	1 pint/A	
Rice*	1 to 2 pints/A	
Sorghum	½ to 1½ pints/A	
Sugarcane	3 to 4 pints/A	

^{*}Not registered for use in California

Always read and follow label directions. EPA Reg. No. 42750-19 AD120115

⁽¹⁾ Difficult-to-Control Weeds: These weeds are only partially controlled and may require repeat applications and/or use of the higher specified rate of this product even under ideal conditions of application.

 $^{^{\}left(2\right)}$ This product may not be used to control this weed species in the state of California.